



Mobile Electronics Accessories



### **CONTROL HARNESS FAQ**



Vehicles with steering wheel control & or CAN-BUS

Vehicles without steering wheel control or CAN-BUS



Select AERPRO control harness to suit vehicle



Select AERPRO APP series harness to suit vehicle



Select AERPRO patch lead based on stereo brand. See list associated with selected control harness.



Select AERPRO APP8 series harness to suit aftermarket headunitunit





#### **CONTROL HARNESS FAQ**

## **Steering Wheel Control Harness FAQ:**

## Q: If the vehicle plugs do not match, can I cut the control harness and wire the steering wheel control module into the vehicle?

A: No, The Aerpro control harness module has been programmed specific to the vehicle.

If the Control harness plug does not suit the vehicles radio plug, The Control harness will not suit your vehicle.

#### Q: I have installed a pioneer unit, When I Turn On Unit, the Steering Wheel controls Do not Function correctly.


A: Pioneer head units can have different rest voltage for the steering wheel control input. This can cause the steering wheel controls to function incorrectly. There are Two Solutions available. Please see below:

1.If you have purchased the APPIOA and the steering wheel controls are not functioning correctly, you will need to remove the link between pins 7 & 8 (see Fig 1 below). Link can be removed by de-pinning the block using a small screw driver. Once link is removed from patch lead, disconnect power from steering wheel control module for 30 seconds so the Module will recognise the change to the patch lead.

2.If option 1 does not correct the problem, you will need to purchase the APPISOA. The APPISOA will suit both Pioneer and Sony head units.

 $The \ APPISOA \ has \ an inline \ PCB \ which \ automatically \ detects \ which \ brand \ unit \ is \ being \ installed \ and \ adjusts \ programming \ to \ suit \ the \ aftermarket \ unit \ .$ 

Fig 1.



Remove the link between pins 7 & 8


#### Q: MY aftermarket head unit does not have a direct Steering Wheel Control Input. Is there another Option?


A: Yes, If your Head unit does not have direct steering wheel control input,

you can use the Aerpro APUIR (ref. page 33). The APUIR is a universal Infra-red

adaptor which enables control of an aftermarket head unit (with IR control) from the steering wheel controls of an analog Vehicle, allowing up to 10 buttons to be programmed. The head unit must have a remote control handset for the IR adaptor to learn from.

#### Q: What is the difference between a TYPE A and a TYPE C Control Harness?





#### ISO SECONDARY SIDE HARNESSES

#### ISO Secondary Side Harnesses To Radio

The APP8 series of harnesses are designed to plug directly into the back of the majority of aftermarket radios (Alpine, Clarion, JVC, Kenwood, Panasonic, Pioneer, Sony) leaving you with a male pair of ISO plugs on the other end to connect. The male ISO connectors are then simply plugged into the corresponding 'APP' plug, or existing original factory female ISO plugs (depending on vehicle), and you're away. How easy is that!

#### To Suit Alpine





- Suits Alpine car audio units with square pins
- 16 pin plug (square pins)
- Square holes







- Suits Alpine model car audio units with round pins
- 16 pin plug (round pins)
- Round holes







- Suits Alpine Model:CDE100EUB
- 16 pin plug



#### To Suit Clarion





- Suits all Clarion car radio units up to 2010
- 16 pin plug







• Suits clarion head units: CZ100A CZ101A

CZ200A CZ201A CZ309E CZ500A

CZ500A CZ501A







 Suits clarion head units: All 2012 AV units MAX386VD, NX501A VRX406BD, VX400A VZ400A, VX401A VZ401A, VX409A VZ409A, VX709A VZ709A



#### ISO SECONDARY SIDE HARNESSES

#### To Suit JVC





- Suits JVC car audio units pre-2010
- 16 pin plug







- Suits JVC car audio units (Series II)
- 16 pin plug







- Suits JVC head unit models:
- KD-R326
- KD-R526
- KD-R626
- With added 3.5mm plug



#### To Suit Kenwood





- Suits 2000-2004 model Kenwood Head Units
- 16 pin plug







- Suitable for all Kenwood models 2005 ON
- 16 Pin connection
- 2 Large Pins for Power and Earth.
- Makes for easy D.I.Y. installation



#### To Suit Panasonic





- Suits all latest model Panasonic car audio units
- Makes for easy D.I.Y. installation
- 16 pin plug



#### To Suit Pioneer





- Suits most Pioneer car audio units from 2002 2009
- 16 pin plug







- Suits Pioneer head units: DEHP9850, AVHP7950, AVHP4950
- 16 pin plug







- Suits Pioneer head units: DEH1250 DEH1250MP
- 16 pin plug







- Suits Pioneer head units: MVH8250 MVH8250BT AVHP3250DVD AVHP3250BT AVHP4250DVD
- 16 pin plug







- Suits Pioneer head units: DEH1350MPG, DEH2250UBC DEH3250UB, DEH3350UB DEH4250SD, DEH4350UB DEH5250SD, DEH6350SD DEH7350BT
- 16 pin plug







- Suits Pioneer head units: DVHP3250UB
- 16 pin plug



#### **ISO SECONDARY SIDE HARNESSES**





- Suits Pioneer head units: AVICF20BT AVICF30BT AVICF40BT
- 16 pin plug



#### To Suit Sound4





- •To suit Sound 4 models: Z801, Z800, Z300, FX116
- 20 pin plug







- Suits Sound 4 to ISO, 2 plug units
- 1x9 Pin and 1x4 Pin.



#### To Suit Sony





- Suits all sony head units up to 2012
- 16 pin plug







- Suits SONY models: XAV63 XAV601BT XAV701BT
- 16 pin plug








- Suits Sony model Head units 2013 on16 pin plug




#### **Universal ISO Connector**



#### Universal Female ISO Connectors to bare ends







- Universal Male ISO Connector

   Suit AUDI / VW APP7201 ISO to bare ends.

   The APP7201 has an inbuilt link for the illumination wire in an Audi or Volkswagen.



#### STEERING WHEEL CONTROL ADAPTORS

#### **Universal Steering Wheel Control Adaptors**



#### UNIVERSAL STEERING WHEEL CONTROL INTERFACE

Retains your original Steering wheel controls. Works with aftermarket radios like, JVC, Pioneer, Kenwood, Alpine and other units that have a Steering wheel control input.

The ASWC has the ability to auto detect many vehicle makes and aftermarket radios and it will preset the steering wheel controls to the aftermarket radio automatically so no programming is required. The ASWC also has the ability to be manually programmed to suit vehicles not listed in the auto detection feature.

Some of the Vehicles that use the Auto Detect Feature: Audi A4 2004 - 09 Chrysler 300C 2005 - 2010 Honda CRV 2005 - 2010 Mazda 3 2004 - 2010 Mazda 6 2003 - 2010



#### **UNIVERSAL CANBUS MODULE**

This module enables control of an aftermarket Head unit from the steering wheel controls of a Non Can and CAN-BUS Vehicle. + it will Generate Acc,Ill, Reverse trig, and Speed pulse ( CAN only). Compatible with Alpine, Blaupunkt, Becker,Clarion,JVC,Kenwood, Panasonic,Pioneer,Sony, aftermarket Head units A head unit specific Patch lead is required with this interface (Type C) Alfa Romeo 147/GT/159/Brera/Mito Audi models without MMI BMW 1er(E87)/ 3er (E90) Citroen C2/C3/C4/C5/C8 Fiat Bravo/Panda/Punto/500 Ford C-Max/Fiesta/Focus/Mondeo/S-Max Mazda 6 Mercedes A-class(W169) / B-class (W245) / C-class (W203) /

Holden Astra / Berina / Epica / Vectra Peugeot Clio / Laguna / Megane / Modus / Scenic / Twingo Skoda Fabia / Octavia / Roomster VW Eos / Golf / Jetta / Polo / Passat / Tiguan / Touran / Toureg





#### UNIVERSAL IR ADAPTOR (for Infrared Red Controlled Head Units)

Unit enables control of an aftermarket Head unit (with IR control) from the steering wheel controls of an analog vehicle. Up to 10 buttons to be programmed.

The Head unit must have an IR remote control handset for the IR Adaptor to learn from. Alfa Romeo 147 / 156 2000 on - Mid/High Blaupunkt Romeo GT 2004 on - Mid/High Blaupunkt Ford Falcon AU, BA Fiesta 2003 on, Focus 2001 on, Mondeo 2003 on (except Ghia) Holden Captiva 2007 on Commodore Hyundai Santa FE 2006 ON, i30 2007 on - Mazda 2 Peugot 206/306 2000 - 2002 - Philips RB1,RD1, 22RC200, Clarion PU2325A, PU2294 Subaru Imprezza / Forester 2007 on Suzuki Swift / Vitara 2005 on - Panasonic PACR01 / PACR02 Toyota Avensis/Yaris/Corolla/ Rav4 ( with steering wheel controls) - Fujitsu Ten / Matsushita





# PATCH LEADS

# PATCH LEADS

Type A Patch Leads For SWC





Alpine Patch Lead Suits Control Harness A





Clarion Patch Lead Suits Control Harness A





JVC Patch Lead Suits Control Harness A





Kenwood Patch Lead Suits Control Harness A





Panasonic Patch Lead Suits Control Harness A



## PATCH LEADS



Pioneer Patch Lead Suits Control Harness A





Sony Patch Lead Suits Control Harness A





Pioneer & Sony Patch Lead Suits Control Harness A





Type C Patch Leads For SWC



Alpine Patch Lead Suits Control Harness C
• Plugs directly into APUCB Can-Bus and Control harness C series





Clarion Patch Lead Suits Control Harness C
• Plugs directly into APUCB Can-Bus and Control harness C series



## PATCH LEADS



#### JVC Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





#### Kenwood Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





## Panasonic Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





#### Pioneer Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





#### Sony Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series



**(** 





## Maxcor Series Amplifier Power Kits




Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.



# Aerpro erist Choice





#### 4 AWG 800W Max

- 6.0M 4 AWG Braided Power Cable with O-Ring Terminal preinstalled
- 0.8M 4 AWG Braided Ground Cable with O-Ring Terminal preinstalled
- ANL Fuse assembly with 120A Fuse
- Hex key included for installation of Custom Fuse Holder
- 4 AWG Grommet
- 5.0M 20 AWG Trigger Wire with Fork Terminal preinstalled
  1.8M Split Loom Tubing included
- 6pcs Cable Ties



800 Watt MAX













## Maxcor Series Complete Amplifier Wiring Kits







#### 2 Channel 600W Max Installation Kit

- 6.0M 8 AWG Braided Power Cable with O-Ring Terminal preinstalled
- 0.8M 8 AWG Braided Ground Cable with O-Ring Terminal preinstalled
- AGU Fuse assembly with 60A Fuse
- Hex key included for installation of Custom Fuse Holder
- 1pc 2 Channel Maxcor RCA Cable
- 4.0M of 16 AWG Speaker Cable
- 8 AWG Grommet
- 5.0M 20 AWG Trigger Wire with Fork Terminal preinstalled
- 12pcs Cable Ties
- 1.8M Split Loom Tubing included Cable Ties and all required professions fitting terminals included









C-4







 $\bigoplus$ 









## Special Series For Utility Vehicles

#### 2 Channel 400W Max Installation Kit

- 4.2M 8 AWG Clear Red Power Cable with Ring Terminal preinstalled
- 0.8M 8 AWG Clear Black Ground Cable with Ring Terminal preinstalled
- 1pc 3.1M Blue RCA Lead with Trigger Wire
- 6.2M 16 AWG Speaker Cable
- 8 AWG Fuse Holder with 60A AGU Fuse
- 2 Screws for Fuse Block mounting
- 8 Cable Ties
- 1 Heavy-duty 8 AWG Grommet
- 2 Red open ended Fork Terminals (size to suit speaker wire)
- 2 Black open ended Fork Terminals (size to suit speaker wire)
- 2 Small black female Spade Speaker Terminals (size to suit speaker wire)
- 4 Large red female Spade Speaker Terminals (size to suit speaker wire)







#### 4 Channel 400W Max Installation Kit

- 4.2M 8 AWG clear red Power Cable with Ring Terminal preinstalled
- 0.8M 8 AWG clear black Ground Cable with Ring Terminal preinstalled
- 4 Small black female Spade Speaker Terminals (size to suit speaker wire)
- 8 Large red female Spade Speaker Terminals (size to suit speaker wire)

• 4 Black open ended Fork Terminals (size to suit speaker wire)

- 4 Red open ended Fork Terminals (size to suit speaker wire)
- 2pcs 3.1M Blue RCA Lead, 1 with Trigger Wire
- 6.2M 16 AWG Speaker Cable
- 2M 12 AWG Speaker Cable
- 8 AWG Fuse Holder with 60A AGU Fuse
- 2 Screws for Fuse Block mounting
- 12pcs Cable Ties
- 1 Heavy-duty 8 AWG Grommet





APU84

## **Grounding Kit**

#### 6 Earth Point Grounding Cable Kit

Can help to:

- Enhance spark strength
- Reduces or eliminates ignition break up under load
- Increase torque
- Improve throttle response















## **Bassix Series Amplifier Wiring Kits**

## 8 Gauge 450W Max • 5.5M Red 8 GA Power Cable with O-Ring Terminal • 0.8M Black 8 GA Ground Cable with O-Ring Terminal • 50A AGU Fuse with Holder • Hex key for Fuse Holder 8 GA Grommet • 20 GA Blue Trigger Wire 6pcs Cable Ties Amp Power Wiring Kit **BSX008**

#### 2 Channel 8 Gauge 450W Max


- 5.5M Red 8 GA Power Cable with O-Ring Terminal
- 0.8M Black 8 GA Ground Cable with O-Ring Terminal
- 50A AGU Fuse with Holder
- 5M 2 Male to 2 Male RCA Lead
- Cable Ties and Terminals included
- Hex key for Fuse Holder
- 8 GA Grommet
- 20 GA Blue Trigger Wire
- 1.8M Split Loom Tubing



#### 4 Channel 8 Gauge 450W Max

- 5.5M Red 8 GA Power Cable with O-Ring Terminal
  0.8M Black 8 GA Ground Cable with O-Ring Terminal
- 50A AGU Fuse with Holder
- 2pcs 5M 2 Male to 2 Male RCA Lead
- Hex key for Fuse Holder
- 8 GA Grommet
- 20 GA Blue Trigger Wire
- Cable Ties and Terminals included
- 1.8M Split Loom Tubing









 $\bigoplus$ 





## Workshop Series Amplifier Wiring Kits

#### 10 Gauge 250W Max

• 5.5M 10 GA Red Power Cable With O-Ring Terminal

0.8M 10 GA Black Ground Cable with O-Ring Terminal

- 20 GA Blue Trigger Wire
- 30A ATC Fuse with Holder
- 10 GA Grommet
- 6pcs Cable Ties



#### 2 Channel 10 Gauge 250W Max

- 5.5M 10 GA Red Power Cable with O-Ring Terminal
- 0.8M 10 GA Black Ground Cable with O-Ring Terminal
- 5M, 2 Male to 2 Male RCA Lead
- 20 GA Blue Trigger Wire
- 30A ATC Fuse with Holder
- 10 GA Grommet
- 10pcs Cable Ties



#### 4 Channel 8 Gauge 450W Max

- 5.5M 8 GA Red Power Cable with O-Ring Terminal
- 0.8M 8 GA Black Ground Cable with O-Ring Terminal
- 2pcs 5M, 2 Male to 2 Male RCA Lead
- 20 GA Blue Trigger Wire
- 50A ATC Fuse with Holder
- 8 GA Grommet
- 12pcs Cable Ties





**(** 



# Workshop Series Automotive Cable • 100 Metres Each Roll





Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.









## **Maxcor Series Power Cable**

8 AWG Power Cable 50m



8 AWG Power Cable 50m



4 AWG Power Cable 20m



4 AWG Power Cable 20m



2 AWG Power Cable 20m



**(1)** 



**(** 







0 AWG Power Cable 20m



0 AWG Power Cable 20m





"Clear flat finish and maximum flexibility"








## **Bassix Series Power Cable**





8 GA Power Cable 50m



4 GA Power Cable 30m



4 GA Power Cable 30m



**(** 




















Ultra high performance speaker cable available in 5 colours and 2 thicknesses

Super flexible silicone protective sheath Matt textured finish

"Arguably the best looking speaker cable on the market!"





16GA

APCC16BL

18GA

APCC18BL







16GA

18GA









16GA

APCC16SG

18GA



12 Metre Reel, Orange



16GA



18**G**A



12 Metre Reel, Red



Special Color

16GA

APCC16RD

18GA

APCC18RD

C-14



## Speaker Cable (Blister Pack)

#### 12 Metres of 2 x 10/0.12mm

- Grey PVC Insulation
- 12 Metre length, 2 x 10 / 0.12mm



AP939/12

#### 7 Metres of 2 x 40/0.12mm

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core
- 7 Metre length, 2x40 / 0.12mm



AP940/7

#### 12 Metres of 2 x 40/0.12mm

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core



**AP940/12**9 317114 870537

#### 20 Metres of 2 x 12 Gauge

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core



**AP942/20**9 317114 881854

#### Connector with Spade Terminals, Clear, 40cm, 14 Gauge

- Clear PVC insulation
- Ideal for inter-connecting subwoofers and box terminals
- Spade terminal connections (red + black) on each end
- 40cm length, 14 Gauge





## Connector with Spade Terminals, Clear, 80cm, 14 Gauge

- Clear PVC insulation
- Ideal for inter-connecting subwoofers and box terminals
- Spade terminal connections (red + black) on each end
- 80cm length, 14 Gauge





Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.







## Speaker Cable (Roll Pack)

#### 100 Metre Roll, 20 Gauge Clear

- Clear PVC insulation
- Polarity identification with 1 silver core and 1 copper core
- 100 Metre reel, 2 x 40 / 0.12mm



**AP940**317114 868053

#### 100 Metre Reel, 16 Gauge Clear

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core
- 100 Metre reel, 2 x 112 / 0.10mm





#### 100 Metre Reel, 16 Gauge Clear

- Clear PVC insulation
- · Polarity identification with positive trace
- 100 Metre reel, 2 x 120 / 0.12mm





#### 100 Metre Reel, 14 Gauge Clear

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core
- 100 Metre reel, 14 Gauge, 2 x 196 / 0.12mm





#### 40 Metre Reel, 14 Gauge Clear

- Clear PVC insulation
- Polarity identification with 1 silver core & 1 copper core
- •40 Metre reel, 14 Gauge, 2 x 196 / 0.12mm





#### 100 Metre Roll, 12 Gauge Clear

- Clear PVC insulation
- Polarity identification with 1 silver core and 1 copper core
- 2 x 300/0.12mm Clear









#### 50 Metre Reel, 10 Gauge Clear

- Clear PVC insulation
- Polarity identification with positive trace
- 50 Metre reel, 2 x 672 / 0.10mm





## Speaker Cable With PVC Insulation

#### 39 Metre Reel, 2 x 40/0.12mm



Blue
APW940BL



Green
APW940GR



 $\bigoplus$ 

Orange
APW940OR
317114 893987



Purple

APW940PU

3171114 893994



Yellow

APW940YL

3171114 893970



Coloured Cable Display Stand

Purple, Yellow, Orange, Green, Clear, Blue.

• Complete with Cardboard Aerpro Display card.

6 Rolls Coloured CableCable display stand complete with

• Each roll is 39 metres in Length.

6 rolls of Speaker Cable.

#### **APW940KT**











## Super Durable Woven Fibre RCA Leads














#### All Metal Bodied RCA Connectors With Soldered Connections

Belier Quality Real Profit Aerpro Crystal Series has been engineered to give outstanding acoustic performance, unsurpassed noise rejection, stunning looks and outstanding reliability. Hybrid Woven fibre/PU/PVC combination outer sheath helps prevent breakages to centre conductor during and after installation by virtual elimination of stretching and chaffing whilst preserving its flexibility.













## Maxor Series RCA Leads • Blue Twisted Pair Double Shielded with Sealed Connectors






**(** 

















## **Bassix Series RCA Leads**

#### **RCA Adaptor Lead**

- Blue PVC, 22cm 1 Female/2 Male
- Gold plated connectors for better conductivity with moulded strain relief ends to avoid breaking the centre conductors
- Braided shielding
- Outer Diameter 4 + 4mm





- RCA Adaptor Lead
   Blue PVC, 22cm 2 Female/1 Male
   Gold plated connectors for better conductivity with moulded strain relief ends to avoid breaking the centre conductors.
- · Braided shielding
- Outer Diameter 4 + 4mm.







#### **Angled RCA Lead**

- Blue PVC, 30cm 2 Female/2 Male
   Gold plated RCA plugs with moulded strain relief ends
- Made from oxygen free copper with blue PVC insulation
- Braided shielding
- Outer Diameter 4 + 4mm





#### **RCA Lead**

- Blue PVC, 1.2M 2 Male/2 Right-Angled Male
- Gold plated RCA plugs with moulded strain relief ends
- Made from oxygen free copper with blue PVC insulation
   Braided shielding with switch wire
- Outer Diameter 4 + 2 + 4 mm



#### RCA Lead

- Blue PVC, 1.5M 2 Male/2 Right Angled Male
- Gold plated RCA plugs with moulded strain relief ends
- Made from oxygen free copper with blue PVC insulation
- Braided shielding with switch wire
- O.D. 4 + 2 + 4 mm







#### **RCA Lead**

- Blue PVC, 3M 2 Male to 2 Right-Angled Male Gold plated RCA plugs with moulded strain relief ends
- Made from oxygen free copper with blue PVC insulation
- Braided shielding with switch wire
- Outer Diameter 4 + 2 + 4 mm



#### RCA Lead- Blue PVC, 5M - 2 Male/2 Right Angled Male

- Gold plated RCA plugs with moulded strain reliefs on each end
- Made from oxygen free copper with blue PVC insulation
- Braided shielding with switch wire
- Outer Diameter 4 + 2 + 4mm









## Workshop Series RCA Leads

#### 1.2M, 2 Male/2 Male

- Clear single shielded cable
- Gold plated RCA Plugs
- Metal RCA Lead





#### 3M, 2 Male/2 Male

- Clear single shielded cable
- Gold plated RCA Plugs
- Metal RCA Lead







# 5M, 2 Male/2 MaleClear single shielded cableGold plated RCA Plugs

- Metal RCA Lead







Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.





#### 1 Pair, 22cm 2 Female/1 Male

- Clear single shielded cable
- Gold plated RCA Plugs
- Metal RCA Lead



#### 1 Pair, 22cm 1 Female/2 Male

- Clear single shielded cable
- Gold plated RCA Plugs
- Metal RCA Lead



## Classic Series RCA Leads

#### 5 Metre Shielded RCA Lead

- Twisted Pair, 2 x Right angled male plugs to 2 x male plugs
- Aluminium foil shielding
- Gold plated RCA plugs for optimum conductivity
- New "smaller design" plugs for easier installation
- 5 Metres, translucent grey
- 1 Metre extended grounding wire





#### Engine Noise Buster

#### 5 Metre Shielded RCA Lead

- $\bullet$  Twisted Pair, 2 x Right angled male plugs to 2 x male plugs
- Aluminium foil shielding
- Gold plated RCA plugs for optimum conductivity
- New "smaller design" plugs for easier installation
- 5 Metres, translucent grey







#### 1 Metre 75 Ohm Black Coaxial Cable,

- 1 Male to 1 Male
- Gold plated RCA metal plug
- Metal Ceramic insert for premium video transmission







C-24





#### 3 Metre 75 Ohm Black Coaxial Cable,

- 1 Male to 1 Male
- Gold plated RCA metal plug
- Metal Ceramic insert for premium video transmission







### Navy Blue, Double-Shielded, 5 Metre - 2 Male to 2 Male

- Gold-plated connectors for optimum conductivity
- · Aluminium foil shielding with switch wire
- Outer Diameter 5 + 2 + 5mm







#### 75 Ohm Black Coaxial Cable, 5 Metres - 1 Male to 1 Male

- Gold plated RCA metal plugs
- Metal Ceramic insert for premium video transmission







#### **RCA Adaptor Lead** Black Cotton covered 30cm - 1 Female/2 Male

- Gold plated RCA metal plugs
- Cotton covered

• High performance flexible RCA cable







### RCA Adaptor Lead – Black Cotton covered 30cm - 2 Female/1 Male

- Gold plated RCA metal plugs
- Cotton covered
- High performance flexible RCA cable







#### 3 Metre, 3.5mm Stereo Plug to 2 Male RCA Plugs

- 3.5mm stereo jack to right & left RCA plugs
- Gold plated RCA plugs for optimum conductivity













### **RCA Adaptors**

### RCA Adaptor, Male to Male RCA Couplers • Male to male adaptor

- Packed in pairs



Metal **AP605** 





**Plastic AP623** 



#### Right Angled RCA Adaptors, 2 Pack

• Female to male configuration



Metal **AP618** 





**Plastic** AP618RB



#### RCA Adaptor, Female to Female

- Gold-plated
- Colour-coded terminals
- Packed in pairs













**AP632** 

### RCA Adaptor, 1 Female to 2 Female • Used when splitting 1 female RCA into 2 female RCAs





**AP634** 

C-26



3.5mm Stereo Plug to 2 RCA Sockets
• Used for connecting from 3.5mm stereo into RCA stereo







#### **Dual 4mm** Stackable Banana Plug, Pack of 2

- Gold-plated screw type
- 19mm spacing with plastic spacer
  Colour-coded Platic
- Packed in pairs
- Hang-sell, full colour blister pack







### **Fuses**

#### **AGU Fuses**

- Gold plated end caps
- Suits PS32, AP452A and fused distribution blocks
- Packet of 5





30 Amp

**AP458** 

40 Amp

**AP459** 

50 Amp

**AP460** 

60 Amp

**AP461** 

- ANL Type Fuse
   Suits AP462 fuse holder
- These are used when high current is required



80 Amp

100 Amp

150 Amp

**AP468** 

200 Amp









# ATC (Blade) Type Fuses, Packet of 5 • Suits AP472 fuse holder • Blister packed, quantity of 5



25 Amp

**AP477** 





30 Amp

**AP478** 





#### **AGU Fuses**

- Pack of 50
- Suits all AGU type AERPRO Fuse Holders and Distribut
- Gold plated for excellent conductivity





• 30 Amp

**AP45530** 



• 40 Amp

**AP45540** 



• 50 Amp

**AP45550** 





• Pack of 2



**AMA50** 

















### **Fuse Holders**





- For any high current, low voltage application
- Fitted with water-resistant grommets
- Gold plated fittings





#### ATC (Blade) Inline Fuse Holder with Rubber Dust Cover

- Fitted with 30cm 12 gauge cableHolds standard ATC

 $\bigoplus$ 

- (Automotive Type blade) Fuses
- Water-resistant covering
- Gold plated terminals







#### AGU Inline Fuse Holder, Accepts 4GA or 8GA Cable

- Improved Design Anti-loosening end caps
- Suits 4GA or 8GA cable
- Fitted with water-resistant grommets
- Gold plated fittings







#### AGU Fuse Holder, Accepts 4 or 8GA Cable

- Platinum finish
- Gold plated terminals
- Suits 4GA or 8GA cable
- Weatherproof
- Clear plastic see-through cover











#### AGU Fuse Holder, Accepts 4GA or 8GA Cable

- Unique design
- Composite plastic material
   Fitted with dust-resistant grommets







#### 60 Amp Inline/Panel Mount Resettable Circuit Breaker

- Cable secured by set screw fittings
- Accepts 4 or 8 GA cable
- Moisture and dust protected
- Fitted with weather-resistant grommets
- Gold plated fittings







### **Fuse Blocks**

#### **Fuse Block** 8 GA x 2 to 8 GA x 2

- Spring steel fuse clips
- Gold plated.
- Holds 2 x AGU glass fuses (Not included)
- Hex set screw type







#### **Fuse Block** 8 GA x 3 to 8 GA x 3

- Spring steel fuse clips
- Gold plated
- Hex set screw type
- Clear perspex cover
- Holds up to 3 AGU glass fuses (Not included)







#### **Fuse Block** 8 GA x 4 to 8 GA x 4

- Spring steel terminals
- Gold plated
- Holds up to 4 x AGU fuses (Not included)
- Clear perspex cover














### **Fused And Power Distribution Blocks**

#### **Fused Power Distibution Block** 1 x 4 GA to 2 x 8 GA

- Spring steel fuse clips holds 2 AGU glass fuses
  Accepts AGU Fuses (Not included)
- between its gold plated brass bars
- Clear perspex cover
- Hex-set screw type







#### **Power Distribution Block** 4 GA x 2 to 8 GA x 4

- Gold plated terminals
- Clear perspex cover







#### Distribution Block with Digital **Ammeter and Voltmeter**

- Ammeter switchable from 0-25A to 20- 200A
- 1 x 0GA to 2 x 4GA
- Blue LED display
- Gold plated terminals
- Set screw fitting







#### **Power Distribution Block** 1 x 0GA to 4 x 4GA

- Gold plated
- Solid Brass
- Clear Perspex Cover
- Hex-Set Screws















### T Connect System











## T Type Connector 4GA in to 2X8GA out





### In Line Type Connector 8GA in to 8GA out

 $\bullet$  Supplied with joining disc to connect to T type connector models





### In Line Type Connector 4GA in to 4GA out

• Supplied with joining disc to connect to T type connector models





## In Line Type Connector 2GA in to 2GA out

• Supplied with joining disc to connect to T type connector models





#### Mini Anl Fuse Holder 2GA

- 2 Gauge Mini ANL Fuse holder
  Complete with 120A & 150A Mini ANL fuses.





### Mini Anl Fuse Holder 4GA • Cable secured by set screw fittings

- Nickel plated
- Complete with 2 Mini ANL fuses.













### **Stiffening Capacitors**

#### **Power Capacitor 1 Farad**

- Huge power capability, fast energy access, enhances battery power
- Voltage 20V Max
- E.S.R. < 0.00198 Ohm @ 25°C, 120 Hz

- E.S.R. < 0.00198 Onm @ 25 C</li>
  Capability 1,000,000 uF
  4 Digit red LED digital display
  2 x Blue status LEDs
  Mounting brackets
  Set of tools in polybag
  Height: 24cm Width: 7.5cm







#### **Power Capacitor 2 Farad**

- Voltage 20V Max
- E.S.R. < 0.00198 Ohm @ 25°C, 120 Hz</li>
  Capability 2,000,000 uF
  4 Digital display

- 2 x Blue status LEDs
- Mounting hardware
- Height: 30cm Width: 7.5cm







## Capacitor Buzz Bar • Packed in polybag







C-34





### **Battery Terminals**

#### 4 GA x 1, 8 GA x 2 & 2 GA x 1

- Set screw/bolt type
- Gold plated
- Suits 15mm terminals





**Positive** 

**AP503** 



**Negative** 

**AP502** 

#### 8 GA x 2 & Bolt

- Suits 2 x 8GA cables
- Bolt mounting for ring terminal
- Gold plated





**Positive** 



**Negative** 



#### Side Mounting Battery Terminal

- Bolt and nut type battery terminal
- Side mounting
- Gold plated







### Screw Type Terminals

### Ring Terminal, 8 GA • Platinum finish

- Compression type bolt
- Suits 8mm posts
- Gold plated brass for excellent conductivity








# Ring Terminal, Set Screw Type, 4 GA • Double set-screw type with insulating sleeve • Gold plated brass for excellent conductivity

- Suits 8mm posts















### Ring Terminal, Set Screw Type, 8 GA • Set screw type

- Gold plated brass for excellent conductivity
- Suits 8mm posts







### Ring Terminal, Heavy-Duty, 4 GA • Compression nut type

- Gold plated brass for excellent conductivity







#### 8 GA Fork Terminal

- Set-screw type
- Suits 8mm Posts
- Pack of 2







## L Type Ring Terminal, Set Screw Type, 4 GA

- For mounting against flat surfaces
- Gold-plated
- Screw type terminals







#### 4 Pin Plug and Socket, 12GA

- Gold-plated
- Screw type terminals
- Clear insulation
- · Polarity indication on pins
- Packed in matched pairs











**(1)** 



## Crimp Type Terminals

#### **4GA Fork Terminal**

- Gold plated terminals
- 2 Red, 2 black
- Suits 4mm posts







#### 12GA Fork Terminals - Male

- Gold-plated terminals
- Suits 4mm post
- 6 Red, 6 black







#### 8GA Right-Angled Fork Terminals

- Gold-plated terminals
- 6 Red, 6 black
- Suits 3mm posts







#### **8GA Fork Terminals**

- Gold-plated terminals
- 6 Red, 6 black

• Suits 3mm posts







## 12GA Spade Terminals - Female • Gold-plated terminals

- 6 Red, 6 black








#### 12GA Spade Terminals - Speaker Type

- Gold-plated terminals
- 2 Large red, 2 small black
- Ideal as speaker terminals













### OGA Ring Terminals - 2 Pack • Gold-plated terminals

- 1 Red (positive) and 1 black (negative)







# 2 GA Ring Terminals 4 Pack • 2 Gauge Ring Terminals • 2 Red / 2 Black

- Gold-plated terminals









# 4 GA Ring Terminals 4 Pack • 4 Gauge Ring Terminals • 2 Red / 2 Black

- Gold-plated terminals







## 8GA Ring Terminals • Gold-plated terminals • 6 Red, 6 black

- Suits 8mm posts







#### 12GA Bullet Terminals - Female

- Gold-plated terminals
- 6 Red, 6 black







### 12GA Spade Terminals - Male • Gold-plated terminals

- 2 Red and 2 black







C-38





#### 12GA Bullet Terminals - Female

- Gold-plated terminals
- 2 Red and 2 black







#### 12GA Bullet Terminals - Male

- Gold-plated terminals
- 2 Red and 2 black







#### 10-12GA Butt Terminals

- Gold-plated terminals
- 12 translucent yellow pieces







### **Ground Loop Isolators & Noise Filters**

### Two Channel Ground Loop Isolator

- Includes level adjustment
- Input: 2 x RCA plugs • Output: 2 x RCA sockets
- Used to eliminate signal noise
- Uniquely designed case








- Four Channel Ground Loop Isolator
   Includes level adjustment for adjusting front and rear channels at different sound levels
- Input: 4 x RCA plugs
- Output: 4 x RCA sockets
- Used to eliminate signal noise
- Uniquely designed case













RCA Ground Loop Isolator
• Use when ground loops are detected by having 2 or more audio products connected at different ground locations

Stereo, female RCA input & male RCA output connections

• Dimensions 90mm L x 65mm W x 27mm







#### 5 Amp Noise Filter

- 11-16V DC
- 3A Nominal, 5A maximum
- 70mm Length x 36mm diameter
- Red positive input
- Black ground. Blue positive output







## 20 Amp Noise Filter • 11-16 Volts DC • 15A Nominal, 20A maximum

- 55mm W x 70 mm L x 37mm D
- Red positive input
- Black ground. Blue Positive output







#### 40 Amp Noise Filter

- 11-15 Volt DC
- 25A Nominal, 40A maximum
- 72mm Length x 40mm diameter
- Red with ring terminal positive input. Blue ground
- Red with butt connector positive output







#### Car Antenna Noise Filter

- Filters noise coming in on antenna cable
  400mm Extended length
- Male and female antenna connections







C40







### **Car Adaptors**

#### 3 Way 12V DC LED Sockets

- Three port 12V DC adapter with blue LED illumination
- Converts single 12 volt socket to 3 sockets







### Four-in-One

- Cigarette Lighter Socket Adaptor
   Converts standard cigarette lighter socket into four
- Fused 10A protection
- Heat resistant socket which allows retention of the existing cigarette lighter plunger

  • Three coloured LEDs to indicate battery status








#### Cigarette Lighter Adaptor

- Connect device to your cigarette lighter socket
- Suits 12V DC







Dual **CA500** 







- Allows connection of two 12V appliances to your cigarette lighter socket
- Fully adjustable angle to suit multiple vehicle configuration
- 10A maximum











## **OE** Integration



#### Hi To Low Level Converter And Line Driver

- This will convert your existing cars factory head-unit's high level (speaker output) into a line level
- (RCA) output allowing you to add on an after-market amplifier speakers or subwoofer.
  For use as a high end alternative to the basic "transformer type" converter
  This item yields superior sonic performance to a standard converter as well as offering a higher RCA voltage output (up to 10V)
- Less distortion and less hiss (better signal to noise ratio)
- The system can also be used as a line driver to boost RCA voltage 4 volts to 10 volts, either from a headunit or even directly from an MP3 player / iPhone.
- Remote trigger in/out
- Input gain adjuster
- Maximum power clip indicator
  THD: 0.01%

- Signal to Noise:>87dB
  Maximum DC input voltage: 20V

2 Channel



4 Channel



C42









 $\bigoplus$ 

#### 2 Channel Bass Enhancer

•This device restores the dynamic range of the bass signal from the factory system which is often heavily



#### 6 Channel Hi To Low Level Converter With Sub Woofer Input And 6 Band Equaliser

- •-For use as a hi end hi to low level converter OEM integration solution.
- -This item yields superior sonic performance to a standard converter offering higher rca voltage, less distortion and less hiss.
- -The output equaliser allows you to adjust the equalisation curve to compensate for signal losses associated with the factory head unit outputs
- -Correct/enhance the after market speaker curve.







Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.

**(** 

- Max Voltage in: 40V RMS
- Max Aux-in Voltage: 40V RMS
- Signal to Noise Ratio: Channels 1-4: 90dB
- Frequency Response: 20-22,000 Hz
- Gain Range: Channels 1-4: -30dB to +4dB
- 2 Amp Fuse
- Dimensions: 140mm D X 268mm W X 36mm H







#### Speaker to Line Level Converter

- Level adjustment control, 30-80dB attenuation
- Gold plated RCA sockets
- 30 Watts per channel maximum
- 62mm W x 90mm L x 27mm D







#### Two Channel Hi/Lo Audio Level Converter

- Converts speaker level audio to line level (RCA) output
- Adjustable output level to suit various amplifiers
  Also eliminates signal noise
- Maximum input from speaker level: 100 Watts
- Uniquely designed case







#### Four Channel Hi/Lo Audio Level Converter

- Converts speaker level audio to line level (RCA) output
- Adjustable output level to suit various amplifiers
- Maximum input from speaker level: 100 Watts
- Also eliminates signal noise
- Uniquely designed case







### **FM Expander**

- Dual Frequency FM Expander

   Shifts the upper end of the FM band of imported Japanese and other radios
- · Selector switch allows expansion of the higher end of the FM Band by 10 MHz or 20MHz
- Frequency is crystal tuned for added stability
- Shielded from external RF interference







#### 20 MHz Deluxe FM Expander

- Uses phase lock loop (PLL) technology
- Ensures the best reception for your Japanese radio
- Shielded from external RF interference
- 12 Volt DC operation
- Negative earth only







C44





### Power Inverters With USB Charger

#### 400W Power Inverter with USB Charger

- Continuous Power : 400W Input Voltage: DC12V
- Output Voltage: AC 220V-240V
- USB: DC 5V (Max 1000MA)
- Modified Sine Wave
- Frequency: 50 +/- 3 Hz



 $\bigoplus$ 



#### 800W Power Inverter with USB Charger

- Continuous Power: 800WInput Voltage: DC12V
- Output Voltage: AC 220V-240V
- USB: DC 5V (Max 500MA)
- Modified Sine Wave
- Frequency: 50 +/- 3 Hz





### 1000W Power Inverter with USB Charger

- Continuous Power: 1000W
- Input Voltage: DC12V
- Output Voltage: AC 220V-240V
- USB: DC 5V (Max 500MA)
- Modified Sine Wave
- Frequency: 50 +/- 3 Hz





#### 1500W Power Inverter with USB Charger

- Continuous Power: 1500W
- Input Voltage: DC12V
- Output Voltage: AC 220V-240V
- USB: DC 5V (Max 500MA)
- Modified Sine Wave
- Frequency: 50 +/- 3 Hz










### DC to DC Converters

#### 24V to 12V DC/DC Converter

- 24 Volts input
- 12 Volts output
- 10 Amp maximum
- Negative ground only
- 123mm H x 100mm W x 65mm D







#### 24V to 12V DC/DC Converter

- Built in indicating LED: Green for operation, red for protection
- 24 Volts input
- 12 Volts output
- 30 Amp maximum
- Internal cooling fan








### 24V to 12V DC Converter • Designed for use in 24 Volt vehicles

- where 12 Volt equipment needs to be installed
- Input Voltage: 24 Volts DC
- Output Voltage 13.8 Volts DC







#### 24V to 12V DC Converter

- Designed for use in 24 Volt vehicles where 12 Volt equipment needs to be installed
   Input Voltage: 24 Volts DC
- Output Voltage 13.8 Volts DC















### Mini Inverters

#### 12VDC to 240VAC Power Inverter

- Rated output power: 75W

- Rated output power: 75W
  Operating input voltage: 11-15V DC
  Output voltage: 230-250V AC @ 50Hz
  Over voltage shutdown: 15-16V DC
  Low voltage shutdown: 10-11V DC
  Patented protection door in socket for safety
- Multiple protection circuits to protect appliances used and vehicle's circuitry.





**75W** 













### **Battery Chargers**


### **Power System**

## 3-Stage Battery Charger & Power Supply • Switch mode design

- Durable and corrosion resistant chassis
- Over-temperature shutdown and overload protection
- Transformer isolated for safety
- Short circuit and surge protection
- Fixed voltage mode (power supply) function
- Recommended battery type: Lead acid Including AGM, GEL+WET type batteries

#### **Made in Taiwan**

#### Ideal for workshops or demo boards



Bulk stage: 14.5±0.5VDC, 40A

Absorption stage: 14.5±0.5VDC, 40A~4A Float stage:  $13.6\pm0.5$ VDC, min. 0.5A



**Output Current: 20A** 




Output Current: 40A











## CB 477 MHZ 27 MHZ Range
























#### **CB Antena Gutter Mount Bracket**

- Allows for quick-release mounting of both CB and AM/FM antennas
- Gutter mountable







Bull Bar CB Antenna Bracket (Horizontal And Vertical)







**Bull Bar CB Antenna Bracket** 

(Horizontal and vertical hose clamp type)







Bull Bar CB Antenna Bracket







Bull Bar CB Antenna Bracket





**CBBB4**9 317114 904683







## Stainless Steel Guard Mount Bull Bar CB Antenna Bracket (Angled Universal)







#### Stainless Steel Guard Mount CB Antenna Bracket







### Stainless Steel Guard Mount CB Antenna Bracket (Top Bolt)







## Stainless Steel Guard Mount CB Antenna Bracket (Side Bolt)







#### Black Wall Bracket (L Shaped Small ) Antenna Mount











#### Silver Wall Bracket (L Shaped Small ) Antenna Mount







Screw Type CB Microphone clip





**CBMC**9 317114 906274

477MHZ & UHF 5M Base And Lead

27 MHz AM RG58 COAX WITH COPPER SHIELD (PL 259 CONNECTOR ATTACHED)





**CBBL1**9 317114 904799

#### 477MHZ & UHF 5M Base And Lead

477 UHF 27 MHz AM RG58 COAX WITH COPPER SHIELD (SEPARATE FME TO PL 259 TYPE)







#### **5W Extension Speaker**

POWER:15W MAX 8 Ohms 1.8 m CABLE WITH BARE ENDS ANGLE ADJUSTABLE BRACKET W 100mm H 82mm D 59









### **Heavy Duty Range**

#### 24V AM/FM Single Din Radio

AM/FM Radio with Aux In 2 X 15W output





**CR215** 



#### Multimedia System Black

Dust Resistant Flip down Panel
Built in Amplifier
4 x 50W Max Output AM/FM Receiver 30 Station Auto Memory Store PLL Lock Station Auto Scan Electronic Volume Control RCA Audio

Wireless remote control




**CR450B** 



Optional Remote Control: CR450RC on page 6







### Marine Range

#### Multimedia Marine System White

Flip down Panel Built in Amplifier 4 x 50W Max Output AM/FM Receiver 30 Station Auto Memory Store PLL Lock Station, Auto Scan Electronic Volume Control

Wireless remote control



#### Remote Control Wired To Suit CR450W/B

Wired Flush mount Control to suit CR450W/CR450B Green Illumination





### AM/FM MP3 USB Marine Player

Watertight Flush mount Marine AM/FM USB Player with AUX in. 2x7W Output White Illumination High Definition Positive LCD Display Meets ASTM B117 Salt/Fog Exposure standard Meets ASTM D4329 UV Exposure standard











#### **AM/FM Amplified Marine Antenna**

- AM/FM Amplified Marine Antenna (White)
- Antenna plug cable length: 1.5m
- Power cable length: 2m





#### 27Mhz Marine Antenna 1400cm, Ground Independent 27.880MHz

Constructed with white fibreglass, 1260mm long

- Ground Independent (DC Grounded) 12 ft Coaxial cable with P1259 connector
- Freq. 27.880MHz





#### VHF Marine Antenna 900cm, Ground Independent 156MHz

Constructed with white fibreglass, 760mm long

- Ground Independent (DC Grounded)
   12 ft Coaxial cable with P1259 connector
- Freq. 156MHz





Aerpro

#### AM/FM (Receive Only) Marine Antenna 1150cm, Ground Independent

Constructed with white fibreglass, 1010mm long

- Ground Independent (DC Grounded)
   12 ft Coaxial cable with P1259 connector
- AM/FM (Receive only)





#### 5" 2 WAY Marine Speakers, White

- 4 Ohm Impedance
- Frequency Response: 120 Hz -20 kHz
- SPL: 88 dB Output: 60 Watts
- 50mm mounting depth
- 1" Voice Coil 6 Oz Magnet
- 1 "Tweeter















#### 6" 2 Way Marine Speakers, White

- 4 Ohm Impedance
- Frequency Response: 80 Hz 20 kHz
- SPL: 88 dB
- Output: 80 Watts
- 1" Voice Coil 8 Oz Magnet 1 " Tweeter














**CB-9** 











- 65mm mounting depth





#### Water-Resistant Radio Housing

- Complete housing for protection from rear of equipment as well as front.
  Recessed for DIN, shaft or pullout application.
  Plastic cover protects against dust,
- water and UV rays.
- Wiring for equipment preinstalled

through rear seal, cabling for four speakers and four RCA leads.

• Packed in full colour giftbox.



#### UNIVERSAL MARINE RADIO HOUSING

Marine Radio / CD Player Housing Fully encloses for protection from Salt Water Fold down face with O ring seal Surface mount bracket for above or below dash mounting Suits standard DIN size Radio/CD/DVD player.



#### Universal Water-Resistant Radio Cover

- Recessed for DIN, shaft or pullout application.
- Plastic cover protects against dust, water and UV rays.
- Design allows the door to open up or down.
- 100mm H x 240mm W x 50mm D.



#### 100 Watt Wakeboard Speakers

- Waterproof Mica PP cone with Santoprene rubber surround
- High temperature 25mm voice coil former
- Chrome plated plastic housing
- 1" Titanium dome tweeter
- Weather resistant heavy duty molded ASA enclosure
- Adjustable cast-aluminum mounting bracket
  Power Handling 100W (Max)
- Impedance: 4 ohm
- Efficiency: 90dB
- Frequency Response: 60Hz 20kHz
- Dimensions: 185mm W x 340mm D











### FM Transmitters / Docking Station for Apple Devices

#### iPod FM Transmitter

- Cigarette lighter plug connection into any 12V socket
- Line in cable
- Support frames supplied
- Supports iPod players(iPod Nano, iPod Touch)
- Charge to iPod
- Support external connection MP3 and portable CD, DVD







#### iPod, iPhone FM Transmitter


- WWI and MFI Certified

<u>0</u>

- Fitted with cigarette lighter plug for easy connection into any 12V Socket
- FMS87.5-108MHz total 206 channels
- High definition Blue LED display
- Support external connection MP3 and portable CD, DVD via 3.5mm Phono Input
- Frequency memory function automatically after power off
- Frequency adjusting memory points
- Flexible metallic neck adjustable for all kinds various angles









D-1





#### FM Transmitter Holder Charger For iPhone

- WWI and MFI Certified
- Will and INFL Certified

   Fitted with cigarette lighter plug for easy connection into any 12V Socket

   FMS87.5 108MHz total 206 channels
- High definition LED display
- Support external connection MP3 and portable CD, DVD via 3.5mm Phono Input
- Frequency memory function automatically after power off
- Frequency adjusting memory points
- Flexible metallic neck adjustable for various angles







**Charging Dock** with Cigarette Lighter Socket Extension











#### FM Transmitter iPhone/iPod

- FM Transmission frequency Range 87.5 108MHz
- High definition Blue LED display
   Support external connection MP3 and portable CD, DVD via
  3.5mm Phono Input
- Frequency memory function automatically after power off
- Frequency adjusting memory points
- Adhesive Dash or Console mount
- Cigarette lighter charging point






#### Simple Dock For iPhone/iPod

- Adhesive mount for dash or Console locations.
- Can be screw mounted if necessary (using supplied screws)
   Includes sync cable for direct connection to Iphone/Ipod controllers/head units.
- Suitable for OEM or aftermarket head units that have direct iphone/ipod control.
- Can be used as a charging only dock with additional













# iPod, iPhone, iPad FM Modulator • FM Modulator with iPod integration • 2.1A AV Cable • Two Selectable FM frequencies 88.1 - 88.3 Mhz Made for iPod []iPhone []iPad CN1803 Connects to power source APPLE Antenna Out iPod audio cable AV output **Fo Suit Apple** Connects to power source ANDROID Antenna Out **AP7482**

#### 2 Channel FM Modulator With iPod Integration

- 2 channel FM Modulator with iPod connector
  Suits old and late model iPods, iTouch and 4th Gen iPod Mini
- Charges as well as play tunes from your iPod on your car stereo FM band

• Uses Phase lock loop (PLL) circuit to modulate and transmit music from iPod • Two selectable FM frequencies:



3.5 mm to RCA adaptor

3.5 mm to 3.5 mm audio cable



Suit Apple

<u>o</u>







### FM Transmitters / Docking Station for Devices With USB / Mini USB







Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.



# Aerpro First Choice







#### **Smart Phone Adjustable Cradle**







#### **Smart Phone Adjustable Cradle**





### **Phone Holders**











#### Phone/Portable Device Holder with 12V Socket & USB

- Single Socket Adaptor & Single USB Port with Phone Holder
- Powers one 12V and one 5V accessory at the same time





Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.









#### Phone/Portable Device Holder with 2 12V Sockets





#### **Suction Mount Holder**

- Suits PDA, cellular phone, GPS, digital media player, etc.
- Flexible goose neck stalk allows easy positioning to suit your viewing angle
- Firm reliable suction grip
- Smooth clamping action
- Suits devices from 450 to 650 mm wide
- Device holder can be rotated 360 degrees





#### Universal Holder with Vent Clip

- Mobile phone, media player, etc. holder
- Fits on to the air vent in the car
- Fits phones or media players from 32 to 55 mm wide
- With quick release button
- Expandable padded clamping jaws









#### Universal Holder with Vent Clip

- Mobile phone, media player holder
- Fits to the air vent in the car














#### **Glass Suction Mount Holder**

Attach on the car window Compatible with iPhone, and smartphones Adjustable rotation for 360° degrees









#### Phone/Portable Device Holder with 12V Socket & USB

Adjustable rotation for 360°degrees Adjustable holding height from 110mm to 140mm, width from 45 to 75mm, USB car charger (5V, 1.5A), Quick speed charging

Non-slip feet, keep your cell phone in holder steadily A Micro 5pin USB Cable included







 $\bigoplus$ 








#### Glass Suction Mount Holder for iPad/Tablet













# **FM Modulator**

# 7 Channel FM Transmitter with Digital Frequency Readout • Operating frequencies: 88.1, 88.3, 88.5, 88.7, 88.9, 89.1, 89.3 MHz • 3.5mm Audio input jack • Blues into ciagnette lighter societ

- Plugs into cigarette lighter socket
- Phase lock loop transmitter











- FM Transmitter with Charger
   FM Transmitter with full frequency spectrum to avoid frequency overlap
- Frequency adjustable from 87.7 MHz to 108 MHz
- PLL Technology automatically searches for available station
- Channel memory function, stores up to 3 different frequencies
- Additional USB port charges any other device with USB port • 2.5mm and 3.5mm jacks for various music players
- Charger supplied or batteries (not included)











#### Full Frequency FM Tramsmitter

- Cigarette lighter plug for easy connection into any 12V Socket.
- Fully adjustable FM Channels
- Adopted frequency phase lock loop and 3D sound coding technology
- LCD ,displays track name and frequency
- Supports SD/MMC card, MP3, USB flash memory directly





#### 4 Channel FM Transmitter

- Allows you to play your digital audio tracks from MP3 Players, iPods, etc on your existing car audio system
   Operating Frequencies 88.1,88.3,88.5,88.7 MHz
- Plugs into car cigarette lighter socket
- Audio frequency range 20Hz-18KHz






#### FM Transmitter With USB Charger

• 206 Channels


- 87.5 108 MHZ
- 1000MA Output, Quick charging
- Overcharge and Short Circuit protection

















#### FM Modulator with 3.5mm Input Wiring Kit

- 2 Channel FM modulator
- Uses Phase lock loop (PLL) circuit to modulate low level RCA input through car radio
- Selectable FM frequencies: 88.1 or 88.3 MHz
- With wiring kit for connection to power and 3.5mm audio input
- Crystal locked for added stability
- Uniquely designed case





#### **PLL FM Transmitter**

- RCA Input
- Power 12 Volts, negative earth
- 5 Selectable Frequencies. 88.1,88.3,88.5,88.7,88.9 MHz







#### **PLL FM Modulator**

- Phase Lock Loop (PLL) technology
- Audio input low-level RCA
- Two selectable frequencies: 88.1-88.3 MHz
- Shielded from external RF interference
- Simply plug antenna into lead. Plug lead into Tuner
- Full stereo output







# **Leads and Cables**

**□** iPod **□** iPhone

"Made for iPod" and "Works with iphone" means that these electronic accessories have been designed to connect specifically to Apple iPod's and Apple iPhone's. They have been certified to meet Apple performance standards.

iPod, Made for iPod and Works with iPhone are trademarks of Apple Inc., registered in the U.S. and other Countries.

Appl

### **USB Plug To iPod Connector**



1.5 Metre APL<sub>30</sub>





Suit Appl

#### iPod Audio Video Cable

- Composite video output
- Stereo audio output
- •1.5 Metre Cable

Made fo **BiPod ☐iPhone** 





Suit Apple 0

#### iPod/iPhone Audio Video Cable

- Composite video output
- Stereo audio output
- Separated cable and connector system
- •1.5 metre cable

**□**iPod **□**iPhone







 $\bigoplus$ 



# To Suit Appl

# iPod Connector to AV (RCA) Plugs & USB • iPod multifunctional cable used for

- charging via USB and A/V playback via RCA plugs
- Length 2.2 Metres
- Suitable for early model iPods only





Suit Appl ဝ

#### IPHONE 5 TO USB 1M SYNC LEAD

- USB Sync lead to suit iPhone 5 and iPod with Lightning connector
- Lightning plug to USB
- 1 metre length





Suit Appl ဂ

 $\bigoplus$ 

#### iPOD/iPHONE audio lead

Allows audio play through your Hyundai or Kia radio



Suit Appl 0

#### MICRO USB TO LIGHTNING ADAPTOR WITH MICRO USB 1 METRE CABLE KIT

- USB Sync lead to suit iPhone 5 and iPod with Lightning connector
  - Lightning plug to USB
  - 1 metre length



Samsung 30Pin + Micro USB To USB Cable For Smartphone, Tablet & Galaxy




To Suit Android

#### **USB To Micro USB Cable**

- USB A Male to Micro USB B Male
- •1.2 Metre Cable











#### **USB To Mini USB Cable**

- USB A Male to MINI usb 5 pin Male lead
- 1.2 metre cable





#### Audio/Visual Lead

- 3.5mm Plug to Triple A/V Plugs
- 3.5mm Plug to audio/video RCA plugs2 Metre lead



# **Phono Cables**

- 2.5mm to 3.5mm Stereo Lead
- 2 Metre lead



3.5mm to 3.5mm retractable USB cable

• 0.8 metre lead



#### 3.5mm to 3.5mm Stereo Lead

- 1 x convenient Right-angled plug end
- 1 Metre lead



**(** 







#### 3.5mm to 3.5mm Stereo Lead

- 3.5mm Stereo plug to 3.5mm stereo plug
- 2 Metre lead






#### 3.5mm Male to 3.5mm Female Stereo lead

• 1.5 Metre lead








# Chargers with USB Adaptor for Apple Devices









# Aerpro First Choice Pro



#### Car Charger to suit iPod, iPhone

• Charges your iPod, iPhone from 12V car cigarette lighter socket





#### Car Charger to suit iPhone5/iPod\*

- 12V Charger to suit iPhone 5 and New Generation iPod with Lightning connector
- 2.1 Amp
- 1 Metre lead

To Suit Apple

Suit Appl

ဂ































# Charger with USB Adaptor for Micro USB/Android



•Suits phones with micro USB 5 PIN











To Suit Android





#### Car Charger with Nokia 2.5mm Connector

To Suit Android





**D-18** 






D-19




# **USB Adaptors**



Replaces most cigarette lighter sockets

















# Aerpro First Choice

# Ultra Compact 1.2A USB Charger Power Supply • Charges iPhone/iPod/Smartphone, cell phone,

- digital camera (Charging cable not included)
- Cigarette lighter Plug
- 12/24V



Ring pull flicks up for easy removal









#### Ultra Compact 2.1A DUAL USB Charger Power Supply

- Charges iPhone/iPod/Smartphone, cell phone, digital camera (Charging cable not included)
- Cigarette lighter Plug
- 12/24V

























- Charges iPhone/iPod/Smartphone, cell phone, digital camera (Charging cable not included)
- Cigarette lighter Plug
  12/24V

iPad



























#### Dual 12V Sockets & Dual 5V USB Sockets


• In car adapter with dual 12V sockets & dual 5V USB sockets





#### Car Adaptor, Triple 12V Sockets & Dual 5V USB Sockets

- In car adapter with three 12V sockets & single 5V USB socket
- Power Socket: Total 10A at 12V








#### 3 USB PORT CHARGER

• For charging all kinds of smart phones, including tablets and all lpod\_lphone lpad and lphone 5

• Suits 12V/24V

- Input Voltage DC 10.0~28.5V
  USB Output DC 5.2±0.2V
- Total capacity 4,5A











#### 3 lighter socket ports with 2 USB charging ports

- For charging all kinds of Smart Phones, Ipads, Tablets
- Suits: 12V/24V
- Input Voltage: DC 10.0~28.5V
- USB Output: DC 5.0±0.2V
- Total Capacity: USB 3.1A+Sockets 8A





















**D-21** 







# **Cassette Adaptors**

#### MP3 Kit - Cassette Adaptor, Headphone Splitter and Retractable RCA to 3.5mm Cable

- Cassette adaptor with 3.5mm stereo lead
- 3.5mm stereo plug to dual RCA sockets
- Headphone splitter 3.5mm stereo plug to dual 3.5mm sockets





# CD/MD/MP3 Cassette Adaptor with DC Regulated Converter

- Suits portable CD/MD/MP3 players
- Suits car stereo with cassette
- Supplied with multiple adaptors to suit most players
- 1.5-12V DC Output @ 800 mA





#### CD/MD/MP3 Cassette Adaptor

- Low noise cassette adaptor
- Allows any portable CD/MD/MP3 player with built in headphone jack to be heard through the speakers of your car stereo





# **Emergency Chargers**



#### Rechargeable Battery Pack for iPhone/iPod

- includes 1m USB A male 5 pin mini USB B male cable
- Capacity: 1500mAh
- Output: DC5V/500mA
- Talk time: Up to 5 Hrs on 3G
- Internet Use: Up to 5 Hrs on 3G
- Audio: Up to 30 Hrs
- Video : Up to 5 Hrs
- Dim: 61(h) x 45.5(w) x 13mm (d)

















# Bluetooth Connectivity/Hands free

# Advanced Bluetooth Music Streaming Handfree Car Kit with High Contrast OLED Display

- Fully Compatible with iPod & iPhone, charge, play, control, display
- Customise music & calls with independent EQ presets
- Multipoint ProTM 2 devices connected with full functionality
- Excellent sound quality and performance using 180 watt class-D amp
- Text to speech phonebook, menu, test msgs and iPod album/track
- iO ZooM advanced music search function for iPod & iPhone
- Audio sensing 3.5 mm jack aux in
- Auto phonebook sync of ALL contacts from BOTH phones
- Removable high contrast OLED screen
- Advanced tech for Sat Nav voice instructions
- Steering wheel controls (optional accessory)
- 5 Language multi lingual support onboard
- Parking aid compatible
- Dual mute outputs for multiple configurations
- Multi vehicle body type presets for best possible call qualified
- Line level RCA output for multi-speaker systems
- Easy to use illuminated controller, mount anywhere in your vehicle













 $\bigoplus$ 

# Advanced Bluetooth Handfree Car Kit with High Contrast OLED Display

- Multipoint ProTM 2 devices connected with full functionality
- Text to speech phonebook, menu and text msgs
- Intelligent design for easy install
- Steering wheel controls (optional accessory)
- Auto phonebook sync of ALL contacts from BOTH phones
- Removable high contrast OLED screen
- 5 Language multi lingual support onboard
- Store up to 5 devices in memory and enjoy auto-connect when you enter your vehicle
- Make and receive mobile phone calls wirelessly & handsfree in your vehicle
- Dual mute outputs for multiple configurations
- Multi vehicle body type presets for best possible call quality
- Excellent sound quality and performance using 80 watt class D amp
- Easy to use illuminated controller, mount anywhere in your vehicle
- A2DP Advanced Audio Distribution Profile with AVRCP
  - Audio Video Remote Control Profile





•







# **₿ Bluetooth**®




- Full duplex
- DSP: Integrated with echo cancellation and Noise suppressor
- High capacity built in rechargeable battery
- Bluetooth V2.0+EDR, Class II
- Range up to 10 metres
- Charging time approx 2-3 hours
- Use time: Up to 4 hours -Standby time: Up to 30 days













# Aerpro

#### Universal Handsfree Bluetooth Car Kit

- Full duplex
- DSP: Integrated with echo cancellation and Noise suppressor
- High capacity built in rechargeable battery
- Bluetooth V2.0+EDR, Class II
- Range up to 10 metres
- Charging time approx 2-3 hours
- Use time: Up to 4 hours
- Standby time: Up to 30 days

Plug into AUX INPUT shown here OR













- Bluetooth V2.0 CSR BC5
- Bluetooth profiles: HSP,HFP
- Function range: 10 Metres
- Charging Time: 4 hrs
- Talk time: 10 hrs
- Standby time: 168 hrs
- . Dimension: 90x 47x15mm
- . Full DSP Echo cancellation
- Call transfer between Car kit and Phone









#### Universal Handsfree Bluetooth Car Kit

- It can store at least 20 call records,
- including received calls and missed calls.
- Full duplex communication with DSP for echo cancellation and noise reduction.
- Built in phone book, 400 phone numbers on the mobile phone can be transferred to the car kit.
- Supports call waiting function, you will be never worry about missing a call when talking on the phone.
- Mini 5pin USB connector allows charging through the car adaptor or computer USB port

















# Rear View Systems























# Mirror Mount Rear-view Cameras







• This system is designed to replace the Factopry fitted mirror. The unit comes with 4 mounting brackets to suit most cars original mounting base fixed to the cars front wind shield glass. the included brackets

Suit Holden, Chevrolet, Chrysler, Dodge, Ford, Honda, Hyundai, Jeep, Mazda, Nissan, Toyota, Volkswagen, Subaru, Mitsubishi, Lexus, Hummer.















OEM FIT





# **₿ Bluetooth**™

#### 4.3" Rear View Mirror Reversing Camera and Bluetooth Handsfree Kit

• This system is designed to replace the Factopry fitted mirror. The unit comes with 4 mounting brackets to suit most cars original mounting base fixed to the cars front wind shield glass. the included brackets

Suit Honda, Subaru, Mitsubishi, Suzuki, Chery.





























# Caravan & Trailer System





#### 5" Wired Reversing System For Caravans & Trailers

- 5 Inch colour TFT-LCD monitor
   2 x Video inputs CAM1/CAM2
   On Screen Display menu: 5 menu functions
   With full function remote control

- Shock resistant
  Brightness: 480cd/m2
  Contrast: 150:1

- Contrast: 15U:1
   Resolution: 960 x 234
   Response: 30ms
   System: PAL/NTSC
   Operating Voltage:
  DC 11-32 V

1/3" Colour CCD bracket mount Viewing angle: 120 Degrees Water Resistance: IP66

CAM2: 1/3" Colour CMOS butterfly bracket mount Viewing angle: 120 Degrees Water Resistance: IP66



# **Complete Kit!**


















**DA-6** 





# **PREJUNK Rear View Monitors**









# PRE LINK Accesseries

#### PROLINKI

#### **PRO CCD Camera** For Truck & Commercial usage

Image Pick-up Device Horizontal Resolution Number of Pixels Scanning System S/N Ratio Usable Illumination IR project distance IR Status IR Power On

1/4" SONY COLOR CCD 1/4" SONY COLOR CCD
480 TV Lines
PAL:500(H)×582(V)
PAL:625 Lines 50 Field/sec
>48dB(AGC Off)
0 LUX with built-in IR LED
5-8 meters(6 Unit Infrared LED)
Under 10 LUX by CDS
CDS Auto Control Video Output 1 0Vp-p 75 ohm
Water resistance 1P66
Operation Temperature -10o+50o RH95% Max





#### **Camera Adaptor Lead**

Converts from 4 pin prolink to separate video and power





- Prolink female plug to RCA and power lead



#### PROLINKI PROLINKI **Camera Adaptor Lead**

- Prolink male plug to RCA sockets and power lead - Adapts prolink cameras and Trailer Kits to standard RCA. 52.5cm in length PLC<sub>26</sub>

**Ultra Compact** 



Using Sony CCD image sensor









G55CC



### PROLINKI PROLINKI

#### **Prolink Cable**

• Prolink cables can be connect each other to make various different length



3 Metres PLC<sub>3</sub>






**DA-8** 







#### PROLINKI PROLINKI REVERSING CAMERA WIRING CABLE KIT

This is a Caravan/Trailer Pro Quick Disconnect Kit which will suit G500, G700 and many other 4 pin professional systems with 2 wire camera prioirly system. This kit has the additional feature of a trigger cable running through the curly cord which allows you to trigger the trailer's camera as priority automatically when the trailer kit is connected to the trailer.

 $\bigoplus$ 

- 1 x Male video plug to spring loaded attaching clamp 2m 1 x Female video plug to spring loaded attaching clamp 2m 1 x trailer curly cord 2m (extended)







# **Universal Cameras CMOS**





Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.



#### **Butterfly Reversing Camera**

- Aluminum case. waterproof to IP67 standard
  Lense angle 170° horizontal & 90° vertical
  High gain pickup for bright images

#### With Parking Lines



#### **Butterfly Reversing Camera**

- High quality OV7950 sensor
  Good , minimum illumination: 0.5LUX
  Good color and definition
  View of angle: 120°
  Waterproof (IP67)
  Angle of camera could be adjusted

#### No Parking Line



#### **Butterfly Reversing Camera**

- Aluminum case. waterproof to IP67 standard
  Lense angle 170° horizontal & 90° vertical
  High gain pickup for bright images

#### With Parking Lines





#### Flush Mount Reversing Camera

- Aluminum case. waterproof to IP67 standard
  Lense angle 170° horizontal & 90° vertical
  High gain pickup for bright images
  Flush mount hides visibility of installation.
  Drill bit for installation included

#### With Parking Lines





**DA-10** 







#### **Universal CMOS Reversing Camera**

- Aluminum case. waterproof to IP67 standard
  Lense angle 170° horizontal & 90° vertical
  High gain pickup for bright images
  Flush mount hides visibility of installation.
  Drill bit for installation included

#### With Parking Lines







Strategic placement of the Patented Gator Stealth Cams mounting eyelets takes advantage of the Australian standard number plate mounting fastener positions. This means that no additional holes need to be drilled into the vehicle to mount the camera. The mounting system is located behind the number plate making the mounting hardware virtually invisible. Allowances have been also made in the placement of the camera head so that basic number plate frames can still be used.



New patented camera design renders mounting hardware almost invisible.



# **Universal Cameras CCD**



• Hi Resolution **SONY** CCD Image sensor

Full specifications available at page G-13







# **Universal Side Mount Camera** • Universal Side Mount CCD PAL Reversing Camera **Blind Spot Hazard Reduction** Stream line





#### Flush mount Reversing Camera

- Colour CCD camera with infrared LED's
  Comes with various collars to mount camera on different angles.
  Image Sensor: 1/3" Sharp COLOR CCD,
  Resolution: 480TVL,
  Iens angle:120 degrees



**PAL G38CC** 



**NTSC** G38CCN



#### **Universal Reversing Camera**

- Ideal to mount on rear Garnish.
  Available in Black or White.
  Image Sensor: 1/3" Sharp COLOR CCD,
  Resolution: 480TVL
  Lens 1.7mm
  lens angle: 170degrees
  waterproof IP66



White

**PAL** G67CC



**NTSC G67CCN** 





Black

**PAL** G66CC



**NTSC G66CCN** 



# Other Accessories

#### Intelligent Parking Lines Module

• Plugs directly into the car's ODBII port











# Specific Rear-view & Front-view Cameras




what your looking for?

We have more than 50 additional cameras under investigation/Test. We anticipate that we will be adding many cameras to this list as the year progresses. Please call our sales people for the latest range info.

# **Gator Display Board**

The most comprehensive



Model PAL	Model NTSC	Make	Model	Year
G90VS	G90VSN	AUDI	A4	2008 - 2010
G70VS	G70VSN	BMW	3 SERIES	2008
07010	0701011	BMW	X5	2008
C20\/C	C000/(CN)	FORD		
G20VS	G20VSN		FOCUS	2009 - 2010
		FORD	MONDEO	2007 - 2010
G21VS	G21VSN	FORD	FOCUS	2005 - 2008
G22VS	G22VSN	FORD	TRANSIT	2001- 2010
G23VS	G23VSN	FORD	MONDEO WAGON	2009- 2010
G50VS	G50VSN	HOLDEN	CAPTIVA	2006 - 2010
		HOLDEN	CRUZE	2009 - 2010
		HOLDEN	EPICA	2007 - 2010
G51VS	G51VSN	HOLDEN	ASTRA	09/2005 - 2009
95145	0017317	HOLDEN	VECTRA	2003 - 2006
G52VS	CEOVICK!			
	G52VSN	HOLDEN	VR COMMODORE	1993 - 1995
		HOLDEN	VS COMMODORE	1995 - 1997
G10VS	G10VSN	HONDA	CRV	2007 - 2008
G11VS	G11VSN	HONDA	ACCORD	2006 - 2007
G16VS	G16VSN	HONDA	ACCORD (Front View)	2003 - 2010
G12VS	G12VSN	HONDA	ODYSSEY	2006 - 2008
G13VS	G13VSN	HONDA	CITY	2009 - 2010
G14VS	G14VSN	HONDA	ACCORD EURO	2004 - 2010
G15VS	G15VSN	HONDA	ODYSSEY	2009 - 2010
	1	HONDA	CRV	2009 - 2010
G60VS	G60VSN	HYUNDAI	ELANTRA	2006 - 2010
		HYUNDAI	TUSCON	2005 - 2009
G61VS	G61VSN	HYUNDAI	SANTA FE	2006 - 2010
G62VS	G62VSN	HYUNDAI	130	2007 - 2010
		HYUNDAI	120	2010
G120VS	G120VSN	KIA	SPORTAGE	2009 - 2010
G121VS	G121VSN	KIA	CERATO	2009 - 2010
G40VS	G40VSN	MAZDA	6	2002 - 2008
G41VS	G41VSN	MAZDA	3	2008 - 2010
G42VS	G42VSN	MAZDA	6	2009 - 2010
G110V\$	G110VSN	MERCEDES	S - CLASS	2009 - 2010
G111VS	G111VSN	MERCEDES	C - CLASS	2009 - 2010
		MERCEDES	E - CLASS	2009 - 2010
G170VS	G170VSN	LAND ROVER	FREELANDER 2	2007 - 2010
G130VS	G130VSN	MITSUBISHI	PAJERO	2008 - 2010
G131VS	G131VSN	MITSUBISHI	LANCER HATCH	2009 - 2010
G132VS	G132VSN	MITSUBISHI	LANCER SEDAN	2007 - 2010
G133VS	G133VSN	MITSUBISHI	OUTLANDER	2009 –2010
G80VS	G80VSN	NISSAN	TIIDA	2006 - 2010
G81VS	G81VSN	NISSAN	DUALIS	2007 - 2010
		NISSAN	PATHFINDER R51	2005 - 2010
		NISSAN	X-TRAIL	2007 - 2010
G160VS	G160VSN	SKODA	OCTAVIA	2007 - 2010
		SKODA	ROOMSTER	2007 - 2009
G101VS	G101VSN	SUBARU	FORESTER	2003 - 2010
	GTOTVSIV	SUBARU	TRIBECA	2006 - 2007
		SUBARU	IMPREZA	2007 - 2010
G140VS	G140VSN	SUZUKI	SX4	2007 - 2010
G36VS	G36VSN	TOYOTA	AURION	2006 - 2011
G36VS	G36VSN	TOYOTA	CAMRY	2006 - 2011
G30VS	G30VSN	TOYOTA	LANDCRUISER 100 SERIES	2005 - 2008
		TOYOTA	LANDCRUISER 200 SERIES	2007 - 2009
G35VS	G35VSN	TOYOTA	LANDCRUISER (Front View)	
			RAV 4	2006 - 2010
GSIVS		TOYOTA		
G31VS	G31VSN	TOYOTA		
G32VS	G31VSN G32VSN	TOYOTA	PRADO 120 SERIES	2003 - 2009
G32VS G33VS	G31VSN G32VSN G33VSN	TOYOTA TOYOTA	PRADO 120 SERIES YARIS	2003 - 2009 2008 - 2010
G32VS G33VS G35VS	G31VSN G32VSN G33VSN G35VSN	TOYOTA TOYOTA TOYOTA	PRADO 120 SERIES YARIS KLUGER (Front View)	2003 - 2009 2008 - 2010 2007 - 2010
G32VS G33VS G35VS G34VS	G31VSN G32VSN G33VSN G35VSN G34VSN	TOYOTA TOYOTA TOYOTA TOYOTA	PRADO 120 SERIES  YARIS  KLUGER (Front View)  KLUGER	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010
G32VS	G31VSN G32VSN G33VSN G35VSN	TOYOTA TOYOTA TOYOTA	PRADO 120 SERIES YARIS KLUGER (Front View)	2003 - 2009 2008 - 2010 2007 - 2010
G32VS G33VS G35VS G34VS	G31VSN G32VSN G33VSN G35VSN G34VSN	TOYOTA TOYOTA TOYOTA TOYOTA	PRADO 120 SERIES  YARIS  KLUGER (Front View)  KLUGER	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010
G32VS G33VS G35VS G34VS G150VS	G31VSN G32VSN G33VSN G35VSN G34VSN G150VSN	TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES YARIS KLUGER (Front View) KLUGER JETTA PASSAT	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2009
G32VS G33VS G35VS G34VS G150VS	G31VSN G32VSN G33VSN G35VSN G34VSN	TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES  YARIS  KLUGER (Front View)  KLUGER  JETTA  PASSAT  GOLF	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2009 2004 - 2010
G32VS G33VS G35VS G34VS	G31VSN G32VSN G33VSN G35VSN G34VSN G150VSN	TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES YARIS KLUGER (Front View) KLUGER JETTA PASSAT GOLF TIGUAN	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2009 2004 - 2010 2008 - 2010
G32VS G33VS G35VS G34VS G150VS	G31VSN G32VSN G33VSN G35VSN G34VSN G150VSN	TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES YARIS KLUGER (Front View) KLUGER JETTA PASSAT GOLF TIGUAN TOUAREG	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2010 2006 - 2010 2008 - 2010 2008 - 2010 2003 - 2010
G32VS G33VS G35VS G34VS G150VS G151VS	G31VSN G32VSN G33VSN G35VSN G35VSN G150VSN G151VSN	TOYOTA TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES YARIS KLUGER (Front View) KLUGER JETTA PASSAT GOLF TIGUAN TOUAREG GOLF	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2010 2006 - 2009 2004 - 2010 2008 - 2010 2003 - 2010 2010
G32VS G33VS G35VS G34VS G150VS	G31VSN G32VSN G33VSN G35VSN G34VSN G150VSN	TOYOTA TOYOTA TOYOTA TOYOTA VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN VOLKSWAGEN	PRADO 120 SERIES YARIS KLUGER (Front View) KLUGER JETTA PASSAT GOLF TIGUAN TOUAREG	2003 - 2009 2008 - 2010 2007 - 2010 2007 - 2010 2006 - 2010 2006 - 2010 2006 - 2010 2008 - 2010 2008 - 2010

Ip Rating	lp66	
Images Sensors	1/4" SONY COLOR CCD	
Effective Pixels	628X582(PAL) /628X512 ( NTSC)	
Resolution(TV Lines)	480	
Min. Illumination(Lua/f1.2)	0 2	
Horizontal Sync.Frequency(KHZ)	15.625/15.734	
Vertical Sync.Frequency(HZ)	50/60	
Video Output:	75 Ohm	
Gamma Consumption:	0.45	
AGC:	Auto	
BLC :	Auto	
S/N ratio :	Better than 48dB	
Lens:	F=1.9mm/F=2 0	
Lens Angle(Deg ) :	170° diagonal	
Power Supply(DCV)	12	
Operating Temperature(Deg.C):	-20°+75(RH95% Max.)	
Storage Temperature(Deg.C):	-30~+85(RH95% Max.)	



**DA-13** 



# **DVR Car Recorder Camera**

#### **DVR Car Recorder Camera**

2.5 inch LCD:270° Rotation
Built-in low-light and high-quality sensor, capable of capturing clear pictures in a variety of environments

environments
Day/ Night mode, a variety of built-in scenes for selection
Built-in microphone/ speaker
Supports High capacity 32GB SD card
Support recording function while charging
Loop video recording, that is deleting old files and then recording new ones automatically

Technical Parameters: LCD Size:2.5 inch LCD Camera Lens:120°

Language selection:
English, Simplified Chinese, Japanese, Russian Video Resolution:
VGA/DI/SXGA(1280\*960/720\*480/640\*480)
Recorded Video Format:AVI
Photo Format:JPG

Photo Format: JPG
Memory Card: SD(2GB~32GB)
Microphone: Supported
Built-in Sound Equipment: Supported
Infrared: 6PCS IR LED
Video Format: PAL/NTSC
Current Frequency: 50HZ/60HZ
USB Interface: USB 2.0
Power Interface: 5V
Battery: BL-4C 3.7V 890MA
High-capacity removable battery
product size: 105\*61\*25mm





4GB Micro SD Card Included







4GB Micro SD Card Included











**(** 



# **DVR Car Recorder Camera** 1.5" high resolution 720P display HDMI output TV output G-sensor function Lock function H.264 compression PC camera function Motion detection PIP display Dual Camera 4GB Micro SD Card Included **NEW** HDDVR391 9 317114 911476





- Dual camera car DVR 2.0" HD LCD screen
  Front camera 270 degree rotation
  100 Degree front wide angle lens
  120 Degree back extra wide angle lens
  Built-in 1/4" sensor component with low noise
  Infrared built in microphones & horns
  Supports to delay start up
  Built in G sensor

**(** 







HD













**(** 



#### **DVR Car Recorder Camera With GPS Tracking**

- Dual camera car DVR 2.0" HD LCD screen
  Front camera 270 degree rotation
  100 Degree front wide angle lens
  120 Degree back extra wide angle lens
  Built-in 1/4" sensor component with low noise
  Infrared built in microphones & horns
  Supports to delay start up
  Built in Sensor

#### 8GB Micro SD Card Included





GPS Tracking



AUDIO :

## Hybrid Reversing Camera/Sensor combination

- 4 rear sensor system with camera Self-test function Butterflye mount Low light camera with wide angle lense
- Volume adjustable
  Accurate digital distance and clear rearview shown on A/V monitor(monitor not included)
  Shock, vibration and water resistant camera
  Detachable sensor with waterproof wire connector





















#### **HD SPORTS CAMERA**

LCD Display 2.0" Touch panel

1.3 Mega Pixels CMOS Sensor Image sensor Still Image Resolution 5.0 Mega Pixels (2592×1944) ,

3.1Mega Pixels (2048×1536) , 1.3 Mega Pixels (1280×960)

Image/Video File Format JPEG / AVI

Video Resolution 720P(1280\*720P)Pixels @30fps;VGA(640\*480)Pixels @30fps;

**Default Resolution** 

720P(1280\*720P)Pixels @30fps SDRAM 8×16Mb (No storage function)&SPI 2MB. Internal Memory

MICRO SD CARD External Memory Digital / Optical Zoom 4 × Digital Zoom Language English PC Interface USB 2.0

**Power Source** Lithium 440mAh (100 minutes) Dimensions / Weight 66\*43\*27mm, 46 g ( w/o batteries )

Accessories:

Helmet Mount x1, Handlebar Seatpost Mount x1, Waterproof Case x1,

Helmet Belt x1,

Shield, Suction Cup Mount x1,

Car Charger x1















#### **HD SPORTS CAMERA**

• Lcd display: 2.4" Touch panel

• Image sensor: 5.0 Mega pixels cmos sensor

• Image resolution: 12.0Mega pixels, 8.0 Mega pixels ,5.0 Mega pixels(Default)

• Image file format: jpeg • Video file format: h.264

• Video resolution: full HD 1080p(1920\*1080p)pixels @30fps;720p(1280\*720p)pixels

VGA(640\*480)pixels @120fps
• Default resolution: 1080p(1280\*720p)pixels @60fps;

• Build-in microphone: yes

• Remote control: yes

• External memory: micro sd card (up to 32GB)(not included)

• PC interface: USB 2.0

• HDMI port: yes

• Power source: lithium 1500mah

• Power life: more than 2 hours

Accessories:

Helmet Mount x1,

Handlebar Seatpost Mount x1,

Waterproof Case x1,

Helmet Belt x1,

Shield, Suction Cup Mount x1,

Car Charger x1













**(** 



# STEEL MATE

## Automotive

#### Camera Parking Assist System

- 4 rear sensor system with Camera and 3" high resolution TFT monitor
  Switchable parking assist lines (Straight/Angle/Off)
  Accurate digital distance and rear view image on monitor
  Low light Camera with wide angle
  Self testing for damaged sensor
  Voice audible alert selectable
  Volume adjustable
  Output PAL/NSTC
  Angle 85°W 100°H







**DA-18** 















# STEEL MATE

# Automotive

#### Parking Assist System

- 4 Sensor system with audible buzzer alert
  Slim Dual Color LED Display
  Dual intelligent function for Cars with tow-bar spare wheel or other protrusions.
  Self test function





Sensors

Sensors

4. Front

#### PTS400M5



### Parking Assist System

- 4 Sensor system with audible buzzer alert
  Dual intelligent function for Cars with tow-bar spare wheel or other protrusions.
  Self test function







### Front Parking Assist System

- 4 Sensor system with audible buzzer alert Can be used as 2 sensor system Can be upgraded to display (optiona) Designed for front bumper protection

- Self test function
   Metal ECU case assures no interference with vehicle electronic system
   Can be added to vehicles with existing rear parking system.











# In Store Display



**Brake Lamp** 

**Test Dock** 

Signal Lamp



The new Aerpro Test dock is the very latest system for testing lighting products in store.

The new system uses a docking port that supplies power to the LED product whilst it is inserted into the dock. The advantage of this system over the enclosed battery type system is that you never get flat batteries and you can also test products of greater power.







# Replacement Bulbs

































Amber Turn Signal Lamp 20MM WEDGE 24 LED

















Red Stop Tail Lamp 20MM WEDGE 45 LED

























Amber Turn Signal Lamp 20MM WEDGE 45 LED















# White Stop Tail Lamp 20MM WEDGE 45 LED





















# Red Stop Tail Lamp BA15S BAYONET 13 LED









































# Red Stop Tail Lamp BA15S BAYONET 24 LED





















































# Aerpro

# White Stop Tail Lamp BA15S BAYONET 45 LED















# Red Stop Tail Lamp BA15S BAYONET 45 LED




















































#### LED RESISTOR KIT

• a resistor kit may be required for Stop tail lights. Please note. All Amber coloured kits for turn signal usage come with the Resistor kits and so it is not neccessary to buy them seperatly.







# Hyperformance SUPER SMD LED

Each Super SMD LED in-fact 3 Surface mount led's in one package. The performance of a Super SMD LED is far superior to a standard LED. For uncompromising performance, choose Super SMD.



# Hyperformance Super SMD Interior Lights

The festoon adaptor is adjustable in length to suit 3 different sized globes 28, 31 and 36mm.



#### 4x Super SMD LED Interior Hyperformance

- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light
- 22mm X 21.5mm X 4.5mm





White

SMD81W



Blue

SMD81B



Green SMD81G

9 317114 905857

Red





•

## 6x Super SMD LED Interior Hyperformance Light

- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light





White

SMD82W



Blue

SMD82B



Green



Red



## 8x Super SMD LED Interior Hyperformance Light

- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light









Red





White













#### 6x Super SMD+6 SMD LED Interior Hyperformance Light

- 6500 Kelvin
- Ultra White
- Replaces original interior light

White



Blue



600K 6W 12

Green



Red

SMD84R

## 12x Super SMD LED Interior Hyperformance Light

- 6500 Kelvin
- Ultra White
- Replaces original interior light

White

Blue











•

Red



# **LED Interior lights**

#### 16x LED Interior Light

- 12V DC
- 6000 Kelvin
- Replaces original interior light







# White



Blue SMD16B



Red

Green SMD16G



#### 12x LED Interior Light

- 12V DC
- 6000 Kelvin
- Replaces original interior light



White

Blue

Green



**Pink** 









L- 6



#### 6x LED Interior Light

- 12V DC
- 6000 Kelvin
- Replaces original interior light



White

SMD6W



Blue



Red



Green

25mm 6500K 1W 4



**Pink** 



00

00

# Festoon Type Hyperformance Lights

#### 4x Super SMD LED Interior Hyperformance Light

- 28 MM
- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White SMD91W



Blue















#### 6x Super SMD LED Interior Hyperformance Light

- 28 MM12V DC6500 Kelvin
- Ultra White
- Replaces original interior light

White

Blue















Red

SMD92R



#### 6x Super SMD LED Interior Hyperformance Light

- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White

Blue





Green





Red







# **Verpro**

#### 6x Super SMD LED Interior Hyperformance Light

- 41 MM 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White SMD94W

Blue SMD94B





00

.

.





## 3x Super SMD LED Interior Hyperformance Light

- 41 MM
- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White SMD95W

Blue SMD95B



SMD94G







### 6x Super SMD LED Interior Hyperformance Light

- 41 MM
- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White SMD96W



SMD96B

Blue





Green



SMD96R



#### 10x Super SMD LED Interior Hyperformance Light

- 31 MM 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White

Blue SMD97B





Green



Red SMD97R



#### 12x Super SMD LED Interior Hyperformance Light

- 36 MM
- 12V DC
- 6500 Kelvin
- Ultra White
- Replaces original interior light

White

Blue

















# T10 Wedge type lights

#### 2x Super SMD LED T10 Wedge Light

- Dual super SMD LED lights
- Ultra White
- 6500 Kelvin





White



Blue



Green

**T102G**9 317114 905963

Red



**Amber** 



#### 9 SMD 3D LED T10 Wedge Light

- 6xSMD+ 3x Super SMD LED lights
- Ultra White
- 6500 Kelvin







White T105W



Blue **T105B** 



Green



Red T105R



Amber



#### 5x SMD Long 3D LED T10 Wedge Light

- 5 super SMD LED lights
- Ultra White
- 6500 Kelvin







White T106W



Blue **T106B** 



Green T106G



Red T106R



Amber T106A



#### 9x SMD Long 3D LED T10 Wedge Light

- 9 super SMD LED lights
- Ultra White
- 6500 Kelvin







White **T109W** 

Blue T109B Green T109G 9 3171114 905994 Red T109R









Green

# **lerpro**

#### 9x SMD LED T10 3D Maker Wedge Light

- 9 super SMD LED lights
- Ultra White
- 6500 Kelvin



Blue T109TB









Amber





## 12x SMD LED T10 3D Maker Wedge Light

- 12 super SMD LED lights
- Ultra White
- 6500 Kelvin







White T1012TW











# T10 Type Licence Plate Lights (Adjustable Head Angle)

# White 3x SMD LED T10 Wedge Number Plate Light

- Adjustable angle
- 3 super SMD LED lights
- Ultra White
- 6500 Kelvin







#### White 3x SMD LED T10 Wedge Number Plate Light

- Adjustable angle 90 degree(vertica)
- 3 super SMD LED lights
- Ultra White
- 6500 Kelvin







# **T10 Type Lights**

#### 4x LED T10 Globe Light



















L-10



# Daytime Running Lights





Universal Independent LED's for all Vehicles (12 Waterproof IP67
Brightness 50-60LM
Output Power 10 X 0.5W












# Aerpro<sup>®</sup>

# **SMD Flat Lights**



# **SMD Flex Lights**













Super Flexible - can use at extremely hot & cold conditions (-15 $\sim$ 85C) Width 10mm Depth 2mm Cuttable into 2~4 pieces for the adjustment of total length

Water resistant







FSMD12BD

White

FSMD12WD

# LED RUNNING LIGHTS 2 X 200MM WHITE

LED Daytime Running lights 36 LEDŚ 2 X 20 cm Flexible Strips 90 Degree illumination (Directiona) 8500K Cool White









# **DTRL220**



# LED RUNNING LIGHTS 2 X 550MM WHITE

LED Daytime Running lights 36 LEDS 2 X 20 cm Flexible Strips 90 Degree illumination (Directiona) 8500K Cool White











Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8899 © Copyright (DJ Australia Pty. Lta.





# **LED Torches**

Cigarette Lighter Rechargeable LED Torch
12 Pieces per display pack of 4 mixed colours:

- 5 Black, 3 Blue, 2 Red & 2 Gunmetal
- · Recharge torch by plugging directly into 12V lighter socket
- Fits most 12V sockets

Fits your cigarette lighter socket, ready for use









- 24 Pieces per display pack of 6 mixed colours: 4 Black, 4 Blue, 4 Red, 4 Silver, 4 Purple & 4 Pink
- Powered by 4 x LR44 button cell batteries (included)
- Super bright 5 LEDs
- Fitted with keyring







# LED Torch with Bracket - Black Supplied with multi-angle mounting bracket. Ideal

- for mounting on bikes, poles, etc.
- Powered by 3 x AAA batteries (included)
- Packed in sealed blister

# **Great for** bicycle handle bars and tent poles





## 3 LED Hand Cranking Torch

- Mini dynamo wind up torch
- Black rubberised finish
- Handy carry strap
- Packed in sealed blister























# Aerpro<sup>®</sup>

# Dual 7" (178mm) Slim LED

#### **Black Chrome Finish**

- Blue/black chrome finishOverall length 250mm







# 12" (305mm) Slim LED Black Chrome Finish • Blue/black chrome finish • Overall length 364mm







# 2½" (64mm) LED Mood Light

- Simply plugs into cigarette lighter socketOverall length 98mm







## Dual 7" (175mm) LED Stick

- Dual 'Ultra-slim' sticks
- 150 Degree lighting angle
  Water resistant, suitable for exterior and interior applications
- Overall length 178mm








## Dual 7" (178mm) LED Stick

- Dual 'Ultra-slim' sticks
- 150 Degree lighting angleWater resistant, suitable for exterior and interior applications

  • Overall length 178mm







# Dual 7" (178mm) LED Stick

- Dual 'Ultra-slim' sticks
- 150 Degree lighting angle
- Water resistant
- Overall length 178mm







L-16



# Dual 9" (225)mm Multicolour LEDs with Seven Mode Controller

- Connects to 12V DC
- Easy to use seven mode controller
- 16.4 million colour sequences
- Flashes to sound
- In-line fuse holderOverall length 240mm








## 12" (305mm) LED Stick • Fitted with 11 super bright LEDs

- Adjustable mounting bracketsOverall length 340mm


- 12V DC cigarette lighter plug with on/off switch


















## 8" (203mm) Thin LED Stick

- Multi-use LED light stick
- Ultra slim size

 $\bigoplus$ 

- Angle adjustment fittings
- Water resistant, suitable for exterior & interior applications
- Safer and more energy efficientFitted with 8 super bright LEDs


- Overall length 250mm
  12V DC cigarette lighter plug with on/off switch























# 2 x 24" (600mm) Standard LED Under Car Lighting Kit

- $2\frac{1}{2}$  times brighter than standard "Neonz"
- Less power consumption than "Neonz
- Easily extendable with extra tubes via removable end cap
- Water resistant, sold in pairs

- Cable length 3M
  Overall length 600mm
  Packed in hang sell, full colour box



# 2 x 52" (132cm) Super Bright **Under Car LED Kit**

- 11 Patterns x 11 speeds
- Sold in pairs, water resistantSupplied with 3 metre extension cable
- Multi connector for fitting up to 4 LEDZ

tubes on the one controller

- All fitting hardware supplied
- Packed in hang sell, full colour box



# 2 x 48" (1200mm) Standard LED

**Under Car Lighting Kit** 

- 2½ times brighter than standard "Neonz"
- Available in three deep lighting colours & two different sizes
- Less power consumption than "Neonz"
   Easily extendable with extra tubes via removable end cap
- Water resistant, sold in pairs
  Cable length 3M
- Overall length 1200mm
- Packed in hang sell, full colour box





# 6" (158mm) Bubble LED LightSmooth light bubbles shine to set the mood of your car

- The perfect compliment to any audio head unit
- Extendable tip lets you adjust the lighting size
  Dual 'BUBBLE SOUND' tubes comes
- with sound controller and beat to the music
- Overall length 165mm









## 6" (158mm) Bubble LED Light

- Smooth light bubbles shine to set the mood of your car

- The perfect compliment to any audio head unit
  Extendable tip lets you adjust the lighting size
  Dual 'BUBBLE SOUND' tubes comes with sound controller and beat to the music
- Overall length 165mm
- Packed in hang sell, full colour blister















# 24" (600mm) Flexible LED Strip

- This Flexible LED Strip is ideal for highlighting those awkward areas where a straight tube can't follow the curve of your vehicle
- Perfect for front bars, door courtesy lighting, door strips, wheel arches, windscreen edging, etc.
- For indoor or outdoor use

 $\bigoplus$ 












# 36" (900mm) Flexible LED Strip

- This Flexible LED Strip is ideal for highlighting those awkward areas where a straight tube can't follow the curve of your vehicle
- Perfect for front bars, door courtesy lighting, door strips, wheel arches, windscreen edging, etc.
- For indoor or outdoor use













# Super Bright LED Day Light Lamp - One Pair • Super bright, energy efficient and stylish LED day time driving lamps • Complete with mounting brackets & fitting accessories • Suitable for all 12V vehicles

- Each lamp contains 12 Super Bright LEDs, designed to enhance day-time driving safety
- Sold in pairs
- Available in amber, blue, red & white
  140mm Wide x 28mm high each













# Skull Windscreen Washer LED Highlighter

- Suitable for most vehicles
- Replaces existing washer nozzlesBright LEDs light up skull's eyes







# 8 – Ball Windscreen Washer LED Highlighter

- Suitable for most vehicles
- Replaces existing washer nozzles
- Bright LEDs light up ball











L-20






## **Dual Fibre Optic Highlighters**

- Unique fibre optic illumination Beats to the sound of the music Dual 45mm highlighter LEDs with 3 metres of cable
- Fitted with cigarette lighter plug
- Available in three colours: blue, green and purple















# Opti Glo Tyre Valve Led Highlighter

• LED highlighters attaches to valve stems of your tyres

- Centrifugal force causes the units
- to switch on
   Powered by 3 button cells







# LEDZ Key Chain Pocket Light - Refill Pack

- Ultra bright LED light Long life LED
- Instant illumination
- Battery included



Sold As Packs of 10









Fax your order: +61 3 8587 8899 Call to order: +61 3 8587 8889 © Copyright TDJ Australia Pty. Ltd.





# Wheel Well LED Kit 4 x 24" (610mm) Blue Flexible LED Tubes with Remote Control • Each contains 27 super bright LEDs • Multi pattern display • Remote control • Waterproof • Simple connection FLW600B











- Fitted with cigarette lighter plug
  Overall diameter 5mm
  Overall length 167mm
  Cable length 2M







# 2 x 7" (178mm) Slimline Neons

- "Brightness index" rating: 612V Input
- Current: 0.28A
- 1A fuse located inside cigarette lighter plug
  On/Off switch located on cigarette lighter plug
- Cable length 2MOverall length 245mm













# Aerpro







**(** 











# 11.6" (295mm) Slimline Neon • "Brightness index" rating: 6 • Overall length 360mm

- 12V Input
- Current: 0.28A
- 1A Fuse located inside cigarette lighter plug
  On/Off switch located on cigarette lighter plug
- Cable length: 2 Metres
















Red






























 $\bigoplus$ 





# Aerpro\*

# 20cm (8") Ultra Slim Black Light • Fitted with switchable cigarette lighter plug. • Great for compact installations

- where greater spread of light is required
   Overall length 270mm











# 7.4" (188mm) Cold Cathode Neon

- Brightness Index" rating: 9
- 12V Input
- Current: 0.28A
- 1 A Fuse located inside cigarette lighter plug
- On/Off switch located on
- cigarette lighter plug
- Cable length 2M
- Overall length 237mm











## 11.3" (287mm) Cold Cathode Neon

- "Brightness Index" rating: 9
- 12V Input
- Current: 0.33A
- 1A Fuse located inside
- cigarette lighter plug
- On/Off switch located on cigarette lighter plug
- Cable length 2MOverall length 338mm











L-28







As the name says, Bassix is exactly that, a Basic. Bass system.

The Bassix range of boxes is designed to suit customers looking for a small enclosure, a simple solution at a competitive price.



You Get More with Maxcor!

This range is for people wanting more than just a simple box but still at a value for money price. Maxcor is all about value. Giving you better results whilst keeping the price low. The designs are more advanced and the construction material density is higher than the Bassix Range. The overall finish is better too. This all results in a better sounding and better looking subwoofer system for your car.


# UNIBOX II SERIES SUBBOXES

#### Unibox Series 2 10 &12 inch

The Unibox range is designed mainly for sedan installations where the woofer is planned to face into the back seat rather than into the boot area. The ports have been strategically placed on top of the box towards the back so that advanced installers can remove and re-mount the ports up into a rear parcel shelf. Another key design feature is the low height of the box (Needed for many under shelf sedan installations). The Unibox range is also generous in terms of its volume and port tuning length making it a very nice sounding enclosure whilst still having a lively response curve centred around the bass kick drum frequency. All sides of the enclosure are made from high grade 18mm MDF.

#### Unibox Series 2 15 inch

Unlike the 10 and 12 inch versions the Unibox UB15S2 is unique in that it is designed to work facing into the back seat or facing into the boot area. The reason that this box is so versatile is that we have cut the back and front baffles at the same slope using the Aerpro snug fit angle so that the box can fit both ways. Dual 4 inch ports give the box greater efficiency and lower port noise. Its a great all round box, All sides of the enclosure are made from high grade 18mm MDF



# TRWC SERIES SUBBOXES

 $\bigoplus$ 

#### THE ROYALE WITH CHEESE

For some time now we have been asked for Bigger boxes for SPL Lovers and sound quality listeners. You asked, we listened. The TRWC 12 and 15 inch box's are about the same size box that you would expect for a box designed for 2 woofers. What this allows us to do is build in a port with a massive cross sectional area whilst keeping the tuning frequency low. The result is fantastic sound quality, Literally no port noise and very very high efficiency. At a recent bass battle competition is was demonstrated that more SPL can be produced with just one woofer in a TRWC enclosure than 2 of the same woofers in a smaller enclosure. The next time you're thinking of putting together a big system you might consider building it with one really nice sub in a TRWC rather than 2 cheaper subs that add up to the same price!!!. The results will surprise you!



SQ stands for Sound Quality. So what makes sound quality a reality? Its all in the design. SQ series Boxes are tuned lower with larger volume and Lower port tuning, when coupled with most woofers they produce a flatter response than many other prefabs on the market. And to top it off the SQ series boxes look incredible!



EOSS loaded (Comes complete with subwoofer installed) subwoofer box systems are available in 10 and 12 inch. They are very very small, thin enclosures with a flat subwoofer installed they offer limited bass "Extension" due to their tiny size but do offer great amounts of sub bass with surprisingly good sound quality. When space is tight the Eoss range represents great value for money.



AERPRO SNUG FIT NO WASTED SPACE











# SERIES SUBBOXES



























# SERIES SUBBOXES


















VOLUME MDF THICKNESS **50L** 16/18

465 TUNING **39**<sub>Hz</sub>

COLOUR **BLACK** 



Features our Snug fit 70Deg front baffle and Snug fit rear face. This box will fit snug up to most back seats without wasted space regardless of which way you face the box.







**S-3** 



# **SERIES SUBBOXES**









 $\bigoplus$ 

@400W

@600W

300 400 500





# SERIES SUBBOXES



**TUNING RESPONSE MODELLING** 

Response chart based on 3.7L driver displacement, For general guidance only.





VOLUME 37.5L

MDF THICKNESS **16**mm

PORT AREA 110cm<sup>2</sup>

TUNING

COLOUR **BLACK** 





#### 12" Slot SPB12



# 12" (305mm) 1.45ft³ (41.06L) Slot Port Sub Box


- MDF Construction
- Tuning Frequency 50Hz
- Maximum Mounting depth of subwoofer: 270mm
- Supplied with 45cm speaker cable fitted to round terminal board with gold binding posts
- Dimensions: 370mm H x 435mm W x 390mm D







### **UNIBOX II SERIES SUBBOXES**












### **UNIBOX II SERIES SUBBOXES**







### **UNIBOX II SERIES SUBBOXES**

12" Ported **UB12D2** 280 280 920 400 STANDARD TUNING PORT AREA VOLUME MDF COLOUR AERPRO SNUG FIT THICKNESS **DARK 42LX2** 81cm2X2 40<sub>Hz</sub> Kicker CompVR12 1.8 9 1.6 6-1,6 1.4 3 1.4 3 1.2 0 1.2 0 ,6 -9 @600W @400W .4 -12 4 -12 .2 -15 .2 -15 0 -18-Alpine Type R 12 ( Dual 2 Ohm) 1.8 9 1.6 6 UNING RESPONSE 1.4 3 1.4 3 1,2 0 1.2 0 1 -3 cm dB .8 -6 .6 -9 .4 -12 4 -12 @600W @200W .2 -15 Orion XTR124 Rockford P1 12 1.8 1.6 6 1.6 6 1.4 3 1.4 3 1.2 0 1.2 0 1 -3 cm dB .8 -6 .6 -9 .4 -12 .4 -12 @250W @250W .2 -15 0 -18 1 300 400 500 30 40 50 Response chart based on 3.7L driver displacement, For general guidance only.





 $\bigoplus$ 




### **UNIBOX II SERIES SUBBOXES**




The UB15S2 is a fresh new approach in the UB series range. Its Baffle is more up right giving space for larger woofer magnet structures and it now packs two 4 inch ports with a combined port area of 162cm sq cm (Equivalent to a 5.7 inch single port). Coupled with Aerpros Snug fit feature on its front baffle and rear face, it will fit snug up to most back seats without wasted space, regardless of which way you face the box. (Forward or backwards)

### **Dual 4"port**

Aerpro Snug Fit Angle on Front and Back Faces





VOLUME 88L


STANDARD TUNING 40<sub>Hz</sub> PORT AREA (TOTAL)

162cm²

MDF THICKNESS







Response chart based on 7.5L driver displacement, For general guidance only.





**(1)** 



### **TRWC SERIES SUBBOXES**

12" SUPER Slot

TRWC12




There has been a common muttering of discontent amongst hardcore enthusiasts when it comes to Pre Fabricated enclosures. Many bloggers have been telling us "PRE FAB'S ARE TOO SMALL". Well, we are listening and we think we now have what you have been waiting for.

#### THE ROYALE WITH CHEESE

We have been studying class leading custom Fabricated designs in both sound quality and SPL competitions . The result of this is the TRWC design.

The port area is massive for hi efficiency (SPL) and it has an anti turbulance flair at each end (SQ) making it even more efficient and quiet. Combined with its big volume, it's ready for Big hitting subs and amps regardless of whether you're an SQ music connoisseur or a SPL ground pounder.








STANDARD TUNING 38<sub>Hz</sub>

PORT AREA 55cm

MDF THICKNESS **o**mm

COLOUR COLOUR BLACK CHARCOAL LIGHT CHARCOAL





**(** 

Response chart based on 3.7L driver displacement, For general guidance only.











 $\bigoplus$ 



### **TRWC SERIES SUBBOXES**

 $\bigoplus$ 

#### THE ROYALE WITH CHEESE 15" SUPER Slot TRWC15 Like its little brother the TRWC15 is Big in every way. However, the TRWC-15 takes BIG to a whole new level. It has a Bullet proof 21mm MDF front baffle (36mm in some places) to hold in place the largest subwoofers on the market. Its Anti Turbulance designed slot port is MASSIVE. How's the tuning? Nice and low at 36Hz (Can be made lower by inverting the sub) The philosophy of TRWC system design is quite simple. Use one big sub on a decent sized amp you will get more bass (Better Bass)than 2 subs in a similar sized box sharing half the enclosure each. The added bonus is that you also get the advantage of the lower frequency tuning so that you can Pound the ground with your favourite tracks or feel the depth of the greatest SQ recordings... 352 436 920 550 STANDARD **PORT AREA** MDF THICKNESS COLOUR COLOUR AERPRO SNUG FIT TUNING LIGHT **BLACK 21**<sub>mm</sub> 341 36<sub>Hz</sub> 368cm² CHARCOAL front Rockford T1D415 Nakamichi NSX15 1.8 1.8 1.6 1.6 1.4 3 1.4 3 1.2 0 1.2 0 .6 -9 .6 -9 @1000W @1850W .4 -12 .4 -12 .2 -15 .2 -15 0 -18 Kicker CompVX15(SPL) 1.8 9 1.6 1.4 3 1.4 1.2 0 1.2 0 .6 -9 .6 -9 .4 -12 @800W .4 -12 @1000W .2 -15 2 -15 0 -18 300 400 500 300 400 500 Orion HCCA154(SPL) DDesignes 3515G 1.8 9 1.8 1.6 6 1.6 6 1.4 3 1.4 3 1.2 0 1.2 0 .6 -9 .6 -9 @2000W .4 -12 @1200W 4 -12 .2 -15 .2 -15 0 -18 300 400 500 Response chart based on 7.6L driver displacement, For general guidance only.







### **SQ SERIES SUBBOXES**

12" Ported XSLOT12D



Introducing the new angle on slot porting. The Xslot range is all about sound quality, efficiency and striking looks in a mid sized enclosure. It has a custom made look at an affordable price. Its slot port is tuned to please the listener looking for extra bass extension, whilst still keeping that slot port efficiency that creates great sound pressure without the need for truck loads of power. The Enclosure is finished off beautifully with its striking protective grill bars.





VOLUME 76L


STANDARD TUNING 38<sub>Hz</sub>

PORT AREA 85<sub>cm</sub><sup>2</sup>X2

MDF THICKNESS 18<sub>mn</sub>

COLOUR BLACK CHARCOAL





Response chart based on 3.7L driver displacement, For general guidance only.













### **SQ SERIES SUBBOXES**


### 12" Ported

### XSLOT12



The XSLOT12 is designed for Hi efficiency and lower bass. Its ample volume and 36 Hz tuning frequency make it a more versatile enclosure giving great results from a wider selection of woofers. The deepest bass results are greater using a woofer with a QTS of less than .65, an FS of 35Hz or lower and a VAS of 80 litres or less.






VOLUME 50L

STANDARD TUNING 36Hz

PORT AREA 110cm<sup>2</sup> MDF
THICKNESS
18
mm







Response chart based on 3.7L driver displacement, For general guidance only.

**(1)** 








### **EOSS LOADED SUBBOX**


10" Sealed

E<sub>10</sub>F



This box is super small but it still rocks hard. Its tiny size is designed for tight situations of space.





VOLUME 18L

MDF THICKNESS 16<sub>mm</sub>


TUNING **51**<sub>Hz</sub> COLOUR **BLACK** 



12" Sealed



If you loved the E10F (One of last years standout models) you will be amazed at this new addition to the family. The 12 inch version uses a little more space but now you get an amazing amount of extra bass and its only a few dollars more than its 10inch cousin.





VOLUME

MDF THICKNESS 6<sub>mm</sub>

TUNING **48**<sub>Hz</sub>

COLOUR **SPECKLE BLACK** 












### **UTE SERIES SUBBOXES**

### 10" Ported UBOX10



Designed for Utility installations, these boxes can be used with flat subs or normal subwoofers. When selecting your drivers, look for Low FS,QTS and VAS Values as they will perform better in these smaller ported enclosures.





VOLUME 24L

STANDARD TUNING 42Hz

PORT AREA MDF
THICKNESS
16<sub>mm</sub>

COLOUR




### 12" Ported

**(** 

### **UBOX12**









VOLUME

STANDARD TUNING 43<sub>Hz</sub>

PORT AREA 60cm<sup>2</sup> MDF THICKNESS 16<sub>mm</sub>


COLOUR







# SUB BOX **SECTION**



















# **Automotive Vinyl**

• 0.7M x 2M Sheet • Packed in gift box

















# **Bulk Rolls Carpet and Vinyl**

- Packed in poly bag
- 1.5M wide, 25 metre roll Carpet
- 1.4M wide, 12 metre roll Vinyl




























### **Mounting Straps**

**(** 



### **Mounting Straps**

- 2 x 1500mm x 24mm
- Black
- Quick Disconnect
- Screws included (4 x 22.5) x 8






### **Mounting Straps**

- 2 x 400mm x 24mm Black
- Quick Disconnect
- Screws included (4 x 22.5) x 8



### Subwoofer Grille & Grille bars



Sold as single

#### Subwoofer Grille

- Powder coated mesh
- PVC rim
- Comes with mounting accessories 10" (254mm)



12" (305mm)





Sold as single

### 10" (254mm) Subwoofer LED Grille -Blue & Red

• Switchable to have either blue or red LEDs











#### 10" (254mm) Gunmetal Plastic Subwoofer Grille

- Provides protection for your subwoofer
- Enhances the appearance of your system





### 12" (305mm) Gunmetal Plastic Subwoofer Grille

- Provides protection for your subwooferEnhances the appearance of your system





#### 12" (305mm) Chrome/Metal Subwoofer Grille

- Provides protection for your subwoofer
- Enhances the appearance of your system







### Grill Bars For 12" Subwoofers



### **Bass Reflex Ports**

• Anti turbulence port • Sold as single





#### 40mm x 105mm (1.6" x 4.1")

• Cutout diameter: 63mm







45mm x 128mm (1.8" x 5")

Cutout diameter: 68mm













### 57mm x 180mm (2.2" x 7.1")

• Cutout diameter: 84mm







# 70mm x 165mm (2.8" x 6.5") • Cutout diameter: 100mm



### **Terminal Board**

• Polarity marked on posts • Sold as single





# Square Speaker Terminal Board • Cable or banana plug connections

• Cutout dimensions: 72mm W x 59mm H







# Round Speaker Terminal Board • Cable or banana plug connections

- Cutout dimensions: 75mm







#### **Speaker Terminal Board**

- Push terminals for easy speaker connection
- Cutout dimensions: 65mm







### Bi-wire Speaker Box Terminal Board

- Removable bridging straps
- Cable or banana plug connections
- Cutout dimensions: 75mm W x 96mm H







### **Sealed Enclosures**

Sold in pairs



### Universal Sealed Speaker Boxes 6"

- 6"(165mm) MDF speaker enclosures
- Sold in pairs
- Black carpet
- Connecting cables included
- 205mm H x 210mm W x 230mm D







#### **Universal Sealed Speaker** Boxes 6" x 9"

- 6" x 9" (152 x 229mm)
- MDF Speaker Enclosures
- Sold in pairs
- Black carnet
- Connecting cables included
- 185mm H x 300mm W x 220mm D



### **Ported Enclosures**

• Sold in pairs





#### Pair of 6" Ported Speaker Boxes

- Suits 6" 61/2" (152mm 165mm) Speaker
- MDF Construction
- · Covered in black carpet with grey sides








#### Pair of 6" x 9" Ported Speaker Boxes

- Suits 6" x 9" (152mm x 229mm) speakers
- MDF Construction
- Covered in black carpet with grey sides
- 230mm H x 290mm W x 150mm D



### Vinyl Finish (Painted MDF Base)



1 Pair of 6" (152mm) Vinyl Fibreglass Speaker Spacers Black

APF60BL

APF60GR



1 Pair of 6" (152mm) Vinyl Fibreglass Component Speaker Spacers


Black

Grev APF62GR









1 Pair of 6" x 9" (152mm x 229mm) Vinyl Fibreglass Speaker Spacers

Black

Grey







1 Pair of 6" x 9" (152mm x 229mm)
Vinyl Fibreglass Speaker Spacers - High Angled
• High profile spacers, ideal for vehicle parcel

shelves with sharp angled rear windows

Black

Grey





### Carbon Fibre Finish (MDF Base)

Sold in pairs

### 6" (152mm)

Fibreglass Speaker Spacer Pods

• 1 Pair fibreglass spacers with carbon fibre finish





### 6" (152mm) Component Speaker Spacer Pods

1 Pair component spacers with carbon fibre finish



### Rubberized Finish (MDF Base)

Sold in pairs



6" (152mm) Fibreglass Speaker Spacer Pods

• 1 Pair fibreglass spacers with rubberized finish





6" (152mm) Component Fibreglass Speaker Spacer Pods

• 1 Pair component fibreglass spacers with rubberized finish







### Rear Mount Speaker Spacers

Sold in pairs



### 6-6½" (152mm-165mm) Rear Mount Speaker Spacers

- Rubberized coating
  Acoustic design, reinforced ABS plastic housing









#### 6" x 9" (152mm x 229mm) **Large Rear Mount Speaker Spacers**

- Rubberized coating
- Acoustic design, reinforced ABS plastic housing









### 6" x 9" (152mm x 229mm) Rear Mount Speaker Spacers

- Rubberized coating
- Acoustic design, reinforced ABS plastic housing











### 6" x 9" (152mm x 229mm) Universal Box Type Speaker Cabinet Complete with metal brackets, nuts & screws for easy installation

- Cable or banana plug connections
- Ideal rear mount for trucks, vans, etc.









### **MDF Speaker Spacers**

- •16mm depth •Sold in pairs •Allows speakers to clear objects behind them



4" (102mm) Outer diameter 140mm





 $5\frac{1}{4}$ "-6" (133mm-152mm)

Outer diameter 160mm





6½" (165mm) • Outer diameter 182mm





6" x 9" (152 x 229mm)
• Outer diameter 285 x 187mm





6" x 9" - 7" x 10" (152mm x 229mm — 178mm x 254mm)

• Outer diameter 272 x 202mm





### Black MDF Spacers • 16mm depth • Sold in pairs



 $5\frac{1}{2}$ "-6" (133mm-52mm) • Outer diameter: 160mm





**6**½" **(165mm)** • Outer diameter:182mm





6" x 9" (152mm x 229mm)
• Outer diameter: 285mm x 187mm





6" x 9" - 7" x 10" (152mm x 229mm - 178mm x 254mm)
• Outer diameter: 272mm x 202mm







### Carpet MDF Speaker Spacers

- •25mm depth Covered in carpet Sold in pairs











61/2" (165mm) Black





6" (152mm) Grey





61/2" (165mm) Grey





6" x 9" (152mm x 229mm) Black





6" x 9" (152mm x 229mm) Grey







### **UV Stabilized Speaker Spacers**

• Sold in pairs





- 51/4" 61/2" (133mm-152mm)
- Depth 25mm
- Ideal for use when car is fitted with gas tank





# 5½" - 6" (133-152mm) • Tapered/flanged spacer raises speaker by 25mm





- 6" x 9" Angled (152mm x 229mm)
   Extenders enable you to angle speakers towards the front of vehicle
- Raises speaker by 38mm (bottom of angle) to 78mm (top of angle)





# 6" x 9" (152mm x 229mm) • 40mm Depth

- Ideal when gas tank is fitted to vehicle
- Tapered spacer raises speaker by 40mm





### 51/4" - 61/2" (133mm - 165mm)

- 38mm Depth
- Ideal for use when car is fitted with gas tank, etc.





### Grille/Baffle/Adaptor Plate



#### 6" x 9" (152mm x 229mm) Speaker Baffle

 These baffles are placed behind the speakers being installed as a method of preventing unwanted vibration and noise from eminating from the rear of the speakers

### 816900





### **Universal Speaker Adaptor Plates**

- These plates allow you to replace existing 6" x 9" speakers with 51/4" to 61/2"
- Can separate tweeters into the same location

#### 826901





#### Speaker Adaptor Plates suit

Honda Accord 98-04, Civic 2001 on, Jetta 98~05

 These speaker adaptor plates allow you to replace factory fitted speakers to an aftermarket 5½" to 6½" aftermarket speaker

#### FP827803



### In Dash Centre Speaker



Comprises of DIN Sized Pocket loaded with centre speaker for True Mobile Surround Sound.

#### Ford/Mazda/Nissan/Toyota/Volvo (most models)

- Each speaker is fitted with a fine cloth mesh grille.
- Speaker consists of 2 x 1.5" Mid Woofers
- 1 x 1" Balance Drive Tweeter. Neodynium Magnet System
- 20 mm Diameter Kapton Voice Coil.
   20 Watts Maximum Power handling.
- Packed in full colour giftbox.









### Speakers





#### EOSS - 4" 2 Way Speakers 120W Max

- 4" (102mm) 2 Way Speakers 120 Watts max Impedance 40HM Frequency 70~20KHZ Sensitivity: 88dB Voice Coil 0.75"





#### EOSS - 6" 2 Way Speakers 180W Max

5" (152mm) 2 Way Speakers 180 Watts max Ohm

requency Response: 70-20KHz ensitivity: 88dB

Voice coil

4 oz Magnet

- o oz Magnet







### EOSS - 6" x 9" 3 Way Speakers 250W Max

- 6x9 (152mm x 228mm) 3 Way Speakers 250 Watts max 4 Ohm

Frequency Response: 60-20KHz

Sensitivity: 90dB 1" Voice coil 10 oz Magnet





#### 6-6½" (152mm-165mm) Rear Mount Speaker Spacers with Speakers

Rubberized coating

• Acoustic design, reinforced ABS plastic housing





#### 6" x 9" (152mm x 229mm) Rear Mount Speaker Spacers with Speakers

Rubberized coating

Acoustic design, reinforced ABS plastic housing





#### 6" x 9" (152mm x 229mm) Universal Box Type Speaker Cabinet With 6"x9" Speakers

- Complete with metal brackets, nuts & screws for easy installation
- Cable or banana plug connections
- Ideal rear mount for trucks, vans, etc.












### **CONTROL HARNESS FAQ**





### **CONTROL HARNESS FAQ**

### Steering Wheel Control Harness FAQ:

#### Q: If the vehicle plugs do not match, can I cut the control harness and wire the steering wheel control module into the vehicle?

A: No, The Aerpro control harness module has been programmed specific to the vehicle.

If the Control harness plug does not suit the vehicles radio plug, The Control harness will not suit your vehicle.

#### Q: I have installed a pioneer unit, When I Turn On Unit, the Steering Wheel controls Do not Function correctly.


A: Pioneer head units can have different rest voltage for the steering wheel control input. This can cause the steering wheel controls to function incorrectly. There are Two Solutions available. Please see below:

1. If you have purchased the APPIOA and the steering wheel controls are not functioning correctly, you will need to remove the link between pins 7 & 8 (see Fig 1 below). Link can be removed by de-pinning the block using a small screw driver. Once link is removed from patch lead, disconnect power from steering wheel control module for 30 seconds so the Module will recognise the change to the patch lead.

2.If option 1 does not correct the problem, you will need to purchase the APPISOA. The APPISOA will suit both Pioneer and Sony head units.

The APPISOA has an inline PCB which automatically detects which brand unit is being installed and adjusts programming to suit the aftermarket unit .

Fig 1.




Remove the link between pins 7 & 8


#### Q: MY aftermarket head unit does not have a direct Steering Wheel Control Input. Is there another Option?

A: Yes, If your Head unit does not have direct steering wheel control input, you can use the Aerpro APUIR (ref. page 33). The APUIR is a universal Infra-red

adaptor which enables control of an aftermarket head unit (with IR control ) from the steering wheel controls of an analog Vehicle, allowing up to 10 buttons to be programmed. The head unit must have a remote control handset for the IR adaptor to learn from.

#### Q: What is the difference between a TYPE A and a TYPE C Control Harness?





For more information, you can find us on YOUTUBE, search for Aerpro Control harness System







### ISO SECONDARY SIDE HARNESSES

### ISO Secondary Side Harnesses To Radio

The APP8 series of harnesses are designed to plug directly into the back of the majority of aftermarket radios (Alpine, Clarion, JVC, Kenwood, Panasonic, Pioneer, Sony) leaving you with a male pair of ISO plugs on the other end to connect. The male ISO connectors are then simply plugged into the corresponding 'APP' plug, or existing original factory female ISO plugs (depending on vehicle), and you're away. How easy is that!

### To Suit Alpine





- Suits Alpine car audio units with square pins
- 16 pin plug (square pins)
- Square holes







- Suits Alpine model car audio units with round pins
- 16 pin plug (round pins)Round holes







- Suits Alpine Model:CDE100EUB
- 16 pin plug



### To Suit Clarion





- Suits all Clarion car radio units up to 2010
- 16 pin plug







• Suits clarion head units: CZ100A CZ101A CZ200A

CZ201A CZ309E CZ500A

CZ501A







• Suits clarion head units: All 2012 AV units MAX386VD, NX501A VRX406BD, VX400A VZ400A, VX401A VZ401A, VX409A VZ409A, VX709A VZ709A











### ISO SECONDARY SIDE HARNESSES

### To Suit JVC





- Suits JVC car audio units pre-2010
- 16 pin plug







- Suits JVC car audio units (Series II)
- 16 pin plug







• Suits JVC head unit models: KD-R326 KD-R526

KD-R626

With added 3.5mm plug



### To Suit Kenwood





- Suits 2000-2004 model Kenwood Head Units
- 16 pin plug







- Suitable for all Kenwood models 2005 ON
- 16 Pin connection
- 2 Large Pins for Power and Earth.
  Makes for easy D.I.Y. installation



### To Suit Panasonic





- Suits all latest model Panasonic car audio units
- Makes for easy D.I.Y. installation
- 16 pin plug







### ISO SECONDARY SIDE HARNESSES

### To Suit Pioneer





- Suits most Pioneer car audio units from 2002 2009
- 16 pin plug







- Suits Pioneer head units: DEHP9850, AVHP7950, AVHP4950
- 16 pin plug







- Suits Pioneer head units: DEH1250 DEH1250MP
- 16 pin plug








- Suits Pioneer head units: MVH8250 MVH8250BT AVHP3250DVD AVHP3250BT AVHP4250DVD
- 16 pin plug







- Suits Pioneer head units: DEH1350MPG, DEH2250UBC DEH3250UB, DEH3350UB DEH4250SD, DEH4350UB DEH5250SD, DEH6350SD DEH7350BT
- 16 pin plug







- Suits Pioneer head units: DVHP3250UB
- 16 pin plug











### ISO SECONDARY SIDE HARNESSES





- Suits Pioneer head units: AVICF20BT AVICF30BT AVICF40BT
- 16 pin plug



#### To Suit Sound4





- •To suit Sound 4 models: Z801, Z800, Z300, FX116
- 20 pin plug







- Suits Sound 4 to ISO, 2 plug units
- 1x9 Pin and 1x4 Pin.



**(** 

### To Suit Sony





- Suits all sony head units up to 2012
- 16 pin plug







- Suits SONY models: XAV63 XAV601BT XAV701BT
- 16 pin plug







- Suits Sony model Head units 2013 on
- 16 pin plug










### **Universal ISO Connector**


### **Universal ISO Connector**



Universal Female ISO Connectors to bare ends







- Universal Male ISO Connector

   Suit AUDI / VW APP7201 ISO to bare ends.

   The APP7201 has an inbuilt link for the illumination wire in an Audi or Volkswagen.









#### STEERING WHEEL CONTROL ADAPTORS

#### **Universal Steering Wheel Control Adaptors**



#### UNIVERSAL STEERING WHEEL CONTROL INTERFACE

Retains your original Steering wheel controls. Works with aftermarket radios like, JVC,

Pioneer, Kenwood, Alpine and other units that have a Steering wheel control input.

The ASWC has the ability to auto detect many vehicle makes and aftermarket radios and it will preset the steering wheel controls to the aftermarket radio automatically so no programming is required. The ASWC also has the ability to be manually programmed to suit vehicles not listed in the auto detection feature.

Some of the Vehicles that use the Auto Detect Feature: Audi A4 2004 - 09 Chrysler 300C 2005 - 2010 Honda CRV 2005 - 2010 Mazda 3 2004 - 2010 Mazda 6 2003 - 2010



#### UNIVERSAL CANBUS MODULE

This module enables control of an aftermarket Head unit from the steering wheel controls of a Non Can and CAN-BUS Vehicle. + it will Generate Acc,III, Reverse trig, and Speed pulse ( CAN only). Compatible with Alpine, Blaupunkt, Becker,Clarion,JVC,Kenwood, Panasonic,Pioneer,Sony, aftermarket Head units A head unit specific Patch lead is required with this interface (Type C) Alfa Romeo 147/GT/159/Brera/Mito Audi models without MMI BMW 1er(E87)/ 3er (E90) Citroen C2/C3/C4/C5/C8 Fiat Bravo/Panda/Punto/500 Ford C-Max/Fiesta/Focus/Mondeo/S-Max Mazda 6 Mercedes A-class(W169) / B-class (W245) / C-class (W203) /

Holden Astra / Berina / Épica / Vectra Peugeot Clio / Laguna / Megane / Modus / Scenic / Twingo Skoda Fabia / Octavia / Roomster VW Eos / Golf / Jetta / Polo / Passat / Tiguan / Touran / Toureg





#### UNIVERSAL IR ADAPTOR (for Infrared Red Controlled Head Units)

Unit enables control of an aftermarket Head unit (with IR control) from the steering wheel controls of an analog vehicle. Up to 10 buttons to be programmed.

The Head unit must have an IR remote control handset for the IR Adaptor to learn from. Alfa Romeo 147 / 156 2000 on - Mid/High Blaupunkt Romeo GT 2004 on - Mid/High Blaupunkt Ford Falcon AU, BA Fiesta 2003 on, Focus 2001 on, Mondeo 2003 on (except Ghia) Holden Captiva 2007 on Commodore Hyundai Santa FE 2006 ON, i30 2007 on - Mazda 2 Peugot 206/306 2000 - 2002 - Philips RB1,RD1, 22RC200, Clarion PU2325A, PU2294 Subaru Imprezza / Forester 2007 on Suzuki Swift / Vitara 2005 on - Panasonic PACR01 / PACR02 Toyota Avensis/Yaris/Corolla/ Rav4 ( with steering wheel controls) - Fujitsu Ten / Matsushita











# PATCH LEADS

### Type A Patch Leads For SWC





Alpine Patch Lead Suits Control Harness A





Clarion Patch Lead Suits Control Harness A





JVC Patch Lead Suits Control Harness A





Kenwood Patch Lead Suits Control Harness A





Panasonic Patch Lead Suits Control Harness A









# **PATCH LEADS**



Pioneer Patch Lead Suits Control Harness A





Sony Patch Lead Suits Control Harness A





Pioneer & Sony Patch Lead Suits Control Harness A





Type C Patch Leads For SWC



Alpine Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





Clarion Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





## PATCH LEADS



#### JVC Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





#### Kenwood Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





## Panasonic Patch Lead Suits Control Harness C • Plugs directly into APUCB Can-Bus and Control harness C series





#### Pioneer Patch Lead Suits Control Harness C

• Plugs directly into APUCB Can-Bus and Control harness C series





**(** 

Sony Patch Lead Suits Control Harness C
• Plugs directly into APUCB Can-Bus and Control harness C series








## **ANTENNA ACCESSORIES**

#### **DIN Extension Cables**





#### **Antenna Extension Cable**

- 20cm Long and has a right—angled plugMakes for easy installation where
- Makes for easy installation where there is limited space behind the radio







#### **Antenna Extension Cable**

 60cm antenna extension lead for use when lead on antenna won't reach the radio.








#### **Antenna Extension Cable**

 1 Metre antenna extension cable for use when lead on antenna won't reach the radio.








#### Antenna Extension Cable

• 3 Metre antenna extension cable for use when lead on antenna won't reach the radio.







#### Antenna Extension Cable

• 5 Metre antenna extension lead for use when lead on antenna won't reach the radio.





## **ANTENNA ACCESSORIES**

#### **Antenna Adaptors To DIN**


To install an aftermarket head unit where the car's antenna lead is not **DIN standard** 












## Antenna Adaptor Plug • For cars fitted with ISO antenna connector










Often referred to as European connecto





## Antenna Adaptor Lead • For cars fitted with ISO antenna connector












#### Antenna Adaptor Lead


 For cars fitted with ISO antenna connector and an antenna that has an inbuilt mast head amplifier.











#### **Antenna Adaptor Plug**


• For cars fitted with Fakra antenna connector (of any coding)








**(** 





20cm



#### **Antenna Adaptor Lead**

- For cars fitted with Fakra antenna connector (of any coding)
- Antenna may be passive or active with separate mast head amplifier trigger.











## **ANTENNA ACCESSORIES**






## **ANTENNA ACCESSORIES**






## **ANTENNA ACCESSORIES**



**(** 




## **ANTENNA ACCESSORIES**







## **ANTENNA ACCESSORIES**




### Antenna Plug DIN

When you can not find a custom fit adaptor you can (as a last resort) cut off the original plug and replace it with this male DIN plug







#### Antenna Plug Screw type

• Screw type antenna plug to replace original plug on antenna cable







0 DIN



## **ANTENNA ACCESSORIES**


#### Antenna Adaptors To OEM Radio Connector

To install an aftermarket antenna where the car's antenna input connector at the head unit is not DIN standard










#### **Antenna Adaptor Lead**

- For cars fitted with OEM Radio
- Converts Ant input to standard DIN socket













#### **Antenna Adaptor Lead**

- For cars fitted with OEM Radio
- Converts Ant input to standard DIN socket








Older<2003

Found in

European





Female


### Antenna Adaptor Lead


- For cars fitted with OEM Radio
- Converts Ant input to standard DIN socket













#### **Antenna Adaptor Plug**


- For cars fitted with OEM Radio
- Converts Ant input to standard DIN socket














#### **Antenna Adaptor Lead**


- For cars fitted with FM Diversity OEM Radio
- Converts Ant input to standard DIN socket







## **ANTENNA ACCESSORIES**





## **ANTENNA ACCESSORIES**








## **ANTENNA ACCESSORIES**

## Antenna Adaptors To OEM Radio Connector

To install an aftermarket antenna were the cars OEM antenna is not standard Din. This addaptor is used at the antenna end.





Found in Golf Passat Polo

## Antenna Adaptor

• Connect an aftermarket antenna with the OEM antenna wiring








## **ANTENNA ACCESSORIES**

### Miscellaneous Antenna Adaptors



Often referred to as European connector





#### **FM Modulator Adaptor** for ISO equipped Cars

• These adaptor leads allow you to install a direct connecting FM Modulator were the car uses ISO plugs instead of DIN.









**Antenna Adaptor Plug** 





#### 25mm Antenna Hole Cover

• Designed to easily conceal mounting holes in your vehicle





FM Antenna Amplifier, 12V
• This antenna booster will obtain clearer and stronger reception in fringe reception areas. It provides a 10dB gain over the FM spectrum. In—dash or under dash mounting, includes 53cm antenna and power cable.

**(** 











#### 12-16V Combination Roof Mount AM/FM/DAB+ Antenna

• Rg 174 extension cable with SMB female connector

DAB+ FM AM





#### On Glass Internal DAB+ Antenna

• Rg174 extension cable with SMB female connector

DAB+







#### Shark Fin Roof Mount DAB+ Antenna

• Rg174 extension cable with SMB female connector

DAB+





#### SMB Male Adapt To 2.5mm Connector • Converts the above DAB+ antennas (7677932, 933, 934)

connector to pure highway DAB+ radio connector





#### On Glass Internal DAB+ Antenna

• Power and antenna lead 3 metre with SMB female connector

DAB+





M-24 Installer Edition 2013~2014 The contents of this catalogue is covered by © Copyright TDJ Australia Pty. Ltd.





DAB+Digital Radio Tuner
•Complete Universal DAB Solution for RDS Radios
DAB station names displayed on the vehicle radio display via RDS Plug and play installation via ISO connector Infra-Red remote control and eye included Glass mount DAB Antenna included

4 Selectable FM frequencies
MPEG Audio Layer II audio decoder
Digital audio out option
Software upgradeable

Auto channel search Favourite channel selection

Antenna not included

















#### DAB+Antenna

- Glass Mount
- SMB Connector
- Amplified







#### DAB+Digital Radio Antenna

- Glass Mount
- Amplified
- SMA Connector



#### DAB+/FM Antenna

• Bee Sting DAB Roof Mount with Separate power cable
















## DAB+Digital Radio Antenna • Magnetic Roof Mount DAB Antenna With SMA Connector







# DAB+ /AM/FM/GPS Antenna • Roof Mount • Combined DAB, FM and GPS

- Amplified antenna
- SMA Connector







## DAB+ /AM/FM Antenna • Roof Mount

- Combined DAB, FM
- Amplified seperate wire
- SMA Connector







#### DAB+Antenna

- Glass Mount Antenna
   SMA connector











#### DAB+Antenna

- Roof Mount AntennaCombined DAB and FM
- SMA Connector
- Passive DAB Antenna







#### DAB+Antenna

- Roof Mount AntennaCombined DAB and FM
- SMA Connector
  Passive DAB Antenna







#### DAB+Antenna

- DAB Film style Antenna SMB Connector







## DAB+ Digital Radio Adaptor • SMB female -SMA male Adapter







## DAB+ Digital Radio Adaptor • SMA female - SMB male Adapter











#### **Automatic Antenna**



#### Fully Automatic, Replaceable Mast

- 4 Head kits, separate parts
- 0−30 Degree adjustable for 25mm hole
- 0−30 Degree adjustable for 19mm hole
- 0-10 Degree adjustable flushmount
- 5 Section stainless steel mast
- Extends to 99cm
- Detachable cable
- Cable 140cm
- Replacement mast AP12





**Universal Mount** 

## Fully Automatic, Replaceable Mast • Adjustable 0-30 degree head kit for 25mm hole

- 5 Section stainless steel mast
- Extends to 99cm
- Cable 140cm
- Replacement mast AP12





- Fully Auto High Angle, 4 Head Kits
   4 Head kits: Curved high angle to suit late model 4x4s including Toyota Hilux/Holden Rodeo (8/88–10/96),
  Toyota Landcruiser (95–00), Nissan Patrol GU (4/00 On), Fixed 45 degree, 0-30 degree adjustable for 25mm hole, 0-30 degree adjustable for 19mm hole
- 5 Section stainless steel mast
- Extends to 99cm
- Detachable cable
- Cable 139cm
- Replacement mast AP12





#### Fully Auto, 11 Head Kits from 20 to 68 degrees

- 5 Section stainless steel mast
- Extends to 99cm
- Detachable cable
- Cable 139cm
- Replacement mast AP12

Suits most vehicles with a 0-68 degrees guard, and 300mm of space under the guard.





#### **Fully Automatic**

- 5 Section stainless steel mast Please note: mast is non replaceable
- Extends to 99cm
- Cable 140cm







 $\triangle$  Installer Edition 2013 $\sim$ 2014 The contents of this catalogue is covered by © Copyright TDJ Australia Pty. Ltd.





#### Semi Automatic

- 5 Section stainless steel mast Please note: mast is non replaceable
- Extends to 99cm
- Cable 140cm



#### **Lock Down Antenna**



#### 5 Section Lock Down, Side Key

- Adjustable 0-30 degree head kit for 25mm hole
- 5 section stainless steel mast
- Extends to 100cm
- Cable 120cm





#### 5 Section Lock Down, Deluxe Side Key

- Heavy—duty adjustable 0-30 degree head kit for 25mm hole
- 5 Section stainless steel mast
- Extends to 100cm
- Cable 120cm





#### 5 Section Lock Down for most European Cars

- 2 Head kits: Adjustable 0—30 degree head kit to suit 19mm hole, 20 degree fixed
- 5 Section stainless steel mastExtends to 95cm
- Cable 150cm





#### 4 Section Lock Down, Top Key

- Adjustable 0-30 degree head kit for 25mm hole
- 4 Section stainless steel mast
- Extends to 76cm
- Cable 120cm



#### Black













#### Top Guard Mount, 3 Section

- Adjustable 0-30 degree head kit for 25mm hole
  3 Section stainless steel mast
- Extends to 93cm
- Cable 120cm





#### Guard Mount, Push Down

- 4 Section stainless steel mast
- 52 Degree angled head kit
- Detachable cable
- Cable 600mm





## Lock Down — High Angle, Suits European Vehicles, Also Suits Lanos

- 4 Section stainless steel mast
- Extends to 96cmCable 137cm



### Spring Base Antenna



# Top/Side Mount — Spring Ball Base, Black • Adjustable split ball base for 25mm hole • Spring to protect from overhead damage

- 3 Section stainless steel mast
- Extends to 100cm
- Cable 137cm





# Top/Side Mount Heavy Duty Spring Ball Base • Adjustable spring ball base for 25mm hole • Heavy—duty spring to protect from overhead damage

- 4 Section stainless steel mast
- Extends to 190cm
- Cable 147cm







 $^{\prime}$  Installer Edition 2013 $\sim$ 2014 The contents of this catalogue is covered by © Copyright TDJ Australia Pty. Ltd.





## Top/Side Mount, Spring Ball Base • Adjustable split ball base for 25mm hole

- Spring to protect from overhead damage
- 3 Section stainless steel mast
- Extends to 100cm
- Cable 137cm





## Top/Side Mount Spring Ball Base with Booster Coil Adjustable spring ball base for 25mm hole Spring to protect from overhead damage

- 4 Section stainless steel mast
- Extends to 134cm
- Cable 137cm





#### 4 Section Lock Down, Spring Base

- Adjustable 0-30 degree head kit for 25mm hole
- Spring base to protect against overhead damage
- 4 Section stainless steel mast
- Extends to 120cm
- Cable 130cm





## 1 Section Fibreglass Top/Side Mount Spring Ball Base

- Adjustable split ball base to suit 25mm hole
- Spring to protect from overhead damage
- Section fibreglass whip mast
   Mast length 144cm
- Cable 137cm



#### Pillar Mount Antenna



#### **Pillar Mount**

- 2 Section stainless steel mast
- Extends to 89cm
- Cable length 186cm
- Mounting hole spacing 119mm













#### **Pillar Mount**

- 3 Section stainless steel mast
- Extends to 126cm
- Cable 127cm





#### Offset Pillar Mount

- 3 Section stainless steel mast
- Adjustable top mount for hole spacing
   Extends to 128cm
- Cable 137cm





#### Offset Pillar Mount

- 3 Section stainless steel mast
- Extends to 126cm
- Cable 165cm





#### **Gutter Mount**

- Removable antenna fixed to gutter with wing nut fastener
- Fixed spring base3 Section stainless steel mast
- Extends to 78cmCable 198cm





#### Side Mount for Truck or Van

- Mounts to side of panel through 12mm hole at top and 25mm hole at bottom
- Ideal for trucks, buses, vans, etc
  4 Section stainless steel mast
  Extends to 180cm

- Cable 245cm









#### **Rubber Antenna**



### **Deluxe Top/Side Mount** "Rubber Ducky" with Split Ball Base • Adjustable split ball head kit for 25mm hole

- Heavy-duty metal base
- Heavy—auty metal base Length 36cm 1 Section black rubber mast Cable 137cm





## "Rubber Ducky" Top Mount • Adjustable split ball head kit, suits 25m hole

- Cable attaches at 90 degrees, ideal for installations with limited space
- 1 Section black rubber mast
- Length 36cm
- Cable 127cm



#### **Roof Mount Antenna**



- Spring Base Roof Mount
   Spring base on 180 degree adjustable mount
   2 Section stainless steel mast
- Extends to 78cm
- Cable 206cm





#### Roof Mount - Mast Only

- 1 Section coated stainless steel mast
- 41cm Length
- 5mm Thread size













#### **AM/FM Electronic Roof Mount Replacement Mast**

- Black single section roof mount replacement mast40.5 cm Length
- Electronically tuned





#### Screw In Roof Mount Antenna

- Length 100mm
- 5mm thread
- Black metal



#### **Active Antenna**



#### **AM/FM Glass Mount Antenna**

- Glass mount AM/FM antenna with 12VDC amplifier
- 1 Section black anodised stainless steel mast
- Length 53cm
- Cable 456cm
- Metal film window tint may affect reception





#### Film Type On Glass AM/FM Antenna with Electronic Signal Booster Amplifier

- Stick on film type glass mount antenna
- Replaces unsightly traditional guard/pillar mount antennas
   Built in RF Amplifier to boost incoming signal
- 12 V DC Amplifier
- Metal film window tint may affect reception





#### Stealth In Car Antenna

- High gain amplified AM/FM antenna
- Designed for hidden installations
- Connects to either demister grid, antenna grid (where available)
- or length of wire for signal reception
- 12VDC Amplifier
- Cable 260cm
- · Metal film window tint may affect reception





 $^{\circ}$  Installer Edition 2013 $\sim$ 2014  $^{\circ}$  The contents of this catalogue is covered by  $^{\circ}$  Copyright TDJ Australia Pty. Ltd.







#### **Internal Mount Window Strip**

- High gain amplified AM/FM antenna
- 24cm adhesive strip attaches to
- inner edge of vehicle's window
- 12VDC Amplifier
- Cable 259cm
- Metal film window tint may affect reception





#### **Rubber Mast** Roof/Guard Mount, 12V Amplifier

- Removable 1 section rubber mast
- Mast length 87.5mm
- 12VDC Active amplifier
- Cable length 442.5mm



#### **TV Antenna**



#### Suitable For Both Digital & Analogue

#### 12V Internal TV Antenna

- Internal TV Antenna 12 V
- Digital and Analogue
- Requires two Antennas for dual diversity tuners
- 3.5mm Male Jack Connector and
- 0.2 Metre Adapter cable with Female 3.5mm Jack connector to SMA (F type) Male connector





#### Universal Diversity TV Antenna

- Four way diversity TV antenna with amplifier
- Internal T-shaped antenna, 96cm W x 44cm H
- External cellular style antenna, 43cm length
- 4 x 3.5mm plugs for connection to diversity receiver (receiver not supplied)
- 12VDC Amplifier Gain 6-10dB (VHF), 4-8dB (UHF)
- Cable 480cm






#### Film Type (Stick-on) TV Antenna

- No diversity box required
- Plugs straight into TV tuner
- Simple application replacing unsightly external TV antennas
  39.6cm wide, 8.7cm High
- Each mast extends to 60cm
- Cable 550cm
- "F" type connector













#### **Universal Pocket**



#### Universal Pocket to Suit Toyota

- Under Radio Storage Pocket to suit various Toyota and Nissan vehicles.
  Supplied with Left and Right side mounting brackets
  ABS Plastic

- Black finish
- Packed in hang sell blister



Side Brackets Only for Double DIN





#### Single DIN Pocket to Suit Nissan





#### **DIN Snap In Pocket**

- DIN fitting
- Black finish
- Easy to fit
- Suits Ford, Mazda, Holden





#### Universal EQ (Half DIN) Pocket

- This pocket fits under an equalizer or half DIN size unit to fill in the remaining space.

  Designed to fill gap when EQ or other ½ DIN equipment is installed.
  Holds one CD jewel case
  Packed in poly bags with full colour header





#### **Universal Pocket**







 $ightharpoonup^{\circ}$  Installer Edition 2013 $\sim$ 2014 The contents of this catalogue is covered by m © Copyright TDJ Australia Pty. Ltd.






#### 6 CD Indash Pocket Silver

- Universal CD pocket.Holds 6 CD's
- Fits both DIN & JIN type fitting.
- Multifit holes for universal mounting.





#### Universal Pocket with CD Holder

- Holds up to six CDs
- Fits JIN stereo spacing
- Gun metal finish





#### **Universal Pocket** with CD Holder & Drawer

- Holds three CDs
- Lined drawer for storage of coins, etc.
- Fits JIN stereo spacing
- Gun metal finish





#### **Universal Pocket** with CD & Drink Holder

- Holds three CDs and two cans/cups
- Fits JIN stereo spacing
- Gun metal finish





#### Universal Pocket with **Drink Holder & Drawer**

- Holds two cans/cups
- Lined drawer for storage of coins, etc.
- Fits DIN or JIN stereo spacings
- Carbon fibre finish





**(1)** 





#### **Universal Drink Holder and**

Accessories DIN Pocket with 3.5mm Aux Input

- Top drawer has 3.5mm Aux input for connection to iPod, MP3, Portable CD player, etc
- Bottom drawer drops down to reveal cup holder
- Fits both DIN and JIN stereo spacing



Grey








#### **Universal Accessories DIN Pocket** with 3.5mm Aux Input, Black

- Drawer has 3.5mm Aux input for connection to iPod, MP3, Portable CD player, etc
- Fits both DIN and JIN stereo spacing






#### **Universal DIN Trim Ring**

- 1/8" width
- Replaces broken trim ring.
  Packed in poly bag with full—colour header card.





#### **Universal DIN Trim Rings**

- Pack of four trim rings
  Sizes 1/8", 1/4", 1/2" & 3/4"
  Replaces broken trim ring





#### Universal Under Dash Car Radio Housing

- This housing provides a shaft or DIN installation space where no room was previously provided.
- Manufactured from UV stabilised ABS plastic 89mm H x 254mm W x 229mm D.
- Packed in hang sell, full colour blister.





#### Ford/Mazda/Nissan/Toyota/Volvo (most models) Comprises of DIN Sized Pocket Loaded With Centre Speaker For True Mobile Surround Sound.

- Each speaker is fitted with a fine cloth mesh grille.
- Speaker consists of 2 x 1.5" Mid Woofers
- 1 x 1" Balance Drive Tweeter. Neodynium Magnet System
- 20 mm Diameter Kapton Voice Coil.
- 20 Watts Maximum Power handling.
- Packed in full colour giftbox.







M-38 | Copyright TDJ Australia Pty. Ltd.






#### Wireless Inspection camera (Universal PAL/NTSC)

Suitable for Surveillance, Air Conditioning inspection, Automotive inspection, Plumbing inspection, Aircraft inspection, Pest Identification, Mold Identification inspection, Military, and all General hard to reach Inspections.

- Detachable 3.5" TFT-LCD Screen
- 9 mm Camera Head
- Waterproof Capacity IP67
- Minimum Illumination 0 Lux
- Video System PAL/NTSC
- Power Supply Rechargeable Li Battery

- Mini water-proof camera with 1m (3 ft.) flexible extended tube
- Manufactured and tested to IP67 waterproof standard
- 3.5" TFT-LCD detachable/mountable monitor, built-in rechargeable Li-battery
- Video recording capability, supports up to 32GB micro SD card
- 2GB micro SD card and 1 meter extension cable included
- Adjustable brightness on lens-mounted LED light
- 3 useful accessories included: Hook, mirror and magnet









# **S**bullant



Suitable for Surveillance, Air Conditioning inspection, Automotive inspection, Plumbing inspection, Aircraft inspection, Pest Identification, Mold Identification inspection, Military, and all General hard to reach Inspections.

#### Inspection camera (Universal PAL)

- 2.4" TFT-LCD Screen
- 9 mm Camera Head
- Waterproof Capacity IP67
- Minimum Illumination 0 Lux
- Video System PAL
- Power Supply 4 x AA Batteries (not included)







#### Inspection camera (Universal PAL/NTSC)
















#### Record and Zoom function

- 2.7" TFT-LCD Screen
- 9 mm Camera Head
- Waterproof Capacity IP67Minimum Illumination 0 Lux
- Video System PAL/NTSC
- Power Supply 4 x AA Batteries (not included)



Play back
Record video
Take photo
Color TFT-LCD Monitor

Water-proof LEDs lens

Colour will change to yellow during the 2013/2014 financial year



USB port
Micro sd card slot
Video out

G8000

Menu


OK

Up Down

W-2









 $\bigoplus$ 





# **S**bullant

## Extension Cables for Inspection Camera



1 Metre



2 Metre



5 Metre



#### Display Stand for Inspection Cameras

200cm(H)x90cm(W)

Stand includes multiple examples of real world applications in the form of built in drains and pipes. Perfect for demonstrating the inspection camera's features and generating sales.

Call or email the TDJ Sales team for more information. Ph: 03 8587 8889 orders@tdj.com.au



## Thermometer



#### **Digital Thermometer**

- Dual-laser targeting
- Auto temperature measuring
- $\bullet$  Temperature range: -50°C to 1000°C ( -58°F to 1800°F)
- Camera built in for picture and video recording
- Temperature monitoring ability, activated alarm system
- Distance to spot ratio 50:1
- 2.7" LCD monitor with microphone and speaker built in
- Built-in Li-battery for 5 hours non-stop working
- Support up to 32GB SD card for storage
- USB 2.0 for data transfer







W-4







## Earmuffs

#### AM/FM Stereo Earmuff Radio

- Adjustable headband
- Comfortable earpads
- AM/FM Radio
- Rotary volume and tuning controls
  Operated by 2xAA batteries (not included)
- Hearing protecting equipment: to block 20 dB+











- Frequency range: FM 88 108 MHz, AM 540 1700kHz
  Rotary Volume & Tuning Controls
- Includes Auxiliary input jack for connection with other Audio products
- Active Noise reduction
- Operated by 2 x "AA" batteries (not included)













#### **AM/FM Earmuff Radio** With Bluetooth And Aux Input

- Built in Bluetooth module.
- · Auxilary input jack for connection to other Audio devices
- Push button operation
- Comfortable earpads & adjustable headband
- Optimized hearing with high amplification
   Operated by 3 x "AAA" batteries (not included)























## bullant

#### Rear Metal Band Earmuff

- Behind the head earmuffs with metal pressure band
- Yellow with black ear cushions and black plastic covered metal rear band
- Allows use with safety helmets and other head wear
- Lightweight and comfortable to wear
- Packed in hang sell giftbox





# **ABA101**

#### **Noise Cancelling Earmuffs**

- Volume control
- Lightweight and comfortable
- Complies to Aus/NZ standards
- Powered by 2 x AA batteries (not included)
- Attenuates noise levels above 85dB
- Tested to standard: AS/NZS 1270:2002 SLC80 rating: 22, Class 4









Allows the user to hear sounds such as speech without having to remove earmuffs. If any sound reaches levels above 85dB the system cuts the incoming signal to protect the user.

## Ear Plugs

## 3 Pairs of Orange Earplugs 3 Pairs of foam ear plugs Packed in individual tear away

- poly bags in a single hang sell pack
- Orange highly visible colour





# **ABA106**

#### 2 Pairs of Ear Plugs with Orange Cord

- 2 Pairs of reusable ear plugs
- Packed in a single hang sell pack
- Each pair is individually packed in a tearaway poly bag

  • Washable and comfortable to use









## Worksite Radio With Digital Display



 $\bigoplus$ 









#### Worksite Radio With Digital Display

- Super rugged AM/FM radio
- 3.5mm Aux In socket for playing audio from iPod or MP3 player
- Water resistant compartment for storing iPod or MP3 player
- USB Charging port for iPod or mobile phone
- Water resistant
- Flexible folding antenna
- PLL Digital tuner
- Powered by 8 x C size batteries (not included)
- · Dial scale with back light
- LED Torch
- 5 Inch coaxial speaker
- 15 Watts maximum power output
  Supplied with SAA AC adapter







# **S**bullant

## Welding Helmets

#### Auto-Dark Fixed Shade Welding Helmet

- Full face flip
- Viewing area: 50.8 x 108mm
- Light state: DIN 3
- Dark state: DIN 11
- Switching time: 1/20,000 sec
- Finish: Black
- Arc detection sensitivity adjustment: Non adjustable
- UV-IR Protection: Up to shade 16
- Arc sensors: 2





#### Auto-Dark Variable Shade Welding Helmet

- Full face flip
- Viewing area: 89 x 110mm
- Light state: DIN 4
- Dark state: DIN 9-13 (adjustable)
- Switching time: 1/25,000 sec
- Finish: Black
- Arc detection sensitivity adjustment: Hi/Lo switchable
- Weld pool delay: Hi/Lo switchable
- UV-IR Protection: Up to shade 16
- Arc sensors: 2

















#### Auto-Dark Variable Shade Welding Helmet

- Full face flip
- Viewing area: 89 x 110mm
- Light state: DIN 4
- Dark state: DIN 9-13 (adjustable)
- Switching time: 1/25,000 sec
- Finish: Black
- Arc detection sensitivity adjustment: CONTINUOUSLY VARIABLE
- Weld pool delay:
   CONTINUOUSLY VAR
- CONTINUOUSLY VARIABLE
   UV-IR Protection: Up to shade 16
- Arc sensors: 2

















