

# IGP-0501, 5-Port Gigabit Industrial Switch, 802.3at/af/bt PoE, DIN-Rail, -40°C to 75°C

# **Product Images**









## **Short Description**

- 1000Mbps full-duplex, 10/100Mbps full/half-duplex, auto-negotiation, auto-MDI/MDIX
- Port 1 4 support IEEE 802.3at Power over Ethernet Plus (PoE+)
- Port 1~2 10/100/1000Base-T RJ45(IEEE 802.3bt) PoE 90W
- Provides DIN-rail, wall or desktop mounting
- IP30 metal case

- 6KV surge protection level on each port
- ESD and surge protection

## **Description**

LevelOne IGP-0501 Industry Ethernet Switch provides 4 PoE ports 10/100/1000Base plus 1 port Gigabit SFP to enable high speed network at mission-critical environment. With the industrial standard DIN-rain mount; this switch can be easily installed in the cabinet, plus the clearly visible status LEDs provide simple monitoring of port link activity. Moreover, the SFP slots support pluggable modules that enabling you to choose from a variety of transceivers. This switch is Power Sourcing Equipment (PSE), and it is fully complied with IEEE802.3af/af/bt PoE standard at maximum 90W(1-2 port) power budget. It helps to save infrastructure wiring costs dramatically by eliminating electric wiring and less UPS needed. Also, it is compatible with IEEE802.3 af/af/bt standard PD devices.

### **Additional Information**

Approval and compliance	CE/FCC
-------------------------	--------

Operating humidity  $10\% \text{ RH} \sim 90\% \text{ RH}$  Operating temperature  $-40^{\circ}\text{C} \sim 75^{\circ}\text{C}$  Storage humidity  $5\% \text{ RH} \sim 95\% \text{ RH}$  Storage temperature  $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$  Backplane (Gbps) 10Gbps Packet buffer 1488000 bps Indicators Power, Link/Act

Jumbo frame (KB) 9
MAC address table 8K
RAM size 1M

Mount DIN rail mount Pin assignment and polarity 1/2 (+), 3/6 (-)

Power output IEEE 802.3 AF/AT/BT

Power supply VDC 48~57V, (Power supply unit is to be ordered

separately)

IEEE 802.3 10Base-T Ethernet IEEE 802.3u 100Base-TX
Fast Ethernet IEEE 802.3ab 1000Base-T Gigabit Ethernet
Standards
IEEE 802.3z 1000Base-X Gigabit Ethernet IEEE802.3x Flow

Control and Back Pressure, IEEE802.3af for POE

IEEE802.3at for POE+

Port Configuration 4 port 10/100/1000 Mbps RJ-45 and 1 port Gigabit SFP Features Ports 1~2 10/100/1000Base-T 90W PoE RJ45(IEEE 802.3bt)

Product weight (kg) 0.35
Color Black

EAN 4015867196625

Model number IGP-0501

Package contents IGP-0501 Quick Installation Guide Hochstromklemme

Gigabit RJ45 4
Gigabit SFP 1

802.3af/at PoE 4
Switching capacity 1M

Grade Industrial

Data Rate Fast and Gigabit Ethernet

PoE Supported Yes
Manageable No
Fanless Yes

Concurrent ports Total5.00
PoE Power Budget Total240.00

Power consumption <5W

