

POI-3010, Gigabit PoE Injector, 802.3at/af PoE, 30W

Product Images



Short Description

- 10/100/1000Mbps wire speed transmission and reception
- IEEE 802.3af/at PoE PSE with 30W power budget
- Auto-detection and protection of non-standard PoE devices
- Unique interlocking feature for easy installation

Description

The LevelOne POI-3010 is a single port, high power PoE PSE solution for remote PoE PD devices. Generating up to 30W, the POI-3010 supplies remote power for new applications such as wireless access points, pan-tilt-zoom (PTZ) IP cameras and videophones. It complies with IEEE 802.3at PoE standard and is backward compatible to IEEE802.3af. It can work with 10/100Base-T networking devices and emerging 1000Base-T devices such as Wi-MAX and wireless IEEE 802.11ac access points. For all the function featured in POI-3010, people can get the benefit of flexible network installation at lower cost and less downtime. It also provides a high-bandwidth pipe to the network.

Additional Information

Operating humidity	5% RH ~ 95% RH
Operating temperature	0°C ~ 40°C
Indicators	Power, PoE
Mount	Wall mount
Pin assignment and polarity	1/2 (+), 3/6 (-)
Standards	IEEE 802.3 10Base-T, Ethernet, IEEE 802.3u 100Base-TX, Fast Ethernet, IEEE802.3ab 1000Base-T, Gigabit Ethernet, IEEE 802.3af/at Power over Ethernet (PoE) compliant
Product weight (kg)	0,35
Color	Black
EAN	4015867221815
Model Number	POI-3010
Package Contents	POI-3010 Quick Installation Guide Power Cord
Gigabit RJ45	2
802.3af/at PoE	1
Grade	Commercial
Data rate	Gigabit Ethernet
Injector Port Type	Single Port
Data rate	10/100/1000Mbps
Power consumption	30W
Dimensions (W x D x H)	143 x 51 x 38 mm

