



USB-0504 Version: 1

Gigabit USB-C Network Adapter with USB Hub

The LevelOne USB-C Hub and Gigabit Ethernet Combo Adapter allows you to connect to the internet easily through the built-in USB-C port on your laptop. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. Sometimes you need to physically connect to a network cable to help transfer files or access secure information. The USB-0504 easily does the job, all through your USB-C port. The USB-0504 also combines a regular USB hub. So you can connect external USB peripherals, such as a MP3 player, digital camera, printer or pen drive. The USB-0504 establishes a direct point-to-point contact between the hub and the adapter that plugged into your PC.

The USB-0504 is USB 1.0, 2.0, and 3.0 compliant. It also follows the Ethernet standards set by the IEEE 802.3/3u and 802.3ab, allowing you to take advantage of Gigabit Ethernet speeds of up to 1000Mbps. This provides a strong backbone for any high-speed broadband connection to the internet as well as fast speeds for the Local Area Network file transfers.

This makes the USB-0504 the best choice for reliability, efficiency and standard compliance.

Key Features

- Simple Plug and Play installation
- 10/100/1000Mbps wire speed transmission and reception
- Built-in 3-Port Super Speed USB 3.0 hub
- Compatible with USB 3.0 / 2.0 standards
- Built-in Wake-on-LAN feature to startup computers remotely
- Multi-platform support: Windows, Mac OS

Specifications

System Specifications

Standards:

IEEE 802.3: 10Base-T (Ethernet) IEEE 802.3u: 100Base-TX (Fast Ethernet) IEEE 802.3ab: 1000Base-T (Gigabit Ethernet) IEEE 802.3x Flow Control (full-duplex flow control) IEEE 802.3az Energy Efficient Ethernet

Connector:

USB-C (USB Type-C)

Port:

1 x 10/100/1000Base-T RJ-45 Port 3 x USB3.0/USB2.0 Type A female downstream port

Power Input: Power Input: USB Bus -powered DC5V/900mA

Data Rate: 10/100/1000Mbps

Wireless

Operating Mode: RJ45

Features

General: IPv4/IPv6 network operation

Management: Power: Wake-on-LAN

Environment

Power Saving: USB bus power only

Operating Temperature (°C): 0°C~ 40°C

Operating Humidity (Non-condensing): <85%

Storage Temperature (°C): -5°C~ 80°C

Storage Humidity (Non-condensing): <85%

Physical Specifications

Dimensions (W x D x H mm): 95 x 27 x 16 mm

Weight (g): 41g

Approval and Compliance


EMI/EMS: CE Environmental Test: RoHS

Others

Operation Systems:

Windows XP / Vista / 7 / 8 / 10 Mac OS X 10.6 / 7 / 8 / 9 / 10/ 11/ 12/ 13/ 14 (win8 , win8.1 , win10 and MAC OS10.9 plug and play,Supports Windows XP/Vista/7 with driver installation)

Diagram



Order Information

USB-0504

Package Contents

USB-0504 Quick Installation Guide

No liability or responsibility for any errors or omissions in the content.

All mentioned brand names are registered trademarks and property of their owners. Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.