

WAN-2201 Version: 1

# 20dBi 2.4GHz Directional Panel Antenna

The LevelOne WAN-2201 is a directional antenna for increased performance and reduced interference, operating on the 2.4 GHz frequency. WAN-2201 can be mounted either indoors or outdoors. The antenna's gain value is 20dBi, and if mounted outdoors the weatherproof housing can withstand temperatures from minus 30°C up to 60°C, as well as rain, snow, dust and other harsh conditions.

### **Key Features**

- Provides 20dBi directional operation
- Directional operation provides extended point to point coverage
- For IEEE 802.11b/g/n Wireless applications in 2.4GHz frequency range
- Low wind loading
- -30°C to 60°C operating temperature range

#### **Related Product**



### **ANC-4110**

1m Antenna Cable, CFD-400, N Male Plug to N Male Plug, Indoor/Outdoor



#### ANC-4150

5m Antenna Cable, CFD-400, N Male Plug to N Male Plug, Indoor/Outdoor

### **Specifications**

### System Specifications

Connector:

N Female

Impedance (Ohms):

50 Ohms

HPBW / Horizontal:

20°

www.level1.com Page 1 of 4

HPBW / Vertica 20°	l
VSWR: <=2.0	
Polarization:	

## Wireless

Vertical

### Frequency Band:

2.3~2.7GHz

### Performance

#### Return Loss:

<=-10

### Environment

Temperature (°C):

-30°C ~ +60°C

### Humidity (Non-condensing):

95% @55°C

## Physical Specifications

Dimensions (W x D x H mm):

410\*410\*44mm

Weight (g):

1680 g


## Reliability

### Survival Wind Speed:

50 m/s

www.level1.com Page 2 of 4

## **Diagram**



### **Order Information**

WAN-2201

### **Package Contents**

WAN-2201 Pole Mount Kit Quick Installation Guide

## **Optional Accessory**



#### ANC-4110

1m Antenna Cable, CFD-400, N Male Plug to N Male Plug, Indoor/Outdoor



#### **ANC-4130**

3m Antenna Cable, N Male Plug to N Female Jack



### **ANC-4150**

5m Antenna Cable, CFD-400, N Male Plug to N Male Plug, Indoor/Outdoor

www.level1.com Page 3 of 4



### **ANC-4160**

6m Antenna Cable, N Male Plug to N Female Jack

www.level1.com Page 4 of 4