Pro.2 3X1 HDMI 2.0 Switch

4K@60hz YUV4:4:4 18Gbps

support CEC, HDR

Model: HDMI3S18G

OPERATION MANUAL



Dear customer

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or adjusting this product. Please keep this manual for future reference.

TABLE OF CONTENTS Features Specifications Package Contents Panel Description Application Remote Control Description Maintenance Product Service Warranty

Features

- ➢ HDMI 2.0 version (Support 4K@60Hz YUV4:4:4)
- Bandwidth upto 18Gbps
- ▶ HDCP2.2/ HDCP1.4 , CEC
- ➢ Support HDR10
- Support 3xHDMI in, IR or switch button to choose source out
- Micro USB interface for user to upgrade firmware
- Keeps memory of the last power state when switch different HDMI channels


SPECIFICATIONS

Operating Temperature Range	-5 to +40°C(+23 to +104°F)
Operating Humidity Range	5 to 90%RH (No Condensation)
Power supply	5V
Minimum power	182mA
(work under 480p60hz)	
Maximum power	277mA
(work under 4K2K/60hz)	
Max resolution	4k@60hz YUV4:4:4
Function	HDR10 and CEC
HDMI version	HDMI 2.0
HDCP version	HDCP2.2 / HDCP1.4(Auto choose depend on TV version)
Control ways	Switch button and IR remoter control
Distance	1080P 20m, 4k@30hz 10m,
	4k@60hz under HDR can support 3m
Dimensions(LxWxH)	125x64.2x17mm

Package Contents


- 1) 1x HDMI Switch
- 2) 1x 5V DC power adapter
- 3) 1x User manual
- 4) 1x IR Remote controller

Panel Description



- 1. Power Led light
- 2. HDMI Input Led lights
- 3. IR receiver
- 4. Switch Button
- 5. Upgrade USB port

Back Panel



- 1. Power supply port
- 2. HDMI input ports
- 3. HDMI out port


Application

- 1. Connect source devices with input ports of the switch by HDMI Cable.
- 2. Connect HDMI output port with TV or other HDMI sink devices by HDMI Cable.
- 3. Connect 5V POWER adaptor with DC power socket.
- 4. Power on

Application Diagram




Remote Control Description



(1) HDMI sources($1 \sim 3$)

MAINTENANCE

Clean this unit with a soft, dry cloth. Never use alcohol, paint thinner of benzine to clean this unit.



SHOULD BE RETAINED BY THE CUSTOMER AT ALL TIMES

TROUBLE SHOOTING HELP LINE 1300 662 946

Customer Care Centre 562 Spencer Street, West Melbourne VICTORIA 3003



This advice does not limit, override or later your guaranteed rights under the Australian Consumer Law, including remedies for any failure of the Consumer Guarantees, which may include repair or replacement or it a Major Failure (as defined under the Australian Consumer Law) a replacement or refund. These guaranteed rights cannot be varied by Pro.2 or retailers of its products and have no set time limit.