

# A NEW FORCE IN CHEMICAL MANUFACTURING



## AEROSOL MAINTENANCE CHEMICALS

SEPTEMBER 2016



**CHEMTOOLS PTY LTD | [WWW.CHEMTOOLS.COM.AU](http://WWW.CHEMTOOLS.COM.AU)**

HEAD OFFICE / MANUFACTURING FACILITY: UNIT 2, 14 - 16 LEE HOLM ROAD, ST MARYS NSW 2760  
PH: 1300 738 250 (Australia) or +61 2 9833 9766 (International) | EMAIL: [sales@chemtools.com.au](mailto:sales@chemtools.com.au)

# AEROSOL MAINTENANCE CHEMICALS

## PG PRODUCTS

- 3 DEOX LUBRICANTS
- 4 WORKSHOP MAINTENANCE
- 7 GALMAX PAINTS
- 8 WELDING CHEMICALS
- 9 FOOD GRADE
- 10 SPOT MARKING PAINT
- 11 ELECTRICAL/ELECTRONIC

**Chemtools®** have been supplying high quality products and chemicals to a wide variety of industries at competitive prices for over 20 years. We are committed to manufacturing and supplying 'best in class' products to our customers in Australia, NZ, and around the world.

Dealing with Chemtools® is *easy*. We have a team of highly experienced and knowledgeable personnel who are able to offer advice on applications - and most importantly, help with solutions. Our friendly and efficient internal sales team are ready to accept your orders, deal with technical queries, and assist with any other challenges you may have.

Chemtools® products are available through a network of Distributors world-wide. Visit our website for a detailed look at the products seen here, or view and download the most current version of this catalogue, or any in our range, at [www.chemtools.com.au](http://www.chemtools.com.au)

**Contact us on 1300 738 250, or for international callers, phone us direct on +61 2 9833 9766**

A **NEW FORCE** IN CHEMICAL MANUFACTURING

Chemtools are Australian owned and operated. Our products are proudly made and manufactured locally.



## OTHER CATALOGUES IN OUR RANGE INCLUDE:



Visit the website to view each MSDS & TDS. Register online to order from our full range. Join our Global Distributor Network today.



CONNECT VIA SOCIAL MEDIA FOR PRODUCT UPDATES, CHEMTOOLS NEWS, AND LATEST REVIEWS



[facebook.com/chemtools.au](https://facebook.com/chemtools.au)



[youtube.com/mychemtools](https://youtube.com/mychemtools)



[instagram.com/chemtools.au/](https://instagram.com/chemtools.au/)

### DEOX R1 Light Film Lubricant

A mixture of refined mineral oil distillates. Great water displacement properties. Cleans, penetrates, and lubricates. Pleasant smelling. Superior corrosion protection. Effectively loosens rusted parts. Stops squeaks, and dissolves grease. Reduces wear and friction. For general maintenance of machinery and equipment.

Part Number	Size
CT-R1-300	300g Aerosol
CT-R1-400	400g Aerosol
CT-R1-1L	1L Bulk
CT-R1-4L	4L Bulk
CT-R1-5L	5L Bulk
CT-R1-20L	20L Drum



### DEOX R1 PTFE Light Film Lubricant

Premium multi-purpose lubricant. Contains PTFE for added protection against friction and wear. Cleans and protects most metal surfaces. Great water displacement properties. Superior corrosion protection. For use on anything that slides, swivels, rolls, or squeaks. Tightly controlled dispersion for highest possible level of mechanical stability.

Part Number	Size
CT-R1PTFE-300	300g Aerosol



### DEOX R10 Rust Breaking Penetrating Oil

Premium quality. Multi-purpose. High performance. Deeply penetrates to unlock moving parts. Dissolves sludge and grime. Blended with a unique rust-breaking solvent. Added corrosion inhibitor stops further corrosion from forming. Contains mild lubricating properties. Ideal for rusted nuts, bolts, locks, and hinges.

Part Number	Size
CT-R10-300	300g Aerosol
CT-R10-5L	5L Bulk
CT-R10-20L	20L Drum



### DEOX R16 Fish Oil with added Rust Inhibitor

Protects metal surfaces, welds, joints and hinges. Added rust inhibitor (VCI) stops the spread of corrosion. Lengthens the life of tools, equipment, and other machinery. Actively penetrates rust and drives out moisture. Offers year after year of metal protection. Low odour. Safe to use. Ideal for hard to reach rust-prone areas.

Part Number	Size
CT-R16-300	300g Aerosol
CT-R16-1L	1L Bulk



### DEOX R30 Non-Stick Dry Lubricant with PTFE

Teflon based, powerful dry film lubricant. Bonds to metal, wood, rubber, plastic, glass, and most other surfaces. Excellent anti-seize properties. Fast drying. Low odour. Non-staining and non-oily. Excellent temperature resistance. Superb lubricant for low speeds and light loads. Silicone and chlorinated solvent free. For all-weather applications.

Part Number	Size
CT-R30-300	300g Aerosol



### DEOX R31 Industrial Grade Solid Film Lubricant

Graphite based dry film. Excellent anti-seize and lubrication properties on threaded parts. Produces a very slick barrier between metal surfaces. Reduces sliding, friction, and corrosion. Long lasting. Safe on plastics and rubbers. Great mould release properties. Ideal for high speed cutting tools, industrial machinery, engines, tools, and equipment.

Part Number	Size
CT-R31-400	400g Aerosol



### DEOX R44 Thick Film Lubricant

Solvent-free. Cleans, protects and lubricates all metal surfaces. Preserves timber. Removes moisture. Free of harmful substances. Highly effective corrosion protection properties. Specially formulated for industrial, farming, marine, automotive, railway, aviation, mining, aerospace, and defence environments.

Part Number	Size
CT-R44-300	300g Aerosol
CT-R44-400	400g Aerosol
CT-R44-1L	1L Bulk
CT-R44-5L	5L Bulk
CT-R44-20L	20L Drum



### DEOX R44 PTFE Thick Film Lubricant

Solvent-free. Multi-purpose. Excellent long term protection and lubrication for all metal surfaces. Great water displacement properties. Superior corrosion protection. Free of harmful substances. Contains PTFE for added protection against friction and wear. Tightly controlled dispersion for highest possible level of mechanical stability.

Part Number	Size
CT-R44PTFE-300	300g Aerosol





### DEOX R70 Electrical Protector & Conductivity Enhancer

Non-conductive. Highly advanced. Cleans, seals, and enhances. Forms a thin film that will not alter electrical resistance or magnetic properties of metal. Excellent in aggressive environments and tropical climates. Protects PCBs and electrical equipment against water and corrosion.

Part Number	Size
CT-R70-300	300g Aerosol
CT-R70-1L	1L Bulk
CT-R70-5L	5L Bulk
CT-R70-20L	20L Drum



### DEOX R80 Heavy Film Lubricant - Harsh Environment

Excellent corrosion protection in sheltered conditions. Marine grade. Tenacious film clings to metal surfaces. Forms a corrosion inhibiting barrier. Provides complete protection to internal system parts. Resists drying. Excellent salt-spray resistance. Zinc-free. High flash point. No hazardous chromates, nitrites, or phosphate inhibitors.

Part Number	Size
CT-R80-300	300g Aerosol
CT-R80-750	750ml Trigger Spray
CT-R80-5L	5L Bulk
CT-R80-20L	20L Drum



### DEOX R88 Extreme Rust Preventative

Maximum all-weather protection against moisture intrusion. Excellent corrosion protection properties. Protects against the most severe conditions including salt, high humidity, mining, chemical, and other corrosive environments. Leaves a tough blue translucent coating. Silicone-free. Film is easily removable with degreasing solvents.

Part Number	Size
CT-R88-310	310g Aerosol
CT-R88-5L	5L Bulk
CT-R88-20L	20L Drum



### R03 White Lithium Grease with PTFE

Water resistant. Superior performance. Contains PTFE. Multi-purpose formula protects metal and moving parts. Penetrates and forms a long-lasting protective film. Withstands heavy loads and high speeds. Will not migrate or wash away. Prevents rust and corrosion. Stops squeaks. For easy disassembly of equipment and parts.

Part Number	Size
CT-R03-350	350g Aerosol
CT-R03-S10-P	10cc Syringe
CT-R03-S30-P	30cc Syringe
CT-R03-50G	50g Tube
CT-R03-500G	500g Tub



### R15 & R15HT Chain & Cable Oil

R15 Hi-Lube is a high performance semi-synthetic chain oil specially formulated for slow moving chains on forklifts, garage doors etc. This medium viscosity product quickly penetrates all parts of the chain and offers outstanding protection against wear. Does not attract dirt or dust. Prevents rust and corrosion.

R15 Hi-Tac is a tough "adhesive like" chain oil specially formulated for all chain lubrication applications including fast moving chains. Performs well in all temperatures. Formulated not to wash off in salt water. Will not fling off or attract dirt and offers excellent protection against wear and corrosion.

Part Number	Size
CT-R15-310	310g Aerosol
CT-R15HT-300	300g Aerosol Hi-Tac



### R55 Lanoflex Heavy Duty Liquid Lanolin

Best suited to marine, heavy industrial, and commercial applications. Displaces water and repels moisture. Protects against corrosion, rust, and salt spray deposits. Loosens rusted parts. Stops squeaks. Non-conductive. Will not adversely affect rubber, paintwork, and most plastics. Great for restoring and preserving leather and vinyl.

Part Number	Size
CT-R55-320	320g Aerosol
CT-R55-750	750mL Trigger Spray
CT-R55-1L	1L Bulk
CT-R55-5L	5L Bulk
CT-R55-20L	20L Drum



### R60 Heavy Duty Silicone Spray

Water resistant. Cleans and lightly lubricates. Helps prevent rust and corrosion. Can be used where organic materials would melt or decompose. Excellent anti-ageing properties. Resistant to weather, sunlight, extreme temperatures, and some chemical assaults. Safe on most plastics and metals. Great mould release agent.

Part Number	Size
CT-R60-400	400g Aerosol



### R50 Lanoflex Liquid Lanolin GP

Mixture of refined mineral oil distillates and lanolin. Long lasting. Displaces water and repels moisture. Protects against rust and corrosion. Loosens rusted parts. Stops squeaks. Non-conductive. Biodegradable. Dries leaving a thin layer of grease. For general maintenance of machinery and equipment in all industries.

Part Number	Size
CT-R50-310	310g Aerosol
CT-R50-750ML	750mL Trigger Spray
CT-R50-1L	1L Bulk
CT-R50-5L	5L Bulk
CT-R50-20L	20L Drum



### R90 Industrial Grade Clear Liquid Grease

Water resistant. Protects and lubricates. Excellent for wet and wash down areas. Easy application aerosol allows for penetration into hard to reach places and small cracks. Suited for brushes, slides, plain and anti-friction bearings, open gears, and other industrial metals and work tools. Ideal for farming equipment. Multi-purpose use.

Part Number	Size
CT-R90-300	300g Aerosol



### Contact Cleaner

Reliably cleans sensitive electrical and electronic equipment. Removes oxidation, oil, and other contaminants. Repairs faulty contacts. Restores electrical continuity. Fast evaporation. Leaves no residue. Powerful, pure, and stable. Safe to use on most plastics, metals, electronics, and electrical connections. Non-corrosive.

Part Number	Size
CT-CC-350	350g Aerosol
CT-CC-5L	5L Bulk
CT-CC-20L	20L Drum



### Contact Cleaner NF (Non Flammable)

Reliably cleans sensitive electrical and electronic equipment. Removes oxidation, oil, and other contaminants. Repairs faulty contacts. Restores electrical continuity. Fast evaporation. Leaves no residue. Powerful, pure, and stable. Safe to use on most plastics, metals, electronics, and electrical connections. Non-corrosive.

Part Number	Size
CT-CCNF-400	400g Aerosol
CT-CCNF-1L	1L Bulk
CT-CCNF-5L	5L Bulk
CT-CCNF-20L	20L Drum



### Contact Cleaner Lubricant

Quick penetration. Powerful cleaner. Effectively removes carbon deposits, oils and greases. Leaves a thin protective dielectric coating. Fast evaporation. Safe to use on most plastics, electrical connections and electronics. Non-ozone depleting.

Part Number	Size
CT-CCL-300	300g Aerosol



### Fast Drying Anti-Static Glass Cleaner

Best heavy duty professional grade on the market. Water based. Ammonia-free. Non-streaking and non-hazing. Cleans and sanitizes. Removes tough dirt, dust, grease, lint, oil, toner, carbon, fingerprints, and smudges. Foaming action spray stops dripping. Safe on painted surfaces, most plastics, tinted glass, film, and vinyl.

Part Number	Size
CT-GE-500	500g Aerosol
CT-GE-750	750ml Trigger Spray
CT-GE-1L	1L Bulk
CT-GE-5L	5L Bulk
CT-GE-20L	20L Drum



### Kleanium™ ISO-Kleen Isopropyl Alcohol

99.8% pure. Does not contain CFCs and chlorinated solvents. For a variety of soils, oils, organic, polar, flux, and ionic residues. Harmless to most plastics, elastomers, and rubbers. For magnetic tape heads, and optical and precision instruments. Hastens the drying of PCBs. May be used in some ultrasonic tanks.

Part Number	Size
CT-ISO-300	300g Aerosol
CT-ISO-250	250mL Pump Bottle
CT-ISO-750	750ml Trigger Spray
CT-ISO-1L	1L Bulk
CT-ISO-5L	5L Bulk
CT-ISO-20L	20L Drum



### Acetone

Universal thinner and cleaning agent. Miscible with many other liquids. Non-corrosive. Removes residues of paint, lacquer, silicone, wax, tar, and other soils. Can be used on porcelain, glass, ceramics, blank metals, and more. Evaporates quickly. Leaves no residue.

Part Number	Size
CT-ACT-300	300g Aerosol
CT-ACT-1L	1L Bulk
CT-ACT-5L	5L Bulk
CT-ACT-20L	20L Drum



### R25 All Purpose Adhesive Spray

Advanced formula mist spray. Rapid tack formula provides speedy bonding. Long open time to allow for repositioning. Bonds most metals, felt, cork, fabric, plastics, paper, corrugated cardboard, wood, and more. For light to heavy duty jobs. Non-staining. Perfect for home improvement and repairs, picture framing, and crafts.

Part Number	Size
CT-R25-400	400g Aerosol



### P28 Heavy Duty Nickel Anti-Seize

Protects against extreme temperature, seizing, and corrosion. For stainless steel and most metals except soft metals. Use where the presence of copper is restricted. Resistant to most chemicals and salt water. Weather resistant. Minimises corrosion. For easy disassembly of equipment and parts. Non-hardening and non-dripping.

Part Number	Size
CT-P28-300	300g Aerosol
CT-P28-75T	75g Tube
CT-P28-500BT	500g Brush Top
CT-P28-2KG	2kg Bulk
CT-P28-4KG	4kg Bulk



### P29 Copper Anti-Seize

For easy disassembly of equipment and parts. Inexpensive. Protects against seizing and corrosion. Not recommended for stainless steel. Resistant to most chemicals, salt water, and exposure to the elements. Minimises corrosion. Non-hardening and non-dripping. For general purpose use.

Part Number	Size
CT-P29-300	300g Aerosol
CT-P29-75T	75g Tube
CT-P29-500BT	500g Brush Top
CT-P29-2KG	2kg Bulk
CT-P29-4KG	4kg Bulk



### P47 Silver Grade Anti-Seize

Protects against extreme temperature, seizing, and corrosion. Ideal for all metals, soft metals, and where dissimilar metals are used. For use where copper is restricted. Resistant to most chemicals and salt water. Weather resistant. Minimises corrosion. For easy disassembly of equipment and parts. Non-hardening and non-dripping.

Part Number	Size
CT-P47-300	300g Aerosol
CT-P47-75T	75g Tube
CT-P47-500BT	500g Brush Top
CT-P47-2KG	2kg Bulk
CT-P47-4KG	4kg Bulk



### Railway Line Switch Plate Spray

Dry film graphite lubricant. Will not attract dirt or grit. Reduces sliding, friction, and corrosion. Creates a smooth even surface. Repels rain, snow, and mud. Lubricates for weeks. Great corrosion protection. Does not wash away. Quick to dry. Use regularly to extend the life of equipment. Safe, efficient, and economical.

Part Number	Size
CT-SPS-600	600g Aerosol



### R14 Silicone Dielectric Grease

Protects and lubricates. Remains tacky. Waterproofs electrical wiring and components. Extends operating life. Shields from salt, dirt, and corrosion. Resistant to water washout. High drop and load resistance. Non-staining. Safe on metal, rubber, plastic, wood, leather, and painted surfaces.

Part Number	Size
CT-R14-400G	400g Aerosol
CT-R14-S10	10cc Syringe
CT-R14-S30	30cc Syringe
CT-R14-50G	50g Tube
CT-R14-200G	200g Tube
CT-R14-500G	500g Tub
CT-R14-1KG	1kg Bulk
CT-R14-4KG	4kg Bulk



### Gum and Label Remover

Unique blend of citrus and hydrocarbon oils. Fast and easy to use. Softens and quickly releases paper-based self-adhesive labels and stickers. Dissolves adhesive gums, waxes, and some inks. Cleans and conditions rubber rollers and platens. Harmless to most plastics, rubbers and coatings. Ozone safe. Solvent-free.

Part Number	Size
CT-LR-300	300g Aerosol
CT-LR-5L	5L Bulk
CT-LR-20L	20L Drum



### Primers for Adhesives

Organic surface primer. Single component. Solvent based. Formulated to help with adhesion on hard to bond surfaces. Promotes high strength adhesion on low energy plastics such as silicone, rubber, PTFE, acetal, and polyolefin plastics (polyethylene and polypropylene).

#### 8-1770 Cyanoacrylate Primer

Part Number	Size
8-1770-300	300g Aerosol

#### 8-3471 Anaerobic Primer

Part Number	Size
8-3471-300	300g Aerosol



### 8-1155 Cyanoacrylate Activator/ Accelerator (Instant Bond)

A single component, solvent based surface accelerator. 8-1155 is designed to promote the speed of cure of cyanoacrylate adhesives. Can be either pre or post-applied to the bond. Typical examples are securing wires or coils to PCB's, tamper proofing adjustable components, edge guided and board stiffeners.

Part Number	Size
8-1155-300	300g Aerosol





### Galmax™ Cold Gal 93 Weld Thru Primer

Best in class superior one pass zinc rich weld through primer. 99% zinc purity. 93% zinc in dry film. Passes tough 168hr salt spray test. Fast drying. Long term galvanic and salt corrosion protection. Exceeds Australian standards. Equivalent corrosion protection of hot-dipped galvanising. Finest zinc particles means no blocked nozzles.

Part Number	Size
CT-GMCG-500	500g Aerosol



### Galmax™ Cold-Gal 90 Weld Thru Primer

High performance one pass primer. 99% zinc purity. 90% zinc in dry film. Bonds and fuses with base metal for rust and corrosion resistance. Use as a primer on most metals for most paints. Years of protection. Ideal for welds and damaged galvanising. Exceeds Australian standards. Finest zinc particles means no blocked nozzles. Matt grey.

Part Number	Size
CT-CG-400	400g Aerosol
CT-CG-1L	1L Tin
CT-CG-4L	4L Tin



### Galmax™ Silver-Gal

Quick dry zinc loaded metallic paint. 3-in-1 formula protects, matches, and seals. Unique blend of 99% purity zinc dust in an epoxy resin formulation. Prevents rust and corrosion from welding and exposure to the elements. Leaves a silver sheen similar to hot-dipped galvanised steel. Can be used as a primer. Excellent adhesion to most metals.

Part Number	Size
CT-SG-400	400g Aerosol
CT-SG-1L	1L Tin
CT-SG-4L	4L Tin
CT-SG-20L	20L Tin



### Galmax™ Premium Bright Silver Gal

Best in class. Fast drying, premium metallic spray. Unique blend of high purity metallic dust in an epoxy resin formulation. Prevents rust and corrosion caused by welding and exposure to the elements. Leaves a bright silver sheen similar to hot-dipped galvanised steel. Ideal for welds and damaged galvanising. Long term protection.

Part Number	Size
CT-GMSG-500	500g Aerosol



### Galmax™ Bright Silver-Gal

Galvanizing repair metallic spray top coat. 2-in-1 formula protects and matches. Exceptional long term rust and corrosion protection. Leaves a bright silver sheen indistinguishable from hot-dipped galvanised steel. Ideally suited for touch-up welds and damaged structures or components. Fast drying.

Part Number	Size
CT-2SG-300	300g Aerosol



### Galmax™ Coloured Silver-Gal

Quick dry metallic paint. Excellent adhesion to most metals. Active corrosion protection against weathering and moisture on steel and iron structures or equipment. Can be used extensively in the maintenance and restoration of damaged or worn galvanized metal. For use on both interior and exterior surfaces.

Part Number	Size
CT-WSG-400	400g Aerosol White
CT-YSG-400	400g Aerosol Safety Yellow
CT-BKSG-400	400g Aerosol Black
CT-BLSG-400	400g Aerosol Blue



### Red / Grey Oxide Metal Primer

High-quality. Rust resistant. Protects from exposure to chemical fumes, excessive heat, humidity, rain, and wind. Chemically bonds to steel and does not chip away. Provides a tough and durable anti-corrosive base coat. For use on interior and exterior ferrous metal. Can be used directly over rusty surfaces.

Part Number	Size
CT-ROP-400	400g Aerosol Red
CT-ROP-1L	1L Tin Red
CT-ROP-4L	4L Tin Red
CT-GYP-400	400g Aerosol Grey
CT-GYP-1L	1L Tin Grey
CT-GYP-4L	4L Tin Grey
CT-GYP-20L	20L Tin Grey



### Professional Etch Primer Grey / Black

One pass acid hardening metal etch primer. Fast drying. High quality. Tough and durable anti-corrosive base coat. Ideal for renovation projects, spot repair, and automotive priming. Use for maximum adhesion to plastic, fibreglass, steel, aluminium, and non rusty metals. Excellent adhesion for top coats, primers, and sealers.

Part Number	Size
CT-EPGY-400	400g Aerosol Grey
CT-EPGY-1L	1L Tin Grey
CT-EPGY-4L	4L Tin Grey
CT-EPBK-400	400g Aerosol Black
CT-EPBK-1L	1L Tin Black
CT-EPBK-4L	4L Tin Black



### Zero-Spat™ ASPR Heavy Duty Anti-Spatter

Provides instant shielding action. Protects against spatter adhesion. Spatter wipes away without sticking. Does not cause weld porosity. Prevents corrosion. For steel, stainless steel, and aluminium. Highly efficient and economical to use. Eliminates long clean-up times and high spatter removal costs.

Part Number	Size
CT-ASPR-500	500g Aerosol



### Zero-Spat™ DSPR Dry Anti-Spatter

Provides instant shielding action. Forms a dry, white film. Spatter wipes away without sticking. Fast drying. Long lasting. Non-Flammable. Silicone-free. Highly efficient and economical to use. Eliminates long clean-up times and high spatter removal costs. For MIG/MAG welding, manual, automatic, and robotic applications.

Part Number	Size
CT-DSPR-300	300g Aerosol



### Zero-Spat™ Protecta Shield HT Ceramic Anti-Spatter

High temperature protective ceramic coating for welding nozzles, jigs, tools, equipment, and the product being welded. Leaves a dry, white film. Spatter wipes away without sticking. Silicone-free. Robust formulation. Lasts between 6 - 8 hours. For all MIG and Laser/Plasma cutting.

Part Number	Size
CT-PTS-300	300g Aerosol



### ChemTig™ Penetrant Dye Test Kit

Non-destructive. For weld seam quality assurance. Detects microscopic cracks and flaws on the surface of metals, plastics, and ceramics, revealing them as red marks on a white background. Simple 5 step detection procedure. Kit contains Pre-Solv Metal Cleaner/Degreaser, Red Dye Penetrant, and Detecting Developer.

Part No.	Size
CT-WCFF	Penetrant Dye Test Kit



### ChemTig™ Prep-Solv Metal Cleaner/Degreaser

Penetrates and dissolves oils, greases, waxes, and other soils. Removes anti-spatter residues before painting. Does not contain CFCs or chlorinated solvents. Fast drying. Harmless to most plastics and rubbers. Excellent degreaser. Leaves no residue. Compatible with most metals.

Part Number	Size
CT-ASC-240	240g Aerosol
CT-ASC-1L	1L Bulk
CT-ASC-5L	5L Bulk
CT-ASC-20L	20L Drum
CT-ASC-4L	4L Bulk



### ChemTig™ Red Dye Penetrant

Formulated to seep into any micro cracks present in a weld seam. Locates surface-breaking defects in all non-porous materials including plastics, ceramics, and most metals. Recommended for weld seam quality assurance. For use on pressure vessels and tanks, automotive parts, and valves and pipes, and lifting devices.

Part Number	Size
CT-DPI-300	300g Aerosol



### ChemTig™ Developing Detector

Reveals microscopic cracks and flaws on the surface of metals, plastics, and ceramics. Consists of a white powder suspended in solvents. Pulls entrapped penetrant to the surface by capillary action. Recommended for weld seam quality assurance. For use on pressure vessels and tanks, automotive parts, valves and pipes, and lifting devices.

Part Number	Size
CT-DVP-300	300g Aerosol



### Heavy Duty Straight Cutting Fluid

High performance. Medium duty. Contains corrosion inhibitors and extreme pressure lubricants. Excellent anti-wear properties and surface finish. Non-staining. Maximises tool life. Used for both metal removal and forming operations. Recommended for ferrous, non-ferrous, and yellow metals. Polymer chemistry minimises misting.

Part Number	Size
CT-SCF-300	300g Aerosol
CT-SCF-500	500ml Squirt Bottle
CT-SCF-1L	1L Bottle
CT-SCF-5L	5L Bulk
CT-SCF-20L	20L Drum





### R12FG Food Grade Belt Grip

Provides instant grip, prevents glazing, and reduces slippage. Maintains belt flexibility and increases life with regular use. Prevents cracking. Keeps belts clean without attracting dust. Remains tacky. Will not dry. Water resistant. Non-toxic and colourless. Non-staining. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R12FG-300	300g Aerosol



### R19FG Food Grade White Mineral Oil

Chemically and biologically stable. Non-comedogenic. Does not support pathogenic growth. Lubricates and protects machinery and parts. Great rust preventative. Water resistant. Remains tacky. High drop point and load resistance. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R19FG-300	300g Aerosol
CT-R19FG-5L	5L Bulk
CT-R19FG-20L	20L Drum



### CT-R15FG – Food Grade Chain Lube

Ideal for most chain lubrication required found in the food, beverage & drug industry. The special formulation will not stain products on conveyor belts slipping and will maintain belt flexibility. Does not contain silicone, tasteless and odourless, multi-purpose industrial spray lubricant. For use on Conveyors, rollers, bottle filling machines, Paste dispensers, pumps, mixers.

Part Number	Size
CT-R15FG-300	300g Aerosol



### R17FG – Food Grade Machine Oil

Provides instant grip, prevents glazing, and reduces slippage. Maintains belt flexibility and increases life with regular use. Prevents cracking. Keeps belts clean without attracting dust. Remains tacky. Will not dry. Water resistant. Non-toxic and colourless. Non-staining. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R17FG-300	300g Aerosol
CT-R17FG-500	500ml Bottle
CT-R17FG-5L	5L Bulk
CT-R17FG-20L	20L Drum



### R20FG Food Grade Machinery Grease

Superior performance. Formulated with a complex calcium sulphonate thickener. Enhanced load carrying, water resistance, and anti-corrosion properties. High load resistance and drop point. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R20FG-300	300g Aerosol
CT-R20FG-S10-P	10cc Syringe
CT-R20FG-50G	50g Tube
CT-R20FG-1KG	1kg Bulk
CT-R20FG-4KG	4kg Bulk



### Food Grade Anti-Seize

Fortified with PTFE. Protects against corrosion and acids. Resistant to most chemicals. Great anti-wear properties. Prevents high temperature seizing on metal parts. Odourless and tasteless. Non-staining, non-hardening, and non-dripping. Will not wash out. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-F001-300	300g Aerosol
CT-F001-75T	75g Tube
CT-F001-500BT	500g Brush Top
CT-F001-2KG	2kg Bulk
CT-F001-4KG	4kg Bulk



### DEOX R44FG Food Grade Thick Film Lubricant

Non-conductive. Non-toxic. Lubricates, seals, and protects against moisture, rust, and corrosion. Superior performance on dry, damp, or wet components. Stops Squeaks. Will not adversely affect paintwork and most plastics. Specially formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R44FG-300	300g Aerosol
CT-R44FG-250	250ml Pump Spray
CT-R44FG-5L	5L Bulk
CT-R44FG-20L	20L Drum



### R66 Food Grade Silicone Spray

Dow Corning® food grade silicone. Displaces water, repels moisture, cleans, penetrates, lubricates, and prevents corrosion. Reduces adhesion and friction. Will not melt, freeze, or become rancid. For general maintenance of machinery and equipment. Can be used as a mould release agent. Formulated for the food and pharmaceutical industries.

Part Number	Size
CT-R66-330	330g Aerosol





### Spot It Survey Marking Paint

Withstands the harshest of weather conditions. Designed for inverted use. No added lead or chlorinated solvents. High delivery for faster and better coverage. High colour visibility, retention, and durability. Non-freezing. Non-clogging. Lasts up to 6 months. For use on wood, concrete, asphalt, brick, turf, soil, and gravel.

Part Number	Size
CT-SP-3500	350g Aerosol, Orange
CT-SP-350GN	350g Aerosol, Green
CT-SP-350YL	350g Aerosol, Yellow
CT-SP-350BL	350g Aerosol, Blue
CT-SP-350WT	350g Aerosol, White
CT-SP-350BK	350g Aerosol, Black
CT-SP-350R	350g Aerosol, Red
CT-SP-350FP	350g Aerosol, Fluro Orange
CT-SP-350FO	350g Aerosol, Fluro Orange
CT-SP-350FG	350g Aerosol, Fluro Green
CT-SP-350FY	350g Aerosol, Fluro Yellow
CT-SP-350FB	350g Aerosol, Fluro Blue

### Kleanium™ Deflux-It G2 Flux Remover

Heavy duty. Solvent-based. Slow drying for more effective cleaning. Removes even the toughest baked on fluxes. Rapidly cleans a variety of soils including waxes, oils, and greases. Leaves little or no residue. Compatible with most plastics. Non-corrosive. Pleasant smelling. Low toxicity. Lead and Lead-free compatible.



Part Number	Size
CT-DF-300DB	300g Aerosol with Brush Attachment
CT-DF-300	300g Aerosol
CT-DF-1L	1L Bulk
CT-DF-5L	5L Bulk
CT-DF-20L	20L Drum

### Kleanium™ Ultra Solvent Degreaser Flux Remover

Removes rosin solder fluxes, waxes, hydrocarbons, silicone, oils, and greases. Replaces CFCs, HCFCs, HFCs, nPB, and chlorinated solvents. Low surface tension. Non-flammable and stable. Ideal for immersion and vapour degreasing applications. Low odour. Non-corrosive. Fast drying. Leaves no residue.



Part Number	Size
CT-ULR-400	400g Aerosol

### Kleanium™ Heavy Duty Flux Remover

Medium drying. Solvent based. Removes even the toughest baked on fluxes. Rapidly cleans a variety of soils including waxes, oils, and greases. Leaves little or no residue. Compatible with most plastics. Non-corrosive. Low odour. Lead-free flux compatible. For PCBs, relays, switches, circuit breakers, terminal plugs, and more.



Part Number	Size
CT-FRHD-300	300g Aerosol
CT-FRHD-1L	1L Bulk
CT-FRHD-5L	5L Bulk
CT-FRHD-20L	20L Drum

### Kleanium™ Circuit Board Cleaner

Low odour, and pleasant smelling. Non-corrosive. Ideal for no-clean and lead-free fluxes. Efficiently rinses dirt, moisture, dust and corrosion. Compatible with most rubbers and plastics. Rapidly cleans, waxes, oils, and greases. For use on PCBs, tape heads, optical and precision instruments, motors, dies, bearings, and air tools.



Part Number	Size
CT-CBC-300	300g Aerosol
CT-CBC-1L	1L Bulk
CT-CBC-20L	20L Drum

### Kleanium™ Electronic Cleaning Solvent

Fast drying. Pure and stable. Non-corrosive. Low toxicity. Leaves no residue. Widely used as a cleaning solvent for equipment, or a flux remover for printed circuit boards. Also used to clean relays, switches, circuit breakers, alarms, connectors, generators, contracts, terminal plugs, and more.



Part Number	Size
CT-ECS -230	230g Aerosol
CT-ECS -1L	1L Bulk
CT-ECS -5L	5L Bulk
CT-ECS -20L	20L Drum

### Clear Circuit Board Lacquer

Conformal resin coating for printed circuit boards. Insulates and protects. For high temperature environments, high humidity, shock, and vibration. Tough, clear, high gloss finish. Resistant to moisture and fungal growth. Resistant to abrasion and staining. Fast drying. Economical. High dielectric strength.



Part Number	Size
CT-LQR-400	400g Aerosol
CT-LQR-1L	1L Bulk
CT-LQR-5L	5L Bulk
CT-LQR-20L	20L Drum

### Kleanium™ ISO-Kleen Isopropyl Alcohol

99.8% pure. Does not contain CFCs and chlorinated solvents. For a variety of soils, oils, organic, polar, flux, and ionic residues. Harmless to most plastics, elastomers, and rubbers. For magnetic tape heads, and optical and precision instruments. Hastens the drying of PCBs. May be used in some ultrasonic tanks.



Part Number	Size
CT-ISO-300	300g Aerosol
CT-ISO-250	250mL Pump Bottle
CT-ISO-750	750mL Trigger Spray
CT-ISO-1L	1L Bulk
CT-ISO-5L	5L Bulk
CT-ISO-20L	20L Drum

### Kleanium™ General Purpose Flux Remover

Low odour. Non-corrosive. Removes most types of fluxes including rosin and rosin based no-clean flux. Leaves little or no residue. Compatible with most rubbers, plastics, and metals. Contains no CFCs or HCFCs. Rapidly dissolves and flushes away waxes, oils, and greases. For use on PCBs, component leads, plugs, sockets, and more.



Part Number	Size
CT-FRGP-300	300g Aerosol
CT-FRGP-1L	1L Bulk
CT-FRGP-5L	5L Bulk
CT-FRGP-20L	20L Drum



A NEW FORCE IN CHEMICAL MANUFACTURING... MAKE THE SWITCH TODAY



**CHEMTOOLS PTY LTD**  
[WWW.CHEMTOOLS.COM.AU](http://WWW.CHEMTOOLS.COM.AU) | [SALES@CHEMTOOLS.COM.AU](mailto:SALES@CHEMTOOLS.COM.AU)

HEAD OFFICE / MANUFACTURING FACILITY: UNIT 2, 14 - 16 LEE HOLM ROAD, ST MARYS NSW 2760, AUSTRALIA  
FOR ALL ENQUIRIES PHONE: 1300 738 250 | OUTSIDE OF AUSTRALIA: +61 2 9833 9766 | FAX: +61 2 9623 3670

AEROSOL MAINTENANCE CHEMICALS

SEPTEMBER 2016