

## Automotive



■ <b>Antennas Automotive</b>	<b>70</b>	■ <b>Dash-Cams &amp; Driver Assist</b>	<b>18</b>
■ AM/FM & DAB+ Antenna.....	70	■ Dash Cams.....	23
■ Antenna Adaptors.....	78	■ Driver Assist Accessories.....	28
■ OEM Replacement.....	73	■ GPS Vehicle Tracking.....	28
■ <b>Audio Installation Components</b>	<b>36</b>	■ Monitors Display.....	27
■ Adaptors / FM Transmitters.....	42	■ Reversing Cameras.....	26
■ Automotive Switches.....	41	■ Reversing Camera Systems.....	24
■ Car Amp Wiring Kits.....	36	■ Thinkware Dashcam Accessories.....	21
■ Car Handsfree Bluetooth.....	43	■ Thinkware Dash Camera Kits.....	18
■ Converters / Isolators.....	42	■ Thinkware Dual Sports Cam.....	21
■ Crimp Terminals.....	39	■ Thinkware Rear Camera Add-ons.....	20
■ LED & Lamps.....	40	■ Trailer Camera System 5 Pin.....	25
■ Noise Filter.....	41	■ Vehicle Surveillance HDCVI.....	22
■ Power Cable.....	38	■ <b>Harnesses and wiring</b>	<b>63</b>
■ Relays.....	40	■ Harness - Aftermarket Audio.....	64
■ <b>Audio Installation Accessories</b>	<b>12</b>	■ Harness - ISO and General Purpose.....	63
■ Cradles & Holders - Magnetic Mount.....	13	■ Harness - ISO Dash Adaptors.....	67
■ Cradles & Holders - SmoothTalker.....	15	■ Harness - ISO Head Unit Adaptors.....	66
■ Cradles & Holders - Snap Base.....	14	■ Harness - Misc.....	65
■ In-Dash Mounting Kits.....	12	■ Harness - OEM Audio Bare Wire.....	64
■ Mounting Brackets.....	16	■ Harness - Steering Wheel Control.....	68
■ <b>Audio Speakers</b>	<b>4</b>	■ Harness - T Harness.....	64
■ Audio Plugs & Adaptors.....	11	■ <b>Power Automotive</b>	<b>44</b>
■ Carpets / Cloth / Sound Deadener.....	10	■ 12V Car Jump Starter.....	52
■ Car Speakers Hertz.....	5	■ 12V Plugs & Sockets.....	55
■ Crossovers.....	6	■ 12V Power Accessories.....	48
■ Speaker Boxes Active.....	6	■ 12V Power Converters.....	44
■ Speaker Boxes / Enclosures.....	7	■ 12V Power Inverters.....	44
■ Speaker Box Ports.....	11	■ 12V Power USB.....	49
■ Speaker Grilles.....	10	■ Alligator Clips.....	60
■ Speakers Classic Replacement Type.....	4	■ Automotive Sockets Power.....	54
■ Speaker Spacers.....	8	■ Automotive Sockets USB.....	54
■ Subwoofers.....	6	■ Battery Terminal and Accessories.....	59
■ <b>Audio Units &amp; CB</b>	<b>2</b>	■ Cable Management and Ties.....	55
■ Audio Head Units.....	3	■ Crimp Terminals - Gold Plated.....	60
■ UHF 477 Crystal CB.....	2	■ Distribution Blocks.....	59
■ <b>Automotive Hardware</b>	<b>80</b>	■ Dual Battery Controllers.....	44
■ Glovebox Items.....	80	■ Fuses & Holders.....	57
■ Ratchet Strap.....	80	■ Phone Chargers Qi.....	52
■ <b>Automotive Lighting</b>	<b>29</b>	■ Powerbank Qi.....	52
■ Aerpro Automotive Accessories.....	35	■ SLA Battery Chargers.....	45
■ Aerpro Install Kit Automotive.....	35	■ SLA Battery Chargers - Solar.....	46
■ Light Bar.....	29	■ SLA Battery Testers.....	45
		■ <b>Tools</b>	<b>61</b>



## □ Audio Units & CB □ UHF 477 Crystal CB

### CRYSTAL 80CH UHF CB RADIO - MIC CONTROLLER

#### 477MHZ 12V 5W TRANSCEIVER WITH FULL FUNCTION MIC

UHF CB Radio with 80CH narrow band channels, all buttons have been located on the hand-piece so the main unit can be stored away. This unit features the new 80 channel UHF Narrowband standard. This new UHF standard is backward compatible with the standard 40CH UHF (Wide-band). Extra-compact unit only 155x112x30mm.

- 12Vdc transceiver with 5 Watt transmission power
- Large hand-held microphone display (select from 7 LCD colours)
- Full aluminium die cast heat sink chassis, Rugged construction
- 80 Narrow band channels 477MHz UHF (40CH Compatible)
- Automatic squelch control, can mute car stereo when receiving
- Duplex (Range extender) extends the range of communication through local repeater stations from the surrounding areas.
- All the controls and an LCD display are on the mic for easy control
- Channel scan function, Automatic squelch control
- Microphone 1.6M curly cord to RJ45
- Includes RJ45 extension 2M



UHF ANTENNAS  
See Section 06



HAND-HELD CB  
See Section 06  
Communication



Code  
DB477D

### RJ45 PANEL ADAPTOR TO SUIT DB477

#### NISSAN 36X20MM

Code  
ARJ45NS2



#### NISSAN 30X24MM

Code  
ARJ45NS01



#### TOYOTA 40X20MM

Code  
ARJ45TO6



#### TOYOTA 34X23MM

Code  
ARJ45TO7



### CRYSTAL 80CH UHF CB RADIO - COMPACT

#### 477MHZ 12V 5W TRANSCEIVER

This high powered unit features the new 80CH UHF Narrow Band. Backward compatible with the standard 40CH UHF (Wide-band). This unit is very compact and features a large LCD display with changeable backlighting colour. The CB radio has a heavy duty die cast aluminium chassis for rugged protection and efficient heat dissipation. It has a 12V line output used for muting compatible stereos when receiving a call from another transmitter. The automatic squelch has adjustable sensitivity control to help filter out annoying back-ground noise. Compact 155x112x55mm. 12Vdc. 5W. 477MHz



Code  
DB477A

UHF ANTENNAS  
See Section 06

### CRYSTAL 80CH UHF CB RADIO - ULTRA COMPACT

#### CRYSTAL BRAND ULTRA COMPACT 12V 5W TRANSCEIVER

Crystal's ultra compact CB radio with 80 narrow band channels can be easily installed in tight spaces. This unit is very compact and simple to use. It features a 7 colour LCD backlit display to show the status and front panel control buttons for configuration. The chassis is heavy duty die cast aluminium for rugged protection and efficient heat dissipation. This CB radio utilises the new 80 channel Narrowband UHF standard and is backward compatible with the standard 40CH UHF (Wide-band). 12Vdc. Ideal for use in cars, 4WDs and caravans.



Code  
DB477E

UHF ANTENNAS  
See Section 06

### KIT AVAILABLE: DB477E CB RADIO PLUS CBA3F1L ANTENNA

This kit includes  
1x DB477E UHF radio  
1x CBA3F1L 6dbi antenna

Code  
DB477EPK



DB477E and CBA3F1L in the same box



## □ Audio Head Units

### 6.8" DOUBLE DIN MECHLESS AV RECEIVER WITH BLUETOOTH

#### SUPPORTS APPLE CARPLAY & ANDROID AUTO

6.8" High precision capacitive touch screen. Supports Apple CarPlay and Android Auto. Hands free Bluetooth connection, supports voice dial and audio streaming, AM/FM, USB Media player. Premium 24bit sound quality and built-in 200W amplifier or 4.1CH Pre-Amp output.

- Double DIN with 6.8" Touch Display 480x800px wide screen
- Apple CarPlay™ / Android Auto™ screen control connection
- USB Input (Rear attached lead required) Media player, etc.
- Built-in Bluetooth 4.1 HFP/SPP/A2DP/AVRCP/PBAP, SBC.
- Cordless hands-free includes an external mounted microphone
- Built-In AM/FM Radio Tuner with antenna connection
- 24 Bit DSP Audio 13 Band EQ & Digital Time Alignment
- MOSFET 4x 50W to Standard ISO plug connectors
- RCA Pre-outs (Front & Rear) + 1x Subwoofer Line Out
- Steering Wheel Control Ready (Self Learn + OE SWC IR Remote In)
- Reversing Camera Ready with external composite video input

Code

FX450



### 6.75" DOUBLE DIN MECHLESS AV RECEIVER WITH BLUETOOTH

#### TO SUIT VARIOUS TOYOTA VEHICLES

The Clarion PX4226AK is an OEM Style headunit specifically designed for 200mm Toyota. It features a highly responsive 6.75" touch display and is compatible with Apple Car Play, Android Auto and Smart Device Link (SDL). The built-in Bluetooth enables handsfree phone calls and wireless audio streaming and the internal microphone provides crystal clear communications. PX4226AK has front USB and Aux inputs as well as a built-in AM/FM Tuner. The sound quality is superb with a built-in 50W x4 amplifier and 13 band EQ for precise sound adjustment. OEM steering wheel remote ready for selected Toyota models with OEM 28 pin connector.

Code

PX4226AK



TOYOTA  
Compatible  
200mm



### SINGLE DIN BLUETOOTH/CD/USB/AUX-IN/SD CARD CAR STEREO

#### FULL FEATURED SINGLE DIN CAR STEREO WITH BUILT IN 180W AMPLIFIER - DETACHABLE FACE FOR SECURITY

The CZ307AU is a single DIN car multimedia player features cool blue illumination to provide a perfect contrast against the piano black faceplate. It supports audio sources from Bluetooth, AUX input, AM/FM tuner, CD, USB drive and SD cards. 4x 45W max power output. 4.2 CH RCA line output. With a black body that would match any dashboard, and easy-to-reach buttons. Remote control included.

Single DIN Car Audio Receiver  
Built-In Bluetooth (HFP, A2DP, AVRCP)  
CD Player for CD-A and MP3  
Built-In Microphone  
MP3/WMA Playback  
AUX / USB / SD Card Inputs  
Made for iPhone/ iPod  
AM / FM Tuner  
Remote Control Included



**MECHLESS [NO CD]**

Code

FZ307AU

**INCLUDES BUILT-IN CD PLAYER**

Code

CZ307AU

Clarion



### 400W CLASS-D MARINE AMPLIFIER - CLARION

#### MARINE GRADE HIGH PERFORMANCE

- 400 Watts of Maximum Power Output
- 300 Watts x1 Continuous @ 2-Ohms
- 200 Watts x1 Continuous @ 4-Ohms
- Double side conformal coated PCB assembly
- MOS-FET power supply
- 12dB/Oct. Low pass electronic crossover. Variable 35 - 250Hz
- Variable gain control
- Turn-On/Off muting circuitry (Soft Mute)
- Ground loop isolation input circuit
- Corrosion resistant Nickel-plated RCA, power, and speaker connections
- RCA and High-level speaker inputs

Code

XC2110



**EXTEND THE EXISTING  
WIRING LOOMS BY 5 METRES**

Code

BWK1012

Does not  
include amp.





## □ Audio Speakers Classic Replacement Type

### 4" GLASS FIBRE CONE SPEAKER PAIR - GRS

The GRS B100-4 4" BMW replacement full-range driver pair is the perfect solution for dealerships, installers, and repair shops. The unique swappable mounting flange allows this speaker to replace virtually all 4" drivers used in late model BMW vehicles taking all the guesswork out of which driver to order or stock for factory replacements and upgrades.

Zn	4Ω
Re	3.2Ω
Power	40W
Fs	87.5Hz
Sens.	89.5dB
Qms	5.27
Qes	0.66
Qts	0.59
Vas	2.24L
QTY	Pair
Code	B100-4



PAIR



FOR SELECTED  
BMW MODELS



### 4" DUAL CONE CAR SPEAKER

Impedance	4Ω (Re 3.5Ω)
Power	40Wmax
Mount	115mm
Diam.	100mmØ
Height	42mm
Code	DC4-40



EACH



#### SOLD IN SINGLES

200g magnet Cloth surround

Two required for stereo

Whizzer cone extends high frequency sound

### 4x6" DUAL CONE OVAL CAR SPEAKER

Impedance	4Ω
Power	30Wrms
Size	155x105 mm
Height	50mm
Freq.	120Hz-20KHz
Fr	120Hz
Voice	20mmØ
Code	DC46-30



EACH



#### SOLD IN SINGLES

Two required for stereo

### 5" DUAL CONE CAR SPEAKER

Impedance	4Ω (Re 3.5Ω)
Power	40Wmax
Mount	140mm
Diam.	135mmØ
Height	55mm
Code	DC525-40



EACH



#### SOLD IN SINGLES

Two required for stereo

Whizzer cone extends high frequency sound

### 5x7" DUAL CONE OVAL CAR SPEAKER

Impedance	4Ω
Power	40Wp-p
Size	185x130mm
Height	60mm
Code	DC57-40



EACH



Two required for stereo  
Whizzer cone extends high frequency sound

## □ Subwoofer

### SUBWOOFERS AUTOMOTIVE

TOO MANY TO LIST HERE  
SEE AUDIO SECTION 03

DAYTONAUDIO



ACOUSTICS



More HiFi  
Speakers See  
Section 03 Audio  
Speakers & PA







## □ Car Speakers Hertz

### HERTZ AUDIO CAR SPEAKERS



Hertz philosophy is a unique combination of premium sound, living tradition, ingenious innovation and high quality, combined in a complete line of products for our customer's maximum satisfaction.

**MORE MODELS AVAILABLE**

See our website



### 5 x 7" 2-WAY COAXIAL CAR SPEAKERS - HERTZ

**GRILLES INCLUDED**

Pair of two way coaxial speaker system with tilt adjustable, soft Tetolon® fiber 24 mm dome neodymium tweeter and 100mm Paper-Mica mid-woofer down to 55Hz. Metal grilles included.

Power 70Wrms  
Freq. 55Hz to 22KHz  
Code CX570



### 4" 2-WAY COAXIAL CAR SPEAKERS - HERTZ

102mm x 45mm, 93mm Hole

Pair of two way coaxial speaker system with tilt adjustable, soft Tetolon® fiber 24 mm dome neodymium tweeter and 100mm Paper-Mica mid-woofer down to 90Hz. Grill sold separate.

Power 40Wrms  
Freq. 90Hz to 21KHz  
Code CX100



**CX100 GRILLE PAIR**

Code CG100

PAIR

### 2CH CAR AMPLIFIER 400W - HERTZ AUDIO

**BUILT-IN CROSSOVER**

Class AB Stereo 55Wrms or Mono 170Wrms. 4Ω stable. Flat or adjustable High-pass, low-pass 50-500Hz. Audio signal sensor auto power. 215x190x50mm

Channels 2-1  
Power 400Wmax  
Code HCP2



### 6 x 9" 3-WAY COAXIAL CAR SPEAKERS - HERTZ

**SPEAKER GRILLE INCLUDED**

Pair of three way coaxial speaker system with 60mm paper cone tweeter and 20mm dome super-tweeter. Paper cone woofer down to 45Hz. Grilles included.

Power 90Wrms  
Freq. 45Hz to 21KHz  
Code DCX690.3



PAIR

### 6 x 9" 3-WAY COAXIAL CAR SPEAKERS - HERTZ

**GRILLES INCLUDED**

Pair of three way coaxial speaker system with neodymium 40mm dome tweeter and 20mm dome super-tweeter. Paper-Mica woofer down to 40Hz. Grilles included.

Power 100Wrms  
Freq. 40Hz to 23KHz  
Code CX690



PAIR

### 6.5" 2-WAY COAXIAL CAR SPEAKERS - HERTZ

165mm x 65mm, 142mm Hole

Pair of two way coaxial speaker system with tilt adjustable, soft Tetolon® fiber 24 mm dome neodymium tweeter and 165mm Paper-Mica mid-woofer down to 65Hz. Grill sold separate.

Power 70Wrms  
Freq. 65Hz to 22KHz  
Code CX165

**CX165 GRILLE PAIR**

Code CG165



PAIR

### 4CH CAR AMPLIFIER 760W - HERTZ AUDIO

**BUILT-IN CROSSOVER**

Class AB four channel 55Wrms, three CH, or Stereo 170Wrms. 4Ω stable. Flat or adjustable High-pass, low-pass 50-500Hz. Audio signal sensor auto power. 315x190x50mm

Channels 4-3-2  
Power 760Wmax  
Code HCP4






## Subwoofers

### LINEAR ARRAY TRANSDUCER (LAT) 5" WOOFER

#### SIX 5" WOOFERS IN PARALLEL - EQUIVALENT TO 2x 10" SUBS

Zn	8Ω	4Ω
Re	8.1Ω	3.1Ω
Power	250Wrms	250Wrms
Sens.	89dB	92dB
Le	4.0mH	1.5mH
Fs	28Hz	28Hz
Sd	525cm <sup>2</sup>	525cm <sup>2</sup>
Qms	9	9
Qes	0.4	0.5
Qts	0.4	0.45
Vas	81L	81L
Code	LAT500-8	LAT500-4

Dual voice coils: wire them together in parallel for "Zn". Suit ported box 30L and up. Requires Low-pass crossover up to 500Hz. Super modern design style "Equivalent in power to Two 10" Subwoofers". Champagne Silver, black ends. Heavy duty 1.5" voice coils. 6x masts coupled to 6x cones. Power 250Wrms IEC noise test Claimed 750W Long Term. Mechanical cancelling of distortion (push-pull). A unique designed solution for the automotive environment that boasts impressive performance too. 300x150mm



EACH

Compact  
Unobtrusive  
Unique



More HiFi  
Speakers See  
Section 03 Audio  
Speakers & PA

## Speaker Boxes Active

### ACTIVE SUBWOOFER - CRYSTALM

#### FITS IN TIGHT SPACES - 10" OR 8"

Compact Active Subwoofer is designed to be installed in small, tight spaces where standard subwoofers cannot fit, like under or behind seats and inside storage compartments, etc. The built-in amplifier provides ample power and it comes supplied with a remote control for convenient bass control. Features both RCA and hi-level speaker inputs with signal sensing on/off which makes it a great choice both OEM upgrades and full aftermarket installations (leads required, not included).



More HiFi  
Speakers See  
Section 03 Audio  
Speakers & PA

#### 8" 150W 345x235x78mm

Code  
CBF80A

#### 10" 180W 360x280x90mm

Code  
CBF100A



## Crossovers

### DSP DIGITAL SIGNAL PROCESSOR FOR HOME & CAR AUDIO - 4 IN TO 8 OUT

Ease of use has always had its place in the consumer electronics industry. Dayton Audio has now brought to market a digital signal processor (DSP) that combines versatility, incredible sound quality, and ergonomic graphical user interfaces. The most unique feature of the DSP-408 is the ability to use it in a vehicle or home audio system right out of the box. This adaption allows users to use a single model of DSP for all their audio processing needs. For many individuals, the pursuit of perfect sound quality is a never-ending quest. When utilizing all the features the DSP-408 offers, the ability to manipulate and improve the sound quality of your audio system is simply astonishing. With access to all of the following features, perfecting your audio system is just a matter of time. Connect to your DSP-408 and get to work!

Real-time signal processing for ultimate control  
Complete audio customization for application specific installations  
Easy-to-use Graphical User Interface (GUI)  
All eight output channels have a fully adjustable 10-band parametric EQ  
Optional Bluetooth dongle (for streaming and app control) and wired remote available



Code  
DSP-408




#### OPTIONAL BLUETOOTH DONGLE FOR DSP-408

Code  
DSP-BT4.0



#### OPTIONAL WIRED REMOTE CONTROL FOR DSP-408

Code  
DSP-NRC







## □ Speaker Boxes / Enclosures

### 10" SUBWOOFER BOX - LOW PROFILE 24L

#### SUITABLE FOR UTES

10" Slim line ported sub box designed for Utes. Subwoofer Boxes are tuned by professionals for the optimal output for their respective budget and applications.

Suits	10"
Volume	24L
Box Size	441x500x185mm
Code	UBOX10



### 12" SUBWOOFER BOX SLIMLINE

#### SUITABLE FOR UTES

Slimline box designed for tight spaces like in Utes, etc. Hole cutout for 12" speaker around 150mm deep. 16mm MDF covered in durable carpet.

Suits	12"
Size	500x205x440mm
Volume	24L
Code	UBOX12



### 12" WEDGE SUB-WOOFER CABINET

Single 12" 305mm driver required.  
Dark grey carpet wrapped  
Wedge box design MDF  
Internal foam wadding included  
Sealed for simplistic setup  
Or simply drill a port if required

Suits	12"
Size	350x460x320mm
Volume	28L
Code	SB12100



### 12" SUB WOOFER BOX FOR CAR 42L DUAL PORT

12" Dual Ported sub box designed for vehicles. Subwoofer Boxes are tuned by professionals for their respective budget and applications.

Suits	12"
Volume	42.5L
Size	474x400x330mm
Code	UB12S2



## □ Speaker Boxes / Enclosures

### 6x9" SPEAKER CABINET

#### SEALED PLASTIC CABINET PAIR

Pair Suits 6x9" speakers.  
Quality ABS sealed plastic box 180x190x280mm  
Screw cable terminals with 4mm banana posts.  
Includes mounting bracket & screws.  
Wedge shaped for mounting versatility.

QTY	Code
2	APFB69B



### 6" SPEAKER BOX MDF

#### 205x210x230mm with 125mm Hole

MDF Particle board and covered in carpet.  
125mm hole cut to suit 6" drivers (152mm).  
Sold in pairs.

QTY	Code
2	SB60A



SPEAKERS NOT INCLUDED  
REQUIRES SPEAKERS

### 6x9" SPEAKER BOX MDF

#### WOODEN CABINETS GIVE A TIMBRAL SOUND

MDF Particle board and covered in carpet. Front hole cut to suit 6x9" (152x254mm) Outer dimensions 185Hx300Wx200D mm. Wooden cabinet filled with acoustic wadding for a warm quality that brings the best from your 6x9" speaker. Attractively wedge shaped matte black. Sold in pairs.

QTY	Code
2	SB69A



### 6x9" REAR SPEAKER BAFFLE

For protecting or baffling 6x9" speakers Ideal for hatchbacks, etc. where the rear of the 6x9" speaker is exposed to dust or where poor bass results from no baffling. Add a rear speaker cabinet to tighten bass. Black plastic. Sold in pairs.

Code
AP6900







## □ Speaker Spacers

### SPEAKER SPACERS MDF

#### 16mm THICK SPEAKER SPACERS

Pre-drilled Medium Density Fibreboard Pairs  
Allows speakers to clear objects behind them

Size	I/D	O/D	Code
4"	110mm	140mm	AP314
5-6"	152mm	160mm	AP3151B
6½"	165mm	180mm	AP3161
6x9"	152x228mm	187x285mm	AP3181
6x9" 7x10"	158x230mm	200x268mm	AP3191
6x9" 7x10"	178x254mm	202x272mm	AP3191B



### SPEAKER SPACERS CARPETED

#### 25mm THICK MDF

Pre-drilled Sold in pairs Medium Density Fibreboard  
Pre-wrapped in grey or black interior carpet. 25mm.

#### GREY CARPET

Size	I/D	Code
6"	152mmØ	AP3061C
6½"	165mmØ	AP3062C
6x9"	152x228mmØ	AP3081C

#### BLACK CARPET

Size	I/D	Code
6"	152mmØ	AP3161C
6½"	165mmØ	AP3162C
6x9"	152x228mmØ	AP3181C



### SPEAKER SPACERS ABS PLASTIC

#### 6" ROUND

Colour	Description	Code
Black	5 1/4" 6 1/2" Spacer, 25mm, 133-165mm	AP316

#### 6" TILTED

Colour	Description	Code
Black	5 1/4" - 6" Tapered Speaker Spacers	AP3166

#### 6x9" SQUARE

Colour	Description	Code
Black	6" x 9" 152-228mm Spacers Plastic	AP318

#### 6x9" ROUND TILTED

Colour	Description	Code
Black	6" x 9" Angled Spacers 152-228mm	AP317



### 5x7" CONVERT TO 6"

#### INSTALL 6" SPEAKERS

1 Pair MDF 5" x 7" Adaptor plates  
to suit BA & BF Falcon, etc.  
Converts rare 5"x7" to 6"

Code  
APF57S



### 6x9" MOULDED PLASTIC SPACERS

#### 150x230mm MOUNT PAIR 100mm

Reinforced ABS plastic.  
Rubberised coated Dark grey black  
Sturdy MDF Base panel Base  
measures 75x250mm Height angle  
100 to 50mm. Low profile as the  
new 6x9" magnets fit down the  
replaced 6" speakers existing hole.

Code  
APS690SG



### SPEAKER SPACERS SUIT HYUNDAI

Speaker spacers to suit Hyundai  
to adapt 165mm Speakers.

Code  
APS295



Make sure you have what you need to complete your car's stereo system installation or simply to make it work according to its design intent. So if something doesn't fit, look for an adaptor here.

**Aerpro**  
First Choice



## SPEAKER SPACERS - VEHICLE MODEL SPECIFIC

### ADAPTORS TO FIT AFTER MARKET SPEAKERS TO YOUR CAR

Premium plastics used  
Ridgid for audio quality  
Suits most popular sizes  
Many makes and models  
Packaged for resale



Suits	Code
Alfa Romeo MiTo (2008-13), Giulietta (2010-14) (940), Giulietta (2014- ), Fiat Ducato (2006-11), Fiat 500 (2008-14), Holden Astra (2004-09)	APS287
AH, Opel Corsa, Fiat 500 (2014-)	
BMW 3 Series 1990-1999 E36	APS245
BMW 3 Series 1998-2005 E46	APS242
BMW 3 Series 1998-2005 E46, Mini Cooper R50-R53 2002-2006	APS243
Ford Escape 2001-2005, Falcon 1998-2000 AU Series I, Falcon 2000-2002 AU Series II and III, Falcon 2002-2008 BA, BF; Mazda 323 (Familia) 1998-2001 BJ, 323 (Familia) 2001-2003 SP20, Hatchback Only, Tribute 2001-2005	APS275
Ford Falcon 2002-2008 BA, BF, Escape 2001-2005, Mazda Tribute 2001-2005, 323 (Familia) 2001-2003 SP20, Hatchback Only, 323 (Familia) 1998-2001 BJ	APF57S
Ford Falcon FG	APS274F
Ford Falcon FG	APS274R
Ford KA 1999-2002, Fiesta 2004-2005 WP, Mondeo 1999-2000 HD, HE, Focus 2002-2004 LR, Transit 1996-2013 VF, VG, VH, VJ, VM; Peugeot 306 1994-2002; Mazda 3 (Axela) 2004-2009 BK	APS271
Front 6.5" Audi Q5 2012-2016 (8R)	APS236
Holden Astra 1998-2005 TS, Vectra 1999-2002 JS, Zafira 1999-2004 TT and Renault Trafic 2011-2014 X83	APS286
Holden Barina 1994-2000 SB, Barina 2001-2005 XC, Renault Trafic 2011-2014 X83	APS282
Holden Barina 1994-2005 SB & XC, BMW X5 2000-2006 E53	APS284
Holden Barina 2001-2005 XC, Combo 1996-2013 SB, XC	APS283
Holden Colorado 2014-2016, 2017- (LS, LSX, LT), 2017- (LTZ, Z71, Storm), Colorado 7 2014-16	APS293
Holden Colorado 2014-2016, 2017- (LS, LSX, LT), 2017- (LTZ, Z71, Storm), Colorado 7 2014-16	APS292
Holden Commodore 2006-2011 VE	APS290R
Holden Commodore 2006-2011 VE	APS290F
Holden Commodore 2013-2017 VF	APS294F
Holden Commodore 2013-2017 VF	APS294R
Holden Cruze 2009-2016 JG, JH, Trax 2013-2017 TJ, Commodore 2013-2017 VF, Astra 2014-2016 PJ, Equinox 2017- EQ, Acadia 2017- AC, Astra 2016- BK, Barina 2011-2016 TM, Opel Astra 2012-2013 AS, Chevrolet Silverado 2007-2013, Corvette 2005-2013, Silverado 2014-	APS288
Honda Accord: 1998-04, Civic: 2001-05, Jetta: 1998-2005	FP827803
Honda Civic 2006-2011 Hatchback, Civic 2006-2011 Sedan, Insight 2010-2013, Accord Euro 2008-, Stream 2006-, CRV 2017 RW, CR-Z 2010-2016.	APS291
Mazda CX5 2012-2014, 3 (Axela) 2013- BM, 6 (Atenza) 2014- GJ Series 2, CX5 2015-2017	APS313
Mercedes A-Class 2005-2011 W169, B-Class 2005-2011 W245; Ford Mondeo 2007-2014 MA, MB, MC, Mondeo 2015- MD	APS318
Mercedes C-Class 00-04 W203, C-Class 04-06 W203, CLC 08-11 CL203, 00-04, 05-08	APS317
Mercedes C-Class 07-12 W204, 09-10 W212, Vito 2015- W447, C-Class 2012-2014 W204	APS311
Mercedes C-Class 07-12 W204, E-Class 2009-2010 W212, 12-14 W204, Vito 2015- W447	APS319
Mercedes C-Class 2000-2006 W203, CLC 2008-2011 CL203, CLK 2000-2008	APS316
Mercedes CLK 2000-2004	APS315
Nissan Navara D40, NP300 (ST/STX), NP300 (DX/RX), Hyundai Tiburon 2002-2009	APS369
Nissan Pulsar 00-05 N16, Micra (March) 07-10 K12, Juke 10-13 F15, X-Trail 01-07 T30, T30II, 07-13 T31, Juke 14-F15, Navara 07-15 D40, 15- NP300 (DX/RX), 2015- NP300 (ST/STX)	APS321
Rear 6.5" Audi Q5 2012-2016 (8R)	APS235
Subaru Forester 2013-2015 SJ	APS325
Subaru Impreza 2015-, Liberty, Legacy 2009-2015, Outback 2009-2015, Forester 2008-2012 SH	APS323
Suzuki Swift 2005-2011, SX4 2007-2013, Grand Vitara 2005-2013	APS328
Toyota 86 2012-, Avensis 2003-09, Blade 2006-11, Caldina 2002-07, Corolla 2002-11, Landcruiser 99-06 100 Series, Prado 2009-2013 150 Series [GX], RAV4 2001-05, C-HR 2017-	APS331
Toyota Camry 2002-2006, Camry 2006-2011, Corolla 2002-2007, Corolla 2007-2011, Yaris (Vitz) 2005-2011, Yaris 2011-2013, Blade 2006-2011	APS335
Toyota Camry 2002-2006, Camry 2006-2011, FJ Cruiser 2007 - 2015, Tundra 2007-2013, Tundra 2014-, Prado 2009-2013 150 Series, Lexus RX330 2003-2008, RX350 2003-2008	APS333
Toyota Camry 2002-2011	APS330
Toyota Camry 2002-2011, FJ Cruiser 2007 - 2015, Tundra 2007-2013, Tundra 2014-, Landcruiser 2007-2011 200 Series, Landcruiser 2012-2015 200 Series, Lexus RX330 2003-2008, RX350 2003-2008	APS336
Toyota Camry 2012 -	APS339
Toyota Camry 2012 - 2017, Corolla 2015-2017 Hatch, Corolla 2017- Sedan	APS338
Toyota Corolla 2002-2007, Hilux 2005-2012, Kluger 2008-2012	APS334
Toyota Corolla 2002-2011, RAV4 2001-2005	APS332
Volkswagen Bora (Jetta) 98-05, Golf 99-04 MK4, 04-09 MK5, 09-13 MK6, Passat 98-05, Polo 98-05, Polo 06-09, Beetle 00-10, Caddy 05-15 up! Skoda Octavia 2007-2013	APS353
Volkswagen Caddy 2005-2015, Jetta 2006-2015, Tiguan 2008-2014, Touareg 2004-2010, Touareg 2010-, Transporter T5 2010-2015, Transporter T6 2016-, Multivan 2016-	APS354



## □ Speaker Grilles

### VT-VY 6X9" SPEAKER GRILLES

#### REPLACEMENT 152x228mm

6x9 Speaker grilles used to replace the original grilles when removing factory fitted speakers.

Packed in hang sell, full colour box.


Colour	Code
Grey	VTVY96



### SPEAKER GRILLES

Single piece grille pressed from steel. Rubber grommet outer Strong construction protects speakers outer screw clamps Suit PA, Subs, etc.

Size	Ø	Code
8"	202mm	MG80
10"	254mm	MG100
12"	305mm	MG120
15"	382mm	MG150



### SPEAKER GRILLE CLOTH

#### 1X1.5M COVERS SPEAKERS, ETC.

High quality, attractive, acoustically transparent grille cloth is ideal for protecting drivers and allowing all of the sound to get through. BLACK. 1500 x 1000mm sheet x1 Black in colour

Code
SPGC151



### SPEAKER CABINET CORNER PROTECTOR

Protect your speaker cabinets with these quality corner protectors. They are made with high quality molded plastic. With a thickness of 9mm.

QTY	Size	Code
1	81x57x57mm	CNR3623



### GASKET TAPE 3MM

3mm thick Sticky one sided tape. Black foam compressible conforms to irregular shapes and contours. Excellent acoustic barrier suits speaker mounting for a good air-tight seal from speaker rim to panel.

Width x Length	Code
9mm x 1M	GT7100
9mm x 2M	APT3092
12mm x 2M	APT3122
18mm x 2M	APT3182
9mm x 25M	APT6351
12mm x 25M	APT6352
18mm x 25M	APT6353



## □ Carpets / Cloth / Sound Deadener

### CARPET SPEAKER BOX COVER MATERIAL

"Unbacked" box carpet. Unwoven so will not fray. Super tough to protect PA Boxes from roadies or Subs for the car boot.

Colour	Size	Code
Speckled Red	0.75M x 2.0M	CASRD1
Black	0.75M x 2.0M	CABK1
Grey	0.75M x 2.0M	CAGR1
Charcoal	0.75M x 2.0M	CACH1



### VINYL COVER DIY

650mm Wide x 2000mm roll  
Cloth backed

Colour	Width	Length	Code
Grey	0.65M	2.0M	VLGR2
Charcoal	0.65M	2.0M	VLCH2
Black	0.65M	2.0M	VLBK2C



### SOUND DEADENER BUTYL

#### ADHESIVE BACKED

This product is designed to be stuck on the inside of the outer door skins in car installations to deaden resonance and reduce road noise for better stereo! Reduce panel rattles, improve sound for that professional installation.

Also, deaden those noisy speaker cabinets with heavy sound absorbing material. Improves box acoustics for subwoofers. 1.5x330x900mm.

Code
MAT302



### SOUND DEADENER - BUTYL & FOAM

#### ADHESIVE BACKED

Super sound deadener 660x330mm sheet  
1.5mm butyl & 3mm foam, adhesive backed.

Code
MAT675



### UNIVERSAL WATERPROOF FACIA COVER

#### SINGLE DIN

Universal waterproof facia cover

Code
FP9005



## What fits your car?


VEHICLE SPECIFIC SOLUTIONS FROM AERPRO  
THE WEB OFFERS A FASTER WAY TO FIND ITEMS  
SELECT YOUR VEHICLE & SEE WHAT'S AVAILABLE  
[www.aerpro.com.au](http://www.aerpro.com.au)





## □ Audio Plugs & Adaptors

### SCREWS



Head	Size	Code
Allen Key 7mm	4mm	AS420-20
1/4" Hex Head	8G x 20mm	STS7B
1/4" Hex Head	10G x 25mm	STS8B
1/4" Hex Head	3.9x16mm	STH3916

More Available - See Section Tools...

### ROUND SPEAKER BOX TERMINAL

#### 50MM HOLE

Overall size: 23x75mmØ,  
cutout: 50.4mmØ.  
Includes gasket.

Code  
J709



### TERMINAL PANEL

#### SQUARE

Jig-saw hole flush solution. Drops into a 72x60mm Hole. Gold-Plated screw terminals. Accepts large gauge cable and 4mm banana plugs. Each.

Code  
J707



### TERMINAL PANEL

#### BI-TERMINAL

Accepts two sets of inputs. Drops into a 75x96mm Hole. Gold-Plated screw terminals. Accepts large gauge cable and 4mm banana plugs. Each.

Code  
J708



### SPEAKER BOX BINDING POSTS DAYTON

#### SPEAKER BOX TERMINALS 4mm OR BARE WIRE

Accept bare wire up to 8 gauge / 4mm wire or plugs.  
Suit speaker cabinets with walls 9.5 to 25.4mm thick.  
Packaged in pairs, one Red and one Black.

Type	QTY	Code
Gold plated	2	BPA-38G
Satin Nickel	2	BPA-38SN
Nickel plated	2	BPA-38NI



### SPEAKER BOX BINDING POSTS

Will accept 4mm banana plugs or wire.  
20mm max panel thickness.

Colour	Red	Black
QTY	2	2
Code	P780	P781



### SPEAKER BINDING POST PANELS



COMBINATION SBPP-SI & BPP-SN

More Available in the Cable and Connectors Section...

## □ Speaker Box Ports

### BASS REFLEX PORT 25mmØ

Cut to Length Push-fit Flanged mouth  
Port: 100mm x 25mmØ  
Hole 35mmØ/D

Code  
PORT1X4L



### BASS REFLEX PORT 33mmØ

Cut to Length Push-fit Flanged  
mouth 80mm x 33mmØ

Hole Code  
40mmØ PORT8033



### BASS REFLEX PORT 50mmØ

Cut to Length Push-fit Flanged  
mouth 125mm x 50mmØ

Hole Code  
58mmØ PORT12550



### BASS REFLEX PORT 60mmØ

Cut to Length Push-fit Flanged  
mouth 125mm x 60mmØ

Hole Code  
70mmØ PORT12560



### BASS REFLEX PORT-END 60mmØ

INTERNAL MOUNT SILENCER  
Compatible with 65mm PVC pipe  
Compatible with PORT12560

Code  
PORT4065



### BASS REFLEX PORT 95mmØ

Cut to length Push-fit Flanged  
mouth Port: 110mm x 95mmØ  
Hole cut out: 105mmØ

Hole Code  
105mmØ PORT11010



### BASS REFLEX PORT 95mmØ

Flush mount to 135mm Hole.  
Port 195x95mmØ

Code  
PORT334X758



### BASS REFLEX PORT 150mmØ

Port: 150x148mmØ  
Hole cut: 155mmØ

Code  
PT-309



### BASS REFLEX PORT 76mmØ and 100mmØ KIT

3 Parts. Tube can be cut.  
133mmØ Hole cut-out  
76mmØ Tube x 450mm

Code  
PSP3-BKHT



3 Parts. Tube can be cut.  
155mmØ Hole cut-out  
100mmØ Tube x 460mm

Code  
PSP4-BKHT





## □ Audio Installation Accessories

## □ In-Dash Mounting Kits

### IN-DASH MOUNTING KITS

#### MORE ARE AVAILABLE

Too many to list here please select online [www.aerpro.com.au](http://www.aerpro.com.au) then contact us for price & availability Below are some examples....

[www.aerpro.com.au](http://www.aerpro.com.au)



### IN-DASH MOUNTING KITS - FACIAS & EXTENDED KITS

#### SEE DESCRIPTIONS WITH [KIT]

In-Dash Mounting Kits include physical fascia modification parts.

Also Available: Extended Kits.

Items described with [Kit] also include extra parts and accessories required for a full replacement application with, in some cases, steering wheel remote control adaptors, wiring harnesses adaptors and universal patch leads for a full conversion to DIN sizes after-market units. For specific details, please see our website.



Products can be viewed at [www.wes.net.au](http://www.wes.net.au)  
More units available at [www.aerpro.com.au](http://www.aerpro.com.au)

### DOUBLE DIN BRACKETS - USB & 3.5MM AUX

#### TO SUIT VARIOUS TOYOTA MODELS

These side tabs are designed for mounting a double DIN head unit to your Toyota vehicle, giving your new stereo installation a professional look.

Code  
ATB3USB



### DOUBLE DIN TOYOTA SIDE FACIA BRACKET

Custom design for Toyota for fitting a double DIN unit. Left and right bracket.

Colour	Code
Matte Black	ATB2
Gloss Black	ATB2GB



### UNIVERSAL DIN TRIM RING

Used for replace broken trim ring and give the car a new professional look. 3MM thick.


Colour	Code
Black	89300125



### UNIVERSAL TRIM RINGS 4 IN A PACK

Pack of four trim rings, 3.2mm, 6.4mm, 12.8mm & 19mm trim rings for replacing broken trim ring.

Code  
89300900



### PLASTIC DIN HOLE COVER

Blank plastic panel to fit single din hole. Size: 60mm x 189mm x 3mm

Code  
PP600580




### UNIVERSAL HALF DIN POCKET

#### HALF HEIGHT DIN

This pocket fits under an equalizer or half DIN size unit to fill in the remaining space.

Code  
88009700



### UNIVERSAL DIN FILLER PLATE

#### UNDER RADIO POCKET

Snap-locks in dash fills vacant space professional finish.

Code  
FP9014



### DOUBLE DIN TO SINGLE DIN

#### UNIVERSAL MULTI-KIT

Ford Mazda Nissan Toyota Double-DIN height units used in many car models. Snap-locks in dash to fill in the vacant space left when an after-market car head unit is installed Universal adaptors inc.

Code  
88009000



### DIN HOUSING

This quality housing allows installation of a DIN or older shaft type head units to be installed where no room was previously provided. Snap out shaft mounts for full DIN hole. Made from UV stabilised black premium ABS plastic. Mount up-side or Down-side DIN 90x255x230mm

Size	Code
DIN Classic	AP9000
DIN Open	FP9000
Double DIN	AP9100





## □ Cradles & Holders - Magnetic Mount

### MAGMATE™ MOUNT KITS WITH iPhone CHARGER

Magnetic Phone Mount includes 3.4A charger  
Apple Lightning® curly cord (MFI certified)

Type	Code
Vent Mount	APMVKIT

MagMate



Type	Code
Dash Mount	APMMDKIT

MagMate



Type	Code
Windscreen	APMWSKIT

MagMate



\*iPhones not included

### MAGNETIC VENT MOUNT - MAGMATE

Magnetic Phone Holder.  
Vent clip attach type.  
Includes steel plate.

Code
APMVLOK

MagMate



### MAGMATE™ MAGNETIC DASH MOUNT

#### HOLDS YOUR MOBILE DEVICE IN PLACE WHILE DRIVING

Magnetic phone holder.  
Suit Dashboard mount.  
Suction cup type.  
Includes steel plate.

Code
APMTDASH

MagMate



### BLANK PLATES FOR MAGNETIC MOUNT

#### 40MMØ & 45X65MM KIT

Steel plates with adhesive backing.

Code
MNT1204



### MAGMATE™ PRO MAGNETIC DASH MOUNT

50% stronger neodymium  
magnetic base with 3M  
adhesive dash mount and  
ball head joint. Includes  
steel plate.

Code
APMPDM1

MagMatePRO



### MAGMATE™ PRO MAGNETIC FLAT MOUNT

#### FLAT BACK (No Bracket)

Adhesive backed  
plate. Magnetic holder.  
Includes 2 metal plates  
for the phone.

Code
APMPUM1

MagMatePRO



### MAGMATE™ PRO MAGNETIC VENT MOUNT

Air vent mount with locking clamp base  
Attaches to the air vent in the vehicle  
6 Neodymium magnets super strong hold  
Includes one holder plate.

Code
APMPVM1



### MAGMATE™ PRO MAGNETIC SUCTION MOUNT

#### FEATURING 6x SUPER STRONG HOLD NEODYMIUM MAGNETS

Code
APMPSM2

MagMatePRO



### MAGMATE™ MAGNETIC WINDSCREEN MOUNT

Magnetic Phone Holder  
Windscreen suction cup  
Angle adjustable head.  
Includes a steel plate.

Code
APMPSM1



### MAGMATE™ REPLACEMENT METAL PLATES

#### TWO SUPPLIED: GREY & BLACK

Magmate pro magnetic  
holder plates twin pack.  
Steel plates with adhesive  
backing to attach to phone  
casing, etc. 44x64mm

Code
APMPPL2

MagMatePRO







## □ Cradles & Holders - Snap Base

### UNIVERSAL CRADLE & ANTENNA PATCH CABLE

Universal phone cradle with adjustable padded clamp-N-hold fingers. Inbuilt antenna coupler with FME Male lead out for external antenna. Cradle only, requires "MNT" mounting option & cellular antenna.

Size	Width	Code
100x55mm	40mm to 115mm	CAL9002
150x55mm	50mm to 110mm	CAL6514

**CRADLE TO SUIT  
"MNT" BASES:**

**MOBILE  
ANTENNA  
PATCH**



### SNAP-BASE VENT CLIPS

#### BALL-SOCKET JOINT

Adjustable angle.  
Suits CAL9002,  
CAL6514

Code  
MNT70



### SNAP-BASE DASH MOUNT

#### BALL-IN-SOCKET MOUNT

Adjustable swivel in all directions.  
Quality M3 adhesive 30x50mm.  
Suits CAL9002, CAL6514

Code  
MNT72



### SNAP-BASE WINDSCREEN MOUNT

#### BALL-JOINT & ARM

65mmØ heavy-duty suction  
cup 110mm stand-off 30°  
angled with Ball-in-socket angle  
adjustment and screw lock  
Suits CAL9002 & CAL6514  
cradle (clips on back of)

Code  
MNT78



#### GOOSE NECK

Windscreen mount with 70mm suction cup.  
250mm long bendable arm.  
Suits CAL9002  
and CAL6514.

Code  
MNT76

## □ Accessories Socket Mount

### ACCESSORIES SOCKET CRADLE WITH USB 2.1A

Single Socket Adaptor & Single USB  
Port with Phone Holder. Powers  
one 12V and one 5V accessory at  
the same time. 180 degree rotating  
function. Turn this collar section to  
expand or contract the Accessories  
plug for a nonslip hold.

Code  
APH250S



## □ Windscreen Mount

### WINDSHIELD MOUNT - 3x AXIS

#### 3x AXIS 6" ARM

70mm Suction cup grip secures  
to windshield. 150mm stand-off  
arm. Adjust & Locks in place  
Rotates, pivots, tilts. Universal  
cradle to suit phones with width  
from 45mm to 110mm.

Size Code  
45mm - 110mm CRA50



### WINDSHIELD MOUNT - GOOSENECK 8"

#### 8" GOOSENECK

70mm Suction cup grip secures  
to windshield. 130mm bendable  
arm twists to all angles and will  
not sag. Universal cradle to suit  
width from 40mm to 100mm.

Size Code  
40mm - 100mm CRA51



### WINDSCREEN MOUNT - SLATE & TABLET PC

#### UNIVERSAL LOCKING JAWS

Adjustable claws hold various  
tablets, slates, iPads®, etc.  
Felt & rubber grips. Position  
locking. 90mm suction cup.  
Adjustable grip.

Size Code  
200mm - 300mm CRA57  
100mm - 210mm CRA60



### IPHONE SMART CRADLE - WINDSCREEN

#### COMPATIBLE WITH APPLE IPHONE® WITH LIGHTNING PORT

Charging dock is designed to  
securely hold any model iPhone with  
a lightning connector. The adjustable  
phone cradle features a suction  
mount base for mounting on your  
dashboard or console location.

Code  
APH485

**Aerpro**  
First Choice



### ACCESSORIES SOCKET CRADLE WITH USB 2.1A

Accessories Socket Adaptor and  
USB 2.1A with universal phone  
Holder on an adjustable angle  
and position gooseneck arm.  
Aerpro packaged.

Code  
APH350S

**Aerpro**  
First Choice





## □ Cradles & Holders - SmoothTalker

### ACCESSORIES PLUG MOUNT UNIVERSAL HOLDER

#### ANTENNA COUPLER WITH CHARGER

External antenna connector with an FME male end. Includes charger and mount with short cable to Micro-USB or Lightning Plug for Apple®.

Type	Code
Micro-USB	BTHUN1PA
Lightning MFI	BTHUN2PA

**SmoothTalker**  
ANTENNA COUPLER  
& POWER CHARGER



### SUCTION MOUNT UNIVERSAL PHONE HOLDER

#### ANTENNA COUPLER WITH CHARGER

Windscreen mount. External antenna connector with an FME male end. Includes charger and cable to Micro-USB or Lightning Plug for Apple®.

Type	Code
Micro-USB	BTHUN1CAS
Lightning MFI	BTHUN2CAS

**SmoothTalker**  
ANTENNA COUPLER  
& POWER CHARGER



### SUCTION MOUNT UNIVERSAL PHONE HOLDER

#### EXTERNAL ANTENNA CONNECTION ONLY

Smooth talker universal cradle can be used with any phone and includes antenna connection and a swivel bracket to windscreen mount.

Code
BTHUN1AS

**SmoothTalker**  
ANTENNA COUPLER



### DASH MOUNT UNIVERSAL PHONE HOLDER

#### ANTENNA COUPLER WITH CHARGER

Universal base mount. External antenna connector with an FME male end. Includes charger and cable to Micro-USB or Lightning Plug for Apple®.

Type	Code
Micro-USB	BTHUN1CA
Lightning MFI	BTHUN2CA

**SmoothTalker**  
ANTENNA COUPLER  
& POWER CHARGER



### DASH MOUNT UNIVERSAL PHONE HOLDER

#### ANTENNA COUPLER WITH CHARGER

Universal base mount. External antenna connector with an FME male end. Includes hard-wired power and cable to Micro-USB or Lightning Plug for Apple®.

Type	Code
Micro-USB	BTHUN11A
Lightning MFI	BTHUN21A

**SmoothTalker**  
ANTENNA COUPLER  
& POWER CHARGER



### ACCESSORIES PLUG MOUNT UNIVERSAL HOLDER

#### CRADLE & POWER - NO ANTENNA

Accessories plug mount cradle with adjustable padded holding arms. Holding arms ratchet is released via a push button on the side of the cradle. Charger to Micro-USB.

Code
BTHUN1P

**SmoothTalker**  
POWER CHARGER



### SUCTION MOUNT UNIVERSAL PHONE HOLDER

#### CRADLE & POWER - NO ANTENNA

Windscreen mount cradle with adjustable padded holding arms. Holding arms ratchet is released via a push button on the side of the cradle. Charger to Micro-USB.

Code
BTHUN1CS

**SmoothTalker**  
POWER CHARGER



### UNIVERSAL HOLDER WITH SUCTION MOUNT

#### CRADLE ONLY - NO POWER & NO ANTENNA

Smooth talker universal cradle can be used with any phone to a swivel bracket with windscreen mount.

Code
BTHUN1S

**SmoothTalker**



### DASH MOUNT UNIVERSAL PHONE HOLDER

#### CRADLE & POWER - NO ANTENNA

Universal base cradle with adjustable padded holding arms. Holding arms ratchet is released via a push button on the side of the cradle. Charger to Micro-USB.

Code
BTHUN1C

**SmoothTalker**  
POWER CHARGER



### DASH MOUNT UNIVERSAL PHONE HOLDER

#### CRADLE & POWER - NO ANTENNA

Universal base cradle with adjustable padded holding arms. Holding arms ratchet is released via a push button on the side of the cradle. Hard-wired power to Micro-USB.

Code
BTHUN11

**SmoothTalker**  
POWER CHARGER







## □ Mounting Brackets

### DASH MOUNT UNIVERSAL PHONE HOLDER

#### EXTERNAL ANTENNA CONNECTION ONLY

Smooth talker universal cradle can be used with any phone and includes antenna connection and a swivel bracket to universal base. 30x36mm screw holes.

Code  
BTHUN1A

**SmoothTalker**  
ANTENNA COUPLER



### UNIVERSAL HOLDER WITH DASH MOUNT

#### CRADLE ONLY - NO POWER & NO ANTENNA

Smooth talker universal cradle can be used with any phone to a swivel bracket to universal base. 30x36mm screw holes.

Code  
BTHUN1

**SmoothTalker**



### UNIVERSAL DASH-MOUNT BRACKETS

#### SUITS MOST DASH-MOUNT TYPE CRADLES

The following brackets have 30x38mm mounting holes to suit a majority of dash-mount cradles including SmoothTalker and Aerpro

**Aerpro**  
First Choice

**SmoothTalker**



### UNIVERSAL PHONE HOLDER TO BRACKETS

Padded adjustable jaws spring grip firm hold 40-47mm suits modern sized mobiles. Black. Requires mounting bracket and screws.

Code  
CRA20



### SMOOTHTALKER STANDARD BASE/BRACKET

Both ends are the standard sized phone bracket mounting holes (38x30mm) compatible with most brackets, etc. Also compatible with our SmoothTalker cradle range.

Code  
ST-DMH



### UNI-JOINT MOUNTING BRACKET

#### ADHESIVE BACKED

Dual axis 180° x 360°  
Points any direction  
Position lock screws  
45x45mm x 60mm 3M® for maximum grip

Code  
MNT50




### UNIVERSAL CRADLE MOUNTING BRACKET

#### SMOOTHTALKER BASE

Compatible with replacing or repairing a Smoothtalker base. Screws supplied. For mounting a cradle to the bracket and the base to a mounting surface or compatible bracket.

Code  
MNT35

**SmoothTalker**



### CLAM SHELL BRACKET

#### 180° TILT

Metal construction. Thumb-screw locking black enamel paint. Includes screws 60x55x20mm.

Code  
CSM10



### CLAMSHELL MOUNTING BRACKET

Metal construction.  
Screw locking.  
Black enamel paint.  
Includes mounting screws and mounting plate for attaching to the cradle.  
Size: 58x53x20mm

Code  
CSM52

**SmoothTalker**



### "Z" MOUNTING BRACKET

#### 270° DOUBLE TILT

Fully adjustable dual elbow type stand-off bracket. Metal construction. Screw driver lock 65x50 face 30mm to 90mm

Code  
CSM81







### BENT BRACKET 40+30mm

R/A Pocket mount Suit  
Toyota Camry, etc.  
Base 32x50mm  
Phone 42x50mm

Code  
PB74



### MOUNTING BRACKET 84MM

L Shaped bracket  
Base: 25x84mm  
Phone: 25x84mm

Code  
MNT84



### DIN BRACKET

DIN size bracket Elbow stand-off 20mm  
Base 190x60mm  
Phone 39x60mm

Code  
PB65



### TO SUIT SPECIFIC CAR MODELS

Specifically designed  
brackets to suit specific  
models of vehicles.



### AUDI

Hook & Hold No screws Suits many Audi models  
Base 9x52mm  
Reach 32mm  
Phone 72x52mm

Code  
PB86



### BMW EARLY

U Bracket 3 5 7 Series and Z3, etc.  
Base 49x65mm  
Reach 38mm  
Phone 80x65mm

Code  
PB73



### FORD FALCON AU

Ford Falcon AU Car radio area  
Base 52x44mm  
Reach 16mm  
Phone 52x48mm

Code  
PB72



### FORD FALCON AU-II

Base 40x38mm  
Reach 28mm  
Phone 56x50mm

Code  
PB79



### HOLDEN ASTRA

Custom suits Holden Astra  
Base 27x38mm  
Reach 30mm  
Phone 50x50mm

Code  
MPB1615



### HOLDEN COMMODORE VP-VS

Tilt bracket for Commodore Ashtray area.  
Base 24x80mm  
Reach 85mm  
Phone 42x50mm\*

Code  
PB69




### HOLDEN COMMODORE VY-VZ

Tri-bend L Custom fits Commodore Radio area  
Base 17x62mm  
Reach 25mm  
Phone 44x50mm

Code  
PB68

**DISCONTINUED**



### HOLDEN COMMODORE VY-VZ

Custom fits Commodore Above-right Vent area  
Does not interfere with drink holders  
Reach 75mm  
Phone 44x54mm

Code  
PB67



### HOLDEN VECTRA

Double bend L Custom suits Holden Vectra  
Base 34x44mm  
Reach 18mm  
Phone 55x50mm

Code  
MPB1888



### MITSUBISHI 380

Customised bracket Suits Magna  
using existing bolts and fixtures.  
Base 40x17mm  
Reach 40mm

Code  
PB77



### UNIVERSAL CRADLE MOUNTING BRACKET

L Shaped bracket \*Smaller base.  
Suits "pocket mounts", etc.  
Base 70x34mm  
Phone 52x50mm

Code  
PB70



### TOYOTA HILUX 2005-2011

Custom suits Toyota Hilux  
Base 67x25mm  
Reach 42mm  
Phone 50x55mm

Code  
PB76





## □ Dash-Cams & Driver Assist □ Thinkware Dash Camera Kits

THINKWARE  
DASH CAM  
Mobile Viewer



Dual Channel Recording (Some Models)



Rugged for Australian conditions



Premium Sony CCD Technology



Live Feed App Controlled



Advanced Driver Warning System



Safety Camera Alert System



GPS Location and speed recording



PC View software with GPS Tracking

### SAFETY CAMERA ALERTS

The Safety Camera Alert is an exclusive safety feature from Thinkware to provide continuous warning alerts for photo enforcement locations on your driving routes while recording high quality videos at the same time. With the built-in GPS and safety camera location database, Thinkware Dash Cam actively monitors the vehicle location to inform you of approaching traffic/speed enforcement cameras such as red light cameras and speed cameras along your way. Voice guidance on the dash cam employs a two-step warning system where the first warning will provide distance remaining to the camera location and the speed limit, the second warning will alert you when you reached the exact camera location. This feature alone could pay for itself in one fine. Includes Australian Red-Light, Fixed, Variable and popular mobile trap locations (updateable).

### DASH CAM 4K UHD WIFI GPS - THINKWARE U1000

Thinkware 4K UHD front dash cam with SD card. Features industry leading Sony image sensor and supports state of the art video enhancements. Included WiFi for live screen view and playback. With GPS tagging. It supports smart safety alerts and has multiple recording modes to choose from. HWK (Hard-Wire-Kit). Front 64x112x32mm. Rear 56x23x28mm. Optional Rear Camera 2K.


#### 4K FRONT DASH CAM, HWC, GPS, WIFI

Resolution	Capacity	GPS	Code
4K 2160p UHD	32GB	Yes	U4K32
4K 2160p UHD	64GB	Yes	U4K64

#### 4K FRONT CAM DASH & 2K REAR CAM, HWC, GPS, WIFI

Resolution	Capacity	GPS	Code
4K (F) 1080P (R)	32GB	Yes	U4KD32
4K (F) 1080P (R)	64GB	Yes	U4KD64
4K (F) 1080P (R)	128GB	Yes	U4KD128

THINKWARE  
DASH CAMS



Available  
With or  
Without:  
Rear  
Camera



### DASH CAM 1080P FRONT & 720P REAR WIFI - THINKWARE F200

Full-HD 1080p front dash cam with Sony Exmor image sensors. Built-in Wi-Fi for smartphone connectivity to view live or recorder footage. Extra wide 140° angle field of view. Compact design lets you place it behind the rear view mirror, unlike other bulky dash cams, this model won't obstruct your driving view. Optional GPSANT adds extra Thinkware GPS Features including tracking, FCWS, FVDW, and LDWS.

#### 1080p FRONT DASH CAM

Resolution	Capacity	GPS	Code
1080p	16Gb	Optional	F20016

#### 1080p FRONT DASH CAM & 720p REAR CAM

Resolution	Capacity	GPS	Code
1080p (F) / 720p (B)	32GB	Optional	F20032K
1080p (F) / 720p (B)	64GB	Optional	F20064K



Available  
With or  
With Out:  
Rear  
Camera



### DASH CAM 1080P FULL HD - THINKWARE F100

Thinkware F100 dash cam is a 2-channel capable 1080p front dash cam with optional second camera input (2nd camera sold separately). Optional GPS (record vehicle speed & location, safety camera alerts). 16GB micro SD card included. High-temperature suitable for Australian conditions. Includes accessories plug power. Use PC viewer App for video playback, download recordings, view driving data, configure settings, etc. 78x35mmØ

Resolution	GPS	Code
1080p	Optional	F10016



See  
Accessories  
for Add-On  
Options

### DASH CAM 1080P FULL HD - THINKWARE F70

Full HD 1080p resolution video recording. 140-Degree wide angle view. Features advanced image enhancement to capture clear videos even at night. Supports various autonomous recording modes and supports safety camera alerts with the optional GPS. Includes accessories plug power lead 4m. Unobtrusive in size at only 78x35mmØ. Accessories plug. Windshield mount. Includes 8GB micro SD card.

Resolution	GPS	Code
1080p	Optional	F7008



See  
Accessories  
for Add-On  
Options





## DASH CAM 1080P GPS WIFI LTE CONNECTED - THINKWARE T700

Includes all the regular and advanced Thinkware Dash Cam Features including GPS and WiFi. With 4G LTE technology on-board, the T700 dash cam connects to your smartphone in real-time from anywhere around the world. SOS Emergency message, remote live view, strong impact parking videos, image of most recent park, vehicle status, driving history, etc. can all be accessed remotely via the LTE smartphone app. Insert an active 4G nano SIM Card (not included) with SMS & internet data into the dash cam to gain access to these Advanced Thinkware T700 Features.

### 1080p LTE CONNECTED FRONT DASH CAM

Resolution	Capacity	GPS	Code
1080p	32GB	Yes	T70032

### 1080p LTE CONNECTED FRONT DASH CAM & REAR CAM

Resolution	Capacity	GPS	Code
1080p F/R	32GB	Yes	T700D32
1080p F/R	64GB	Yes	T700D64



**Expandable System:**  
Add a rear camera  
Record up to Five  
cameras with  
**MULTMOD**

## DASH CAM 1080P FULL HD WIFI GPS - THINKWARE F790

The Thinkware F790 dash cam captures 1080P Full HD resolution. The GPS Advanced Driver Assistance System helps you to stay safe on the roads and the Safety Camera Alerts will prompt you to slow down when approaching a Speed or Red Light Camera. With multiple recording options including Time Lapse and Energy Save Park Modes, this dash cam offers 24/7 protection, even when you're not around. Includes HWK (hard-wire-kit). Optional 1080p Full-HD Rear camera.

### 1080p FRONT DASH CAM, HWC, GPS, WIFI

Resolution	Capacity	GPS	Code
1080p	32GB	Yes	F79032
1080p	64GB	Yes	F79064

### 1080p FRONT & REAR DASH CAM, HWC, GPS, WIFI

Resolution	Capacity	GPS	Code
1080p (F/R)	32GB	Yes	F790D32
1080p (F/R)	64GB	Yes	F790D64



**Expandable System:**  
Add a rear camera  
Record up to Five  
cameras with  
**MULTMOD**

## DASH CAM 1080P FRONT & REAR WIFI - THINKWARE F200PRO

This sleek and versatile Wi-Fi enabled Dash Cam provides 1080P Full High Definition on both front and rear cams using the upgraded "PRO" Amberella CPU for even better image quality in all conditions, offering the ultimate surveillance solution for every driver. Sporting all the regular advanced Thinkware features plus you can add the optional GPS Antenna (GPSANT) for ADAS and Safety Camera Alerts up-dateable over the WiFi.

### 1080p FRONT CAM DASH & 1080p REAR CAM

Resolution	Capacity	GPS	Code
1080p Front & Rear	16GB	Optional	F200PD16
1080p Front & Rear	32GB	Optional	F200PD32
1080p Front & Rear	64GB	Optional	F200PD64



**Expandable System:**  
Record up to Five  
cameras with  
**MULTMOD**

## DASH CAM QUAD MULTIPLEXER - THINKWARE MULTMOD

### RECORD UP TO 5 CHANNELS WITH THIS EXPANSION MODULE

The Thinkware MULTMOD Multiplexer Module transforms Thinkware F200PRO, F790 and T700 dash Cam models into a five channel dash cam solution. The module connects to the rear input of the dash cam and allows up to four additional cameras to be connected. The recorded footage from the additional cameras merge together to provide a single split screen 1080P FHD video file.

Code
MULTMOD

**THINKWARE  
DASH CAMS**

**Expandable System:**  
Record up to Five  
cameras with  
**MULTMOD**



## DASH CAM 1080P FULL HD - THINKWARE MULTMOD

### CABIN CAMERA 1080P CAPTURE VIDEO INSIDE THE VEHICLE

Includes 0.5m wiring kit.

Code
MULTIR



### SIDE CAMERA 1080P OUTSIDE MOUNT IP68 WEATHERPROOF

Includes 1.4m + 3m wiring kit.

Code
MULTSC



### OUTSIDE CAMERA REAR EXTERNAL IP68 WEATHERPROOF

Includes 5m wiring kit.

Code
MULTEC5







## Thinkware Rear Camera Add-ons

### THINKWARE 2K QHD REAR WINDOW CAM

#### TO SUIT U1000

2K 1440P QHD rear window camera to suit Thinkware U1000. Features 5.14M Sony Exmor R Starvis image sensor, 156° wide field of view. Includes 7.5m Cable to connect to front camera.

Code  
U4KRA



### THINKWARE 720p REAR WINDOW CAM

#### TO SUIT F100, F200, F200-PRO, T700

720p HD rear window camera to suit Thinkware F200 series featuring 135° wide field of view. Includes 5.5m cable to connect to front camera.

Code  
F100RA



### THINKWARE 1080p REAR WINDOW CAM

#### SUITS F200-PRO & T700 DASH CAMS

1080p Full HD rear window camera to suit Thinkware F200PRO and T700 dash cams. Features 160° wide field of view. Includes 7.5m cable to connect to front camera.

Code  
F2PT7RA



### THINKWARE 720p CABIN CAM

#### SUIT F100 & F200 SERIES

This camera is designed for internal mounting for recording cabin activity. Inbuilt IR illumination. Includes the 3.5mm to 60cm connection cable to the front camera (to be used instead of the rear camera).

Code  
F100IR



### DASH CAM POLARISING FILTER

The Thinkware Circular Polarizing Filter is used to eliminate lens flare, light reflections and windshield glares and see the quality of your video recordings improve significantly even during the nighttime. Compatible with all Thinkware dash cams, front and rear. Diameter: 14.5mmØ.

Code  
CPLFLTR



### PARKING RADAR DETECTION MODULE

#### SUITS U1000 & X1000

Detects movement outside the vehicle and triggers recording furthering parking mode feature and reducing power and video storage.

Code  
U4KRADAR



### THINKWARE LOCK BOX TO SUIT F100, F70, F50

#### SECURE CABLES AND SD CARD

Designed to lock the power cable and micro SD card into the unit, and prevent tampering.

Code  
F50LOCK



### THINKWARE BATTERY BACKUP BANK

#### SUITS ALL THINKWARE DASH CAMS

External rechargeable battery pack is used to increase the duration of parking surveillance mode and put less strain on your vehicle battery. Includes LiFePo4 battery, Charging cables and fuse taps. Hardwiring Cable HWC (sold separately) is required for dash cam installation.

Capacity Code  
4500mAh IVOLTMN



### REPLACEMENT WINDSCREEN MOUNT BRACKET

#### SUITS U1000

Replacement windscreen affixing adhesive tape bracket.

QTY Code  
1 U1000MT



#### SUITS F70, F100, F200 SERIES

FXMT is a replacement windscreen mount that suits your Thinkware

Code  
FXMT



#### SUITS ALL REAR WEBCAMS

Replacement affixing tape 3M type 17x20mm

QTY Code  
2 RC3MSTIK



### THINKWARE GPSANT - ADD GPS FEATURES

#### UPGRADES F70, F100, F200, X1000

Code  
GPSANT



#### SAFETY CAMERA ALERT

Enhances existing Thinkware Dash-Cams with additional features including the safety camera alert function. Upgrade your dashcam to give audible alerts of upcoming road safety cameras.

#### GPS MAPPING

Thinkware external GPS antenna adds additional data to video records with time, vehicle speed and location information during the recording that can be viewed upon review of the footage on the PC/MAC software displayed directly on Google Maps. Mounts on the vehicle's windscreen using 3M provided adhesive.

Note: Thinkware U4K, T700 and F750 with built-in GPS already come with these features included





## Thinkware Dual Sports Cam

### MOTORBIKE CAM 1080P FRONT & REAR WIFI GPS - THINKWARE M1

The Thinkware Motorsports Cam captures Full HD 1080p video at 30fps, giving you a reliable witness in the event of an incident and also record your adventure sports with excellent quality. Suitable for Motorcycles, ATVs, UTVs, Heavy Equipment and Agricultural Machines. The M1's built-in Gyro sensor provides electronic image stabilisation that keeps your footage clear and understandable. Capture your next adventure.

- Sony Starvis Full HD 1080P front & rear with 140° wide angle
- Clear and crisp recordings with Video Enhancement Technology
- Active Ultra Night Vision for enhanced low light recording
- IP66 Weatherproof; withstands harsh environmental conditions
- Advanced Electronic Image Stabilisation (EIS) for smooth footage
- Controller for quick access to WiFi and record functions (inbuilt mic)
- Wi-Fi connectivity to view and control via THINKWARE App
- Built-in GPS logs location and speed on playback
- Compatible with the "GoPro®" type mounting system
- Hard wired. No sport-camera battery time limitations

#### TWO CAMERA IP66 WEATHER PROOF WIFI GPS HWK

Resolution	Capacity	GPS	Code
1080p (F), 1080p (R)	32GB	Included	M1D32



## THINKWARE DASH CAMS



## Thinkware Dashcam Accessories

### THINKWARE HWC - HARD WIRING CABLE KIT

#### ENABLE PARKING WATCH

Under-dash hidden wiring solution. Enable permanent power for parking mode. 4M long.

Length	Code
4M	HWC



### THINKWARE REPLACEMENT CAMERA CABLE 5.5M

#### SUITS F100 & F200

Replacement lead Plug to Plug. Rear to front interconnect 5.5M

Length	Code
5.5M	F100RC



### THINKWARE REPLACEMENT 12V POWER CABLE

#### TO SUIT THINKWARE DASH CAM EXCEPT M1, F790

This replacement power cable is suitable to provide power for most Thinkware dash cams. Compatible with 12V car accessory socket. 4.0 metre long lead.

Length	Code
4M	12VCC



### REAR CAM REPLACEMENT CABLE FOR U1000

#### PLUG TO PLUG 7.4M

Thinkware U1000CC is a 7.4M length replacement cable that connects a U1000 (U4KRA) rear camera to the U1000 (U4K) front-facing camera.

Length	Code
7.4M	U1000CC



### THINKWARE REAR CAM EXTENSION CABLE 4M

#### T700 EXTENDS REAR CAM AN EXTRA 4M

T700 Male to Female for extending the existing cable by an additional 4M.

Length	Code
4M	4MEXT



### REAR CAM EXTENSION CABLE FOR F100 / F200

#### PLUG TO SOCKET 6.0M

Compatible with F200 and F100 series, 6 metre rear cam extension cable that's required for adding a rear camera to long vehicles.

Length	Code
6M	F100EX6M







## Vehicle Surveillance HDCVI

### MOBILE NVR - HDCVI WITH GPS/4G/WiFi

MCVR-GPS-GW is a mobile HDCVI DVR with Full HD 1080p recording, high precision GPS for vehicle tracking and remote view via 4G, all in a robust, lockable case. Perform essential functions such as monitoring driver and passenger behavior, gathering video evidence in the event of an accident, proof of delivery and GPS vehicle tracking. Includes power cable. Requires connection cables to cameras (Sold separately).

Combines video footage with GPS tracking overlay  
Ideal for public transport, cash transit, shipping, etc.  
1 x 2.5" SATA HDD bay & SD card slot up to 128GB  
Audio, alarm, RS485 and RS232 inputs  
Robust housing; vibration-dampening construction  
Heavy duty M12 video input connectors  
Single DIN standard size  
4G & WiFi allows for mobile remote viewing from anywhere (SIM not included)

#### 4 CHANNEL - HDCVI WITH GPS/4G/WiFi

Records 4 CH (2CH at 2.0MP / 2CH at 1.0MP)

Type	Channels	Code
HD-CVI	4 CH	MCVR-GPS4GW

#### 8 CHANNEL - HDCVI WITH GPS/4G/WiFi

Records 8CH at Full HD 1080p (2.0M) at 25fps

Type	Channels	Code
HD-CVI	8 CH	MCVR-GPS8GW

Records 8CH Full HD 1080p (2.0M) at 25fps  
This model has Ethernet but not WiFi or 4G



Full HD 1080p Recording



Footage Playback with GPS Overlay



Requires VGA Adaptor MCVR-VGACABLE3M



Mobile Device App & PC Control



Extra HDD Cradles Available: MCVR-GPSC



Requires M12 Camera Cables: MCVR-CABLE

### HDCVI DUAL CAMERAS 2MP - FRONT/BACK

#### TWO CAMERAS - WINDSCREEN & CABIN

Twin 2.0MP cameras  
Rear: 2.1mm (139° view)  
Front: 2.8mm (116° view)  
Built-in mic & 3m infrared  
Adhesive adjustable mount  
1x BNC HDCVI output  
12VDC. 100x50x50mm

Plug	Code
M12	CAM637



### HDCVI CAMERA 2MP FLUSH

2.0MP@25fps, 2.8mm (109°), Auto day/night (IR cut filter), 0.02lx, single BNC HDCVI output, IP67, Heavy duty M12 connector, 12Vdc, requires 30mm diameter hole cut out. 68x30mmØ

Plug	Code
M12	CAM639



### HDCVI CAMERA 2MP BUMPER

2.0MP@25fps, 3.6mm (83°), 20m IR, DWDR, BNC HDCVI output, Auto day/night (IR cut filter), Heavy duty M12 connector, 0.02lx, IP67, 12VDC. 107x55x75mm

Plug	Code
M12	CAM631



### HDCVI CAMERA 2MP ZOOM WEDGE


2.0MP (1920x1080) dome camera, 3.6mm fixed lens (H: 110°). 20M IR with low 0.005lx to suit low light condition. IK10/IP67 rated body. Auto day/night (IR cut filter). IP67 IK10 rated. 50x106mmØ

#### CAMERA ONLY

Plug	Code
M12	CAM638

#### BRACKET TO SUIT

Code
MB1067



### HDCVI CAMERA 2MP MINI DOME

2.0MP@25fps, 3.6mm (83°), 20m IR, DWDR, BNC HDCVI output, 0.02lx, IP67, 12VDC. 62x62mmØ Up to 500M HD over coax.

Plug	Code
M12	CAM630



### CABLES REQUIRED FOR MCVR-GPS

#### M12 CONNECTORS REQUIRED FOR MOBILE NVR

Length	Code
3M	MCVR-CABLE3M
6M	MCVR-CABLE6M
12M	MCVR-CABLE12M
18M	MCVR-CABLE18M



#### VGA BREAK-OUT ADAPTOR REQUIRED FOR MONITORS

Length	Code
0.3M	MCVR-VGACABLE3M







## Dash Cams

### DASH CAM DUAL WITH TRACKING GPS 4G - SECUREVIEW

#### GPS 4G WIFI - 1080P DASHCAM & CABIN CAM

Keep full track of your vehicle and monitor driver activity from anywhere. This total in-vehicle monitoring solution excels at tracking company vehicles with dual driving cameras, GPS tracking, behavior tracking, mobile alerts & more. Using remote access from your smartphone, track and monitor your driver all in the palm of your hands via the smartphone app. Playback and snapshot footage by connecting your device to the WiFi hotspot.

- Record up to Full HD/2.0MP (1920 x 1080) at 30fps
- 120° external cam (road), 100° internal dashcam (driver)
- Live camera view and GPS tracking via WiFi or 4G on the cloud
- Windshield-mounted and Dash mounted cameras included
- Two-way voice communication between phone & camera
- Email/phone alert & sent footage upon collision or cabin panic button
- Live geo-fencing alerts are programmed and can send notifications
- 9-axis G-sensor to detect harsh acceleration, sharp turns, etc.
- 450mAh external battery included for access when vehicle is off
- Dual Cam Recorded footage on microSD up to 128GB (Not included)

Code

MDVR-J400



SECURVIEW Tracksolid

**RIDE-SHARE DVR DASH  
CAMERA  
CABIN CAMERA  
PHONE 4G ACCESS  
CLOUD BACKUP  
PUSH NOTIFICATIONS  
PANIC BUTTON  
CAR PARKED ACCESS**



### FULL HD 1080p IN-VEHICLE CAMERA & RECORDER + 16GB SD CARD

The MDVR-HDV7 is a digital video recorder/camera that mounts to the windscreen of your vehicle. The recorder includes a 16GB memory card and features continuous recording, allowing endless recording that overwrites old footage when capacity has been reached. The MDVR-HDV7 powers on at car start and features automatic recording on motion detection. Rear 3" LCD monitor type. Includes windscreen suction-cup mounting bracket. 12Vdc Accessories plug power supply.

- 3-inch 1080p monitor
- 2.0MP camera with wide dynamic range
- Preview mode for easily viewable footage
- Night-vision and LED flashlight
- Time, date and license plate number footage overlay
- Includes mounting bracket, USB car charger and a 16GB micro SD card

Code

MDVR-HDV7



SECURVIEW

### DUAL DASH/REAR CAM FULL HD 1080p WIFI & GPS

#### KIT INCLUDES DASH & REAR CAMERA, POWER & GPS

The Gator GHDVR98W is a two-channel dash cam pack that records 1080p Full HD resolution at 30 frames per second from both the front and rear cameras, the Gator GHDVR98W produces superb video quality day and night capturing the critical details.

- 1080P Full High Definition 30FPS front & rear camera resolutions
- 145° front & 120° rear wide-angle lens
- Wi-Fi Connectivity for Gator Dash Cam App
- Video downloads and camera setting adjustments
- Hand Gesture Control images and videos saved
- Included GPS Antenna
- Embedding speed and location data into the recordings
- Super capacitor power supply to save the last recording
- Seamless cycle loop recording function
- Built in G Sensor securely saves the video footage
- Parking Mode Feature captures 1 frame per second
- (Requires optional Gator Hard Wire Kit GHWCUSB2)
- Dual USB accessories plug charger simply included
- Includes a 32GB Micro SD Card, supports up to 256GB

**DUAL  
CAMERA  
DVR**

Code

GHDVR98W

GATOR



REAR CAMERA

### DASH CAM FULL HD 1080p WIFI & GPS

#### INCLUDES WIFI AND GPS FUNCTIONS

The dash cam mounts to the windscreen and records footage onto a 16Gb Micro SD memory card (included). It has built-in WiFi to view footage on your smartphone. It also includes GPS to automatically save geolocation data to the video file. You can download the free VideoPlay software on your PC to play back video with live map view. It also has a 152° ultra wide angle lens, G-Sensor with adjustable sensitivity for saving impact footage and loop recording functionality.

- Full HD 1080P resolution
- Supports WiFi connectivity and GPS tracking
- Super capacitor power storage
- Hand gesture photo and video function
- 3M adhesive mount
- Loop record with G Sensor secure save
- 152° super wide angle to capture all the detail
- Supports parking mode and loop recording

Code

GHDVR85W

GATOR





## □ Reversing Camera Systems

### 9" TOUCH SCREEN MIRROR DUAL RECORDING 1080P REVERSE CAMERA KIT

#### DASHCAM DVR WITH FORWARD AND REAR-VIEW CAMERAS

Dual channel dash cam recording featuring a super wide 9" high resolution touch display the mirror monitor that clips over the existing rear view mirror. The front camera is built into the mirror monitor and records Full HD 1080P with a 120 degree field of view, while the rear camera can be mounted at the rear of the vehicle and records HD 1080P videos with a 110° field of view. Usual dashcam features including Loop record with G-Sensor file saving. Kit includes wiring and a bonus 16GB Micro SD Card.

Code  
GRV96MKT



### 9" SUPER WIDE MIRROR MONITOR WITH REVERSE CAMERA

#### INBUILT RECORDING WITH EVENT SAVE

9.5" high resolution wide screen monitor 260x72x18mm clips over existing mirror. 120° wide angle 1080p FullHD IP65 rear view camera. Includes 6M cable with 3M extensions available. Screen switches on when reverse is engaged, or always-on with Live-streaming function. Displays parking assist guide lines. Supports optional MicroSD (up to 64Gb) for loop recording with G-Sensor for file lock.

Code  
GRV90MKT



#### 3M EXTENSION CABLE

Length Code  
3M GRV90EXT



Extend by an additional 3M to the existing GRV90EXT 6M cable.



### 7" REVERSING MIRROR KIT - CELLPAK

#### TOUCH BUTTON FUNCTION

Rear-view optical mirror with built-in Compact 7" colour LCD TFT Display screen. Replaces your existing rear-view mirror. Adjust picture via the remote control On-Screen-Display. 2 x RCA Video Input. 7" Display: 480x234 pixels 12Vdc 248x110x43mm 400g. Includes extra long cabling and butterfly camera. All metal Weather proof 1/3 sharp CCD colour anti fog glass super mini butterfly camera with 420TVL, Wide angle 170° minimum illumination 0.1lux. Wiring Kit includes 6M camera video cable, 1M camera power cable and 2.4M monitor cable.

Code  
RV751



### 4.3" REAR-VIEW MIRROR & CAM KIT - GATOR

This kit includes a 4.3" clip on mirror monitor and a butterfly camera which gives you the flexibility to mount in most locations. The kit includes everything you need and the included wiring and installation instructions make it very simple to install. Resolution 480\*272 LCD screen 285x75x37mm. Butterfly camera 120° view IP67 with parking guide lines.

Code  
GRV43MKT



### DASH CAM HARD WIRE KIT - UNIVERSAL

#### HARD WIRING POWER 5V 1.5A

Hard wires Gator dash cams to the vehicle accessory power 12/24Vdc to 5V USB with 4-metre cable length. Includes 5 Blade types of Fuse Taps and Fuses for easy fuse box insertion.

Code  
GUNIHWC



### GATOR DASHCAM HARD WIRING KIT - USB SOCKET

#### HARD WIRING POWER 5V 1.5A

Gator dash cam hardwire cable with power box and 3 different size fuse taps. 12/24Vdc to 5V USB.

Code  
GHWUSB2







## Trailer Camera System 5 Pin


### GT SERIES - 5" MONITOR 2 CAMERA TRAILER KIT

#### DISCONTINUED

Complete rear-view system with 5" monitor, 2 water resistant cameras. Number-plate and box type cameras. CAN Bus Filter. 12V/24V power. Dash or windscreen monitor mount. Single or dual display. 800x460px. Wiring kit includes 6M for vehicle and 10M for trailer with hitch plugs. Ideal complete solution for DIY installation with trailers and caravans. Monitor 140x85x15mm.

Code

GX5TRKT **DISCONTINUED**



### GT SERIES - 7" MONITOR 2 CAMERA TRAILER KIT

#### KIT INCLUDES TWO CAMERAS AND TRAILER WIRING

7" Commercial grade 12V/24V dash mount display 800x480px. Includes compact mini-camera and IP68 box camera plus the trailer wiring kit including vehicle loom 6M, Hitch plug kit and 10M extension. Ideal complete solution for DIY installation with trailers and caravans. Monitor 130x195x30mm.

Code

GT70SDTK

**GATOR**



### GT SERIES - 7" MONITOR WITH RECORDING DVR

#### QUAD SCREEN WITH RECORDING

7" Commercial grade 12V/24V dash mount display (4 inputs) 1024X600px. Single/Dual/Quad screen records what is viewed. Requires SD card up to 64Gb. Continuous loop recording. Includes power cables. Requires cameras and connection cables. 5 pin GT Series Compatible. 130x195x30mm Monitor.

Code

GT704DVR

**GATOR**



**DUAL  
CAMERA  
DVR**

### GT SERIES - 7" MONITOR & CAMERA KIT

#### INCLUDES 6M WIRING LOOM

7" Commercial grade 12V/24V dash mount display (3 inputs) 800x480px and one reverse camera. Includes all wiring required for same vehicle connection (6M), trailer cable kit is available (GTK1). Extra cameras can be connected. 5 pin GT Series Compatible. 130x195x30mm 7" Monitor.

#### 7" VERSION

Code

GT700SD



#### 5" VERSION

Code

GT500SD

### GT SERIES - TRAILER CAMERA CABLE KIT

#### EXPAND THE GT-SERIES MONITOR KITS TO A TRAILER

Trailer will require a camera extension lead to length. See PLCxx.

Code

GTK1



**GATOR**



### CAMERA TRAILER VIDEO CABLES - GATOR

#### EXTENSION CABLES M-F

Length	Code
3M	PLC3
5M	PLC5
10M	PLC10
15M	PLC15
20M	PLC20



**GATOR**

### GT SERIES - 9" MONITOR & CAMERA KIT

#### TRAILER CABLE KIT COMPATIBLE - ADD EXTRA CAMERAS

7" Commercial grade 12V/24V dash mount display (4 inputs) 1024X600PX and one reverse camera. Includes all wiring required for same vehicle connection (6M), trailer cable kit is available (GTK1). Extra cameras can be connected. 5 pin GT Series Compatible. 155X241X30 Monitor with single / dual / quad screen.

Code

GT904SD



### GT SERIES - CAMERA BREAKOUT LEADS

Break-Out leads convert the Gator PCL series of extension leads into RCA and DC for Camera connection with power. ~50cm length.

Plug

Code

RCA/DC Female PLC26

Plug

Code

RCA/DC Male PLC24



**GATOR**

### MONITOR SUCTION MOUNT HOLDER

- Designed for GATOR GT series display screens
- Convenient suction mount design allows display screen to mount to vehicle windscreen
- Multiple angle adjustment points allows to position display screen on best angle
- Heavy duty suction mount with lock down lever

Code

GTSM1

**GATOR**







## □ Reversing Camera & Monitor Kits

### 7" WIRELESS REVERSE CAMERA KIT

#### COMMERCIAL GRADE DASH MOUNT MONITOR SYSTEM

Wireless monitor to camera kit features a 7" 450cd heavy duty display monitor with built-in wireless receiver with a heavy duty camera and built-in wireless transmitter. The wireless system means there is no need to run a video cable from the monitor to the camera, which makes installation suitable for larger vehicles and trailers, etc.

- 800x600px 16:9
- Detachable sunshade
- Bright 450dc screen
- Wireless up to 50M
- Suitable for trucks
- Suitable for trailers
- Suitable for tractors

Code  
GT700W2

**GATOR**



### 5" REAR-VIEW MIRROR & CAM KIT - GATOR

#### INCLUDES 5.5M VIDEO EXTENSION CABLE

- 5" 16:9 high-resolution LCD screen
- 500 cd high-brightness display
- Adjustable adhesive mount
- Screen setting adjustments
- 2x Video camera inputs
- IP67 weatherproof camera
- CMOS Sensors
- Parking guidelines

Size Code  
5" GRV50KT

**GATOR**



### 4.3" REAR-VIEW MIRROR & CAM KIT - GATOR

#### INCLUDES 5.5M VIDEO EXTENSION CABLE

- 4.3" 16:9 LCD 480x272
- 500CD high-brightness display
- 88x116x34mm
- Adjustable adhesive mount
- 2x Video camera inputs
- IP-67 weatherproof camera
- CMOS Sensors 170°
- Parking guidelines

Size Code  
4.3" GRV43KT

**GATOR**



## □ Reversing Cameras

### LICENSE PLATE CAMERA

- 120 Degree viewing angle
- 480TVL Composite Video
- Operating Voltage : 12V
- Camera IP Rating: IP67
- NTSC or PAL Switched
- Parking Lines Switched
- Normal / Reverse View Switched
- Includes 6M lead

Code  
G45CL

**GATOR**



### BUTTERFLY CAMERA

Butterfly Rearview Camera. Waterproof to IP67 Standard. Lens Angle 170°H x 90°V. Ultra sensitive night vision. PAL & NTSC 480p compatible. Parking lines switched I/O. Image can be reversed. Includes power wiring 5.5 Metre RCA Lead.

Code  
G30CL



**GATOR**

### MINI CAMERA OUTSIDE BOX

- NTSC/PAL Selectable
- Parking lines selectable
- Reverse image selectable
- 170° wide angle lens
- Rated IP67 water resistance
- Composite video RCA output
- 4 Pin Micro-DIN 6M lead

Code  
G55CL

**GATOR**



### FLUSH MOUNT CAMERA

- Flush mount rear-view Camera
- NTSC (Only) 480p Composite
- Superimposes parking lines
- Aluminium case Waterproof
- 170° FOV Wide-Angle Lens
- Ultra sensitive night vision
- 18.5mm Drill bit for installation
- 4-MicroDIN 6M lead included

Code  
G35C



### GT SERIES - HEAVY DUTY BALL CAMERA

#### GT SERIES 5 PIN CONNECTOR 40CM

Gator Surface mount heavy duty ball camera with optional OSD parking lines and mirror settings. IP69K Weather proof. IR LEDs. 45x52x70mm 12V (from monitor). 40cm Video Cable. 120° FOV.

Code  
GT17SD





## □ Reversing Cameras - Solar

### 4.3" DISPLAY WIRELESS SOLAR POWERED REVERSE CAMERA KIT - GATOR

#### EASY INSTALL SOLUTION FOR MOST VEHICLES OR TRAILERS

Wireless Solar Powered Reverse Camera Kit provides an easy to install solution without complicated intrusive wiring in your vehicle. The solar powered camera has a backup battery so no wiring required. The camera conveniently uses existing number plate mounting for Australian standard and slim plates. Suitable for most vehicles and also being wireless makes them ideal for trailers with an easy install. The compact 4.5" monitor is 12V/24V accessories plug powered with multiple mounting solutions including dash, windscreen and vent mount by simply changing the attachment on the monitor. Transmission is a maximum of around 17M.

- Simple DIY plug and play installation
- Wireless transmission up to a 17.5 metre range
- 4.3" LCD colour monitor provides clear vision from the reverse camera
- Dash, vent and windscreen display mounts included for easy positioning
- Number plate mount camera is suitable for installation on all standard & slimline Australian number plates
- 2100mAh Rechargeable back-up camera battery for nighttime driving
- Integrated solar panels to charge the camera battery in sunlight
- Charge port on camera so it can also be recharged via a USB charger
- Super wide 135° lens angle minimises blind spots at the rear of the vehicle
- Parking Guidelines assist with reverse parking
- IP67 Rated camera will withstand the harsh conditions on the exterior of the vehicle
- The display powers on and off automatically with the vehicle ignition or manual button and times out after 45 seconds



#### Code

GRV43SKT

## □ Monitors Display

### 7" MONITOR FOR VEHICLES 16:9 DASH MOUNT

- 800 x 480 resolution, 16:9 aspect ratio
- 250cd brightness, 400:1 contrast
- HDMI, VGA and AV video inputs
- 12VDC 6W
- Auto PAL/NTSC detection
- Plastic casing
- Dash mount stand
- Remote control
- 174x113x19mm



#### Code

LCD7SDA

### 7" MONITOR VEHICLE 16:9 DASH/FLUSH MOUNT

#### WITH DASH MOUNT & FLUSH MOUNT HEADREST KIT

- Unit: 178x120x36mm
- Bracket for flush mount:
- 198x133x37mm
- Bracket for dash mount
- Built-In speaker
- Headphone output
- PAL or NTSC composite
- 3x AV Inputs (inc. Reverse)
- Includes remote control



#### Code

HR702NPS

### 4.3" MONITOR DASHBOARD FLIP-UP 4:3

The MSMON-4 is a 4.3" TFT dashboard flip monitor for vehicles which works automatically when reversing. It has a convenient design that allows it to be flipped up at the touch of a button.



#### Code

MSMON-4

### 10.1" HD MONITOR FOR VEHICLES

The LCD10SD HD monitor is designed for use in vehicles. These monitors have crisp, clear displays and can be used both for general multimedia and liveview for mobile video recorders. Includes remote, unterminated 1.5m 12VDC power cable, BNC cable & monitor stand. Requires hard wiring for power. Includes monitor, stand, remote, BNC cable and unterminated 1.5M 12VDC power cable.



#### Code

LCD10SD

720p  
HD

### 10.1" FULL HD MONITOR FOR VEHICLES


The LCD10FHD is a Full HD HDMI monitor for use in vehicles. This monitor has a crisp, clear image and can be used both for general multimedia and liveview for mobile video recorders. Includes monitor and stand.

#### Code

LCD10FHD



1080p  
FULL - HD







## GPS Vehicle Tracking

### 4G GPS VEHICLE TRACKER - RHINOTRACKS

#### REQUIRES GPS ANTENNA & GSM ANTENNA & 4G SIM CARD

GPS Vehicle Tracker supporting the 4G network. It is suitable for 11V to 36V DC vehicles and designed to keep you informed of where your vehicle is and where it has been. It is an ideal solution for basic fleet, stolen vehicle, auto rental and other vehicle tracking applications. Inbuilt backup battery. There is no ongoing subscription, however you will require a SIM mobile service provider with LTE/WCDMA/GSM/GPRS (not included). Requires external antennas for GPS and GSM (not included). Google maps and Data is accessed via your phone on the cloud.

- Real time tracking
- Geo-Fence
- 4G Network
- S.O.S. button
- AGPS
- Mileage and speed reports
- External power cut alarm
- History reports
- Low battery alert



Code  
RTRACK-ST5

### 4G LTE CAT-M1 VEHICLE GPS TRACKER - GATOR

The GTKPRO2 is a 4G LTE CAT-M1 GPS Vehicle Tracking Device that comes supplied with a SIM Card operating on the Telstra 4G M2M Network and 30 Days tracking included. Suitable for fleet management, car rental companies, taxi companies, public transport, logistics companies and personal vehicles, the GTKPRO2 is a feature packed tracking solution that can be connected to any 12 or 24 volt vehicle including cars, utes, vans and trucks.



PHONE NOT INCLUDED

Code  
GTKPRO2

Note: The GTKPRO2 Tracking Module and access to the Gator Tracking Portal (via Smartphone APP and Web) require a valid (paid) subscription to the Gator Tracking Service. Ongoing fees and charges apply. 3rd Party SIM Cards are not supported on this device. For more information about subscription costs, terms and conditions. Please visit: <https://gatortracking.com.au/tracker/guide/subscriptions>


### 4X4 GPS ALTIMETER - GATOR

#### INTEGRATED INFO DISPLAY FOR OFF-ROAD VEHICLES

GPS Receiver to measure and display compass direction, Km/H speed and altitude of your vehicle. Once zeroed, also shows vehicles angle orientation (Pitch/Roll). Also cabin temperature and car voltage. Light sensor dims display. 12V/24V. 155x41x60mm.



Code  
GALT01



Altitude - Sea Level  
Angle - Pitch° / Roll°  
Cabin Temperature  
Voltage Measure  
Speed KM/H  
Compass Direction  
GPS Accuracy  
12V/24V

## Driver Assist Accessories

### VEHICLE REVERSING ALARM - WIRED

#### SAFETY WARNING BUZZER RUGGED WATERPROOF IP67

This backup alarm is designed to warn passersby of a vehicle moving in reverse. Available in 2 classic sound outputs.

- Input 15W, 12V - 80Vdc
- Poly driver output 97dB
- IP67 Pressure washable
- Horizontal or vertical mount 85mm
- 100x40mm base, 70mm high
- 2x bare wires (25cm)



Type	Code
Beep-beep	RGS-GR1
Squawk	RGS-GR2

### VEHICLE REVERSING ALARM - AERPRO

12/24V 105dB IP67  
Nylon Case 67x101x40mm



Type	Code
Beep-beep	GHDRABP

Type	Code
Squawk	GHDRASQ

### REVERSING ALARM SQUAWKER WITH STROBE

12-80V 105dB  
Wired Nylon Case  
IP67 87x101x42mm  
Strobe white LED



Type	Code
Squawk	GHDRASLD

### 4 SENSOR VEHICLE REVERSING/PARKING KIT

Ultrasonic sensors give audible beeping sonar feedback of up to 2.5m. Includes cabling and required drill bit for flush mounting sensors into a bumper-bar. 12Vdc.

Code  
MSKIT-RV4



### BABY SEAT ALARM SYSTEM

#### INCLUDES 2.4A USB QC3.0

Wireless. Reminds you a child is still in the vehicle when you park the car and also alerts you if a child gets out of their seat while the vehicle is in motion.

Code  
APBABY1



12V Power  
Wireless transmitter & receiver  
Advanced 2-Way alarm trigger system  
Visual and audible alert





## □ Automotive Lighting

### □ Light Bar

#### LIGHT BARS - LOW PROFILE SREWLESS ENCLOSURE - OSRAM LEDS

##### HEAVY-DUTY DESIGN WITH IP68 SUBMERGIBLE GRADE

These LED light bars are suitable for auto, marine and many general purpose lighting applications where high brightness is required. They use the high performance, long life, and highly energy efficient 5W Osram LED chips. The LED light bars feature premium screwless enclosure design which offer a good overall look as well as provide better water protection. The aluminium housing is durable and IP68 ingress rated submersible to 1.5M up to half an hour. They are also coated with corrosion resistance material. Available from 30W to 200W with built-in combination of wide and narrow beam reflectors. On a vehicle, the combination of spot and flood beams provide longer distance and a wider range of illumination. Ideal for 4WD, SUV, work vehicles, Forklifts, Trucks, Excavators, Boats, etc. The finned back allows heat to be dispersed quickly so as to prevent the LEDs from overheating and extend product life. In-built circuitry with wide voltage input allows easy connection to 9V to 36V DC systems. Heavy-duty cord (40cm) terminated to a waterproof DT connector. All light bars are supplied with installation kits which include stainless steel mounting brackets, mounting screws and wiring harness. The light bars are tilt adjustable.

- Power: Available in 30W/50W/100W/150W/200W
- Voltage: 9V-36V DC for Car, 4WD, Trucks, Machinery, etc.
- Beam Angle: Combination of wide and narrow beam
- LED: 5W Osram LED 50000+ hours life
- Colour: Cool White (6500K)
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68 Weather proof long life rugged housing
- Single row case is around 50mmØ
- 400mm wire terminates to DT waterproof plug, includes wiring harness with relay and switch.

Power	Light	Lumens	Size	Code
30W	6x 5W OSRAM LED	2850	202x46x49mm	LEDS5D1-30
50W	10x 5W OSRAM LED	4760	304x46x49mm	LEDS5D1-50
100W	20x 5W OSRAM LED	9520	558x46x49mm	LEDS5D1-100
150W	30x 5W OSRAM LED	14280	812x46x49mm	LEDS5D1-150
200W	40x 5W OSRAM LED	19040	1066x46x49mm	LEDS5D1-200

**OSRAM**



#### LIGHT BARS - DUAL ROW SREWLESS ENCLOSURE - OSRAM LEDS

##### HEAVY-DUTY DESIGN THATS IP68 SUBMERSIBLE

These dual row LED light bars are suitable for auto, marine and many general purpose lighting applications where high brightness is required. They use the high performance, long life, and highly energy efficient 5W Osram LED chips. The LED light bars feature premium screwless enclosure design which offer a good overall look as well as provide better water protection. The aluminium housing is durable and IP68 ingress rated. They are also coated with corrosion resistance material. Available from 60W to 400W with built-in combination of spot and flood beam reflectors. On a vehicle, the combination of spot and flood beams provide longer distance and a wider range of illumination. Ideal for 4WD, SUV, work vehicles, Forklifts, Trucks, Excavators, Boats, etc. The finned back allows heat to be dispersed quickly so as to prevent the LEDs from overheating and extend product life. In-built circuitry with wide voltage input allows easy connection to 9V to 36V DC systems. Heavy-duty cord (40cm) terminated to a waterproof DT connector. All light bars are supplied with installation kits which include stainless steel mounting brackets, mounting screws and wiring harness. The light bars are tilt adjustable.

- Power: Available in 60W/100W/200W/300W/400W
- Voltage: 9V-36V DC for Car, 4WD, Trucks, Machinery, etc.
- Beam Angle: Combination of wide and narrow beam
- LED: 5W Osram LED 50000+ hours life
- Colour: Cool White (6500K)
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68 Weather proof long life rugged housing
- Double row case is 49x72mm
- 400mm wire terminates to DT waterproof plug, includes wiring harness with relay and switch.

Power	Light	Lumens	Size	Code
60W	12x 5W OSRAM LED	5710	204x72x49mm	LED6D1-60
100W	20x 5W OSRAM LED	9520	304x72x49mm	LED6D1-100
200W	40x 5W OSRAM LED	19040	558x72x49mm	LED6D1-200
300W	60x 5W OSRAM LED	28560	814x72x49mm	LED6D1-300
400W	80x 5W OSRAM LED	38080	1066x72x49mm	LED6D1-400

**OSRAM**





## LIGHT BARS - CURVED



- Power: Available in 120W/180W/240W/288W/300W
- Voltage: 10V-30V DC
- Beam: Combination of wide and narrow beam
- LED: 3W Cree LED
- 30000+ hours life
- Colour: Cool White
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 300mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



• 85x80mm



Power	Light	Lumens	Description	Size	Code
120W	40x 3W CREE LED	12000	16x Wide + 24x Narrow	546x85x80mm	LED3102-120
180W	60x 3W CREE LED	18000	24x Wide + 36x Narrow	795x85x80mm	LED3102-180
240W	80x 3W CREE LED	24000	32x Wide + 48x Narrow	1054x85x80mm	LED3102-240
288W	96x 3W CREE LED	28800	40x Wide + 56x Narrow	1250x85x80mm	LED3102-288
300W	100x 3W CREE LED	30000	40x Wide + 60x Narrow	1308x85x80mm	LED3102-300

All light bars are supplied with mounting hardware. Requires wiring loom WK001 or WK002, sold separately\*. \*LED3102-288 & LED3102-300 use a different plug so require wiring loom WK001DTP. Alternatively you can cut the plug and wire it yourself.

## LIGHT BARS - CURVED - DUAL COLOUR



- Power: Available in 180W/240W
- Voltage: 10V-30V DC
- Beam: Combination of wide and narrow beam
- LED: 3W Cree LED
- 30000+ hours life
- Beam colour: Amber and Cool White, switch back and forth from fog light (Amber) and headlight (cool white) suiting road condition
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 300mm wire terminates to bare wire



• 85x80mm

Power	Light	Lumens	Description	Size	Code
180W	60x 3W CREE LED	12000	24x Wide + 36x Narrow	795x85x80mm	LED3102D-180
240W	80x 3W CREE LED	16000	32x Wide + 48x Narrow	1054x85x80mm	LED3102D-240



Requires dual switch wiring kit WK003, sold separate. Some soldering or crimping necessary for installation. Alternatively you can cut the plug and wire it yourself. Switches to White OR Amber (Defaults to Amber).

## LIGHT BARS - LARGE PROJECTOR REFLECTORS



- LED light bars are suitable for auto, marine and many general purpose lighting applications.
- These light bars use the high performance, long life, and highly energy efficient Cree LEDs
- Cree LEDs are capable of delivering extremely high light output with over 90% efficiency.
- Constructed with a tough metal housing to protect it from wear, damage and weather.
- Available in 20W to 200W, with wide or narrow beam reflectors or combinations of both.
- For vehicles, this gives a spot light for far ahead and flood light for peripheral illumination.
- Ideal for 4WD, SUV, work vehicles, Forklifts, Trucks, Excavators, Boats, etc.
- Built-in circuitry with wide voltage input allows easy connection to 12V or 24V DC systems.
- Also suitable for buildings, gardens, walk-ways, advertising, etc. (Requires DC power source).
- A mounting installation kit is included with locking angle adjustment. 10mmØ Bolt.
- Optional bull-bar brackets are available using standard antenna mounting solutions.
- 300mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

**COMBINATION WIDE & NARROW BEAM - IP67 WEATHERPROOF**



Power	Light	Lumens	Description	Size	Code
20W	2x 10W CREE LED	1700	2x Wide [Flood]	144x95x82mm	LED3300-20
40W	4x 10W CREE LED	3400	4x Narrow [Spot]	235x95x82mm	LED3300-40
80W	8x 10W CREE LED	6800	4x Wide, 4x Narrow	415x95x82mm	LED3300-80
120W	12x 10W CREE LED	10200	4x Wide, 8x Narrow	595x95x82mm	LED3300-120
160W	16x 10W CREE LED	13600	8x Wide, 8x Narrow	775x95x82mm	LED3300-160
200W	20x 10W CREE LED	17000	8x Wide, 12x Narrow	955x95x82mm	LED3300-200
240W	24x 10W CREE LED	23400	8x Wide, 16x Narrow	1150x95x82mm	LED3300-240
260W	26x 10W CREE LED	25220	12x Wide, 14x Narrow	1220x95x82mm	LED3300-260



All light bars are supplied with mounting hardware. Requires wiring kit WK001 or WK002, sold separately. Alternatively you can cut the plug and wire it yourself.





## LIGHT BARS - DUAL ROW - DUAL COLOUR



- Voltage: 10V-30V DC
- Beam: Combination of wide and narrow beam
- LED: 3W Cree LED
- 30000+ hours life
- Colour: Amber and Cool White, switch back and forth from fog light (Amber) and headlight (cool white) depending on the road condition
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP67
- 300mm wire terminates to 3 core bare wire



Requires dual switch wiring kit WK003, sold separate. Some soldering or crimping necessary for installation. Switches on White OR Amber (Defaults to Amber). Alternatively you can cut the plug and wire it yourself.


Power	Light	Lumens	Description	Size	Code
36W	12x 3W CREE LED	3600	8x Wide + 4x Narrow	185x85x80mm	LED31001D-36
60W	20x 3W CREE LED	6000	8x Wide + 12x Narrow	292x85x80mm	LED31001D-60
72W	24x 3W CREE LED	7200	8x Wide + 16x Narrow	343x85x80mm	LED31001D-72
120W	40x 3W CREE LED	12000	16x Wide + 24x Narrow	546x85x80mm	LED31001D-120
180W	60x 3W CREE LED	18000	24x Wide + 36x Narrow	795x85x80mm	LED31001D-180
240W	80x 3W CREE LED	24000	32x Wide + 48x Narrow	1054x85x80mm	LED31001D-240
300W	100x 3W CREE LED	30000	40x Wide + 60x Narrow	1308x85x80mm	LED31001D-300

## LIGHT BARS - DUAL ROW - 4D FISHEYE PROJECTOR LENS

- Power: Available in 180W/240W/300W
- Voltage: 10V-30V DC
- Beam: 4D hyperspot 5°
- LED: 3W Cree LED
- 30000+ hours life
- Beam colour: Cool White
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 300mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



All light bars are supplied with mounting hardware. Requires wiring loom WK001 or WK002, sold separately. \*LED31002-300-4D uses a different plug, it requires cutting the plug and wiring.



The 4D optical lens is designed to produce a 5° hyperspot beam. This enables a more focused light beam which ensures maximum amount of light can reach a greater distance compared to normal spot reflectors.

Power	Light	Lumens	Description	Size	Code
180W	60x 3W CREE LED	18000	Hyperspot	795x85x80mm	LED31002-180-4D
240W	80x 3W CREE LED	24000	Hyperspot	1054x85x80mm	LED31002-240-4D
300W	100x 3W CREE LED	30000	Hyperspot	1308x85x80mm	LED31002-300-4D

## LIGHT BARS - QUAD ROW

- Voltage: 10V-30V DC
- Beam: Switch wide or narrow beam or Both\*
- LED: 3W Cree LED
- 30000+ hours life
- Beam colour: Cool White
- Mounting brackets and stainless steel screws included
- Aluminium housing IP Rating: IP67
- 300mm wire terminates to bare wire

Power top row for Narrow Beam  
Power lower row for Wide Beam  
or Power Both for All.



SLIDES FOR CUSTOM FIT

Power	Light	Lumens	Description	Size	Code
36W	12x 3W CREE LED	3600	6x Wide, 6x Narrow	110x140x90mm	LED3401-36
72W	24x 3W CREE LED	7200	12x Wide, 12x Narrow	178x140x90mm	LED3401-72
108W	36x 3W CREE LED	10800	18x Wide, 18x Narrow	254x140x90mm	LED3401-108
144W	48x 3W CREE LED	14400	24x Wide, 24x Narrow	310x140x90mm	LED3401-144
180W	60x 3W CREE LED	18000	30x Wide, 30x Narrow	368x140x90mm	LED3401-180
216W	72x 3W CREE LED	21600	36x Wide, 36x Narrow	431x140x90mm	LED3401-216



All light bars are supplied with mounting hardware. Requires wiring loom WK003, sold separately. Alternatively you can cut the plug and wire it yourself.





## 10W COMPACT LED DRIVING LIGHT 50MM

- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 1x10W Cree LED
- 30000+ hours life
- Colour: Cool White
- Dimension: 50x50x60mm
- Brightness: 970lm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP67
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED1023D-10F

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 24W COMPACT LED DRIVING LIGHT 80MM

- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 6x 4W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 1440lm
- Dimension: 80x74x78mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP67
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED1022-24F
Narrow	LED1022-24S

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 12W COMPACT LED DRIVING LIGHT 66MM

- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 4x 3W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 1040lm
- Dimension: 66x66x63mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED1023-12F
Narrow	LED1023-12S

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 24W RECESSED FLUSH MOUNT LED LIGHT

- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 6x 4W Cree LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 1572lm
- Dimension: 80x78x72mm, Flange: 120x90mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68



Beam Angle	Code
Wide	LED1022A-18F
Narrow	LED1022A-18S

Flush mount requires mounting screws. Includes an optional base bracket.



## 12W COMPACT LED DRIVING LIGHT 80MM

- Power: 12W
- Voltage: 10V-30V DC
- Beam: Wide beam
- LED: 4x 3W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 900lm
- Dimension: 80Ø x 70mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP67
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED2009-12F

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 27W LED DRIVING LIGHT 105MM

- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 9x 3W Epistar LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 2340lm
- Dimension: 125x106x50mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED1007-27F
Narrow	LED1007-27S

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 18W MINI LED LIGHT BARS 160MM

- Power: 18W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 6x 3W Epistar LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 1560lm
- Dimension: 160x48x68mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED1012-18F
Narrow	LED1012-18S

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.

## 27W LED DRIVING LIGHT 115MM

- Power: 27W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 9x 3W Epistar LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 2340lm
- Dimension: 128x115x52mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor



Beam Angle	Code
Wide	LED2009-27F
Narrow	LED2009-27S

Supplied with mounting hardware. Requires loom WK001 or WK002. 10cm WK plugged lead included.



### 42W LED DRIVING LIGHT 114MM

- Power: 42W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 14x 3W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 3640lm
- Dimension: 114Ø x 62mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

Beam Angle	Code
Wide	LED2003-42F
Narrow	LED2003-42S

Supplied with mounting hardware.  
Requires loom WK001 or WK002.  
10cm WK plugged lead included.



### 48W DRIVING LIGHT 114MM

- Power: 48W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 16x 3W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 4160lm
- Dimension: 114Ø x 62mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

Beam Angle	Code
Wide	LED1015-48F
Narrow	LED1015-48S

Supplied with mounting hardware.  
Requires loom WK001 or WK002.  
10cm WK plugged lead included.



### 48W COMPACT LED DRIVING LIGHT 125MM

- Power: 48W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 16x 3W Cree LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 4160lm
- Dimension: 125x125x115mm
- Aluminium housing, mounting brackets, screws included
- IP Rating: IP67
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

Beam Angle	Code
Wide	LED1013B-48F
Narrow	LED1013B-48S

Supplied with mounting hardware.  
Requires loom WK001 or WK002.  
10cm WK plugged lead included.



### 51W LED SPOT LIGHT 175MM (7")

- Power: 51W
- Voltage: 10V-30V DC
- Beam: Narrow beam
- LED: 17x 3W Bridgelux LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 4420lm
- Dimension: 175x86x202mm
- Aluminium housing, stainless steel mounting brackets, screws included
- IP Rating: IP67
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

Beam Angle	Code
Narrow	LED1015B-51W

Supplied with mounting hardware.  
Requires loom WK001 or WK002.  
10cm WK plugged lead included.



### 70W LED SPOT LIGHT 140MM (5½")

- Power: 70W
- Voltage: 10V-30V DC
- Beam: Wide or narrow beam
- LED: 7x 10W Cree LED
- 30000+ hours life
- Colour: Cool White
- Brightness: 6790lm
- Dimension: 140x165x96mm
- Aluminium housing, stainless steel mounting brackets, screws included
- IP Rating: IP68
- 200mm wire terminates to WK series plug with 100mm WK female to bare wire adaptor

Beam Angle	Code
Wide	LED1025-70F
Narrow	LED1025-70S

Supplied with mounting hardware.  
Requires loom WK001 or WK002.  
10cm WK plugged lead included.








## LED Light Bars Switch & Mounting Solutions

### WIRING LOOM TO LED LIGHT BAR

#### 3M+3M SINGLE DEUTSCH


12mm ring terminal battery connections. 30A ATC Fuse inline. 40A switching relay. Single loom solution total length is 6 meters. Dash On/Off switch with LED indicators and backing adhesive. 3M lead to battery & relay. 3M Lead to a single 2-pin Deutsch connector DTP Series (or cut to bare wire for custom).



Code  
WK001




DTP



### WIRING LOOM SPLIT FOR SPOT LIGHTS

#### 3M + (2x 3M) TWO DEUTSCH

12mm ring terminal battery connections. 30A ATC Fuse inline. 40A switching relay. Split wire design. Directly compatible with certain LED Lights (as indicated). Dash On/Off switch with LED indicators and backing adhesive. 2M lead to Battery and Relay. Splits into two separate 2M Lead to 2-pin Deutsch DT connectors.



Code  
WK002




DT




### WIRING LOOM DUAL FOR LED BARS

#### DUAL SWITCHED 3M + (2x 3M) TWO DEUTSCH

Dual solution for wiring two lights separately switched. 12mm ring terminal battery connections. Two 30A ATC Fuses. Two 40A switching relays. Dual On/Off switch with LED indicators and backing adhesive for dash mount. Switch goes to 3M lead to Battery and Relay then 2M single lead to 3 spade connectors (Light 1, 2 and ground).



Code  
WK003



### AUTOMOTIVE PLUG IP67 KIT [DTP]

#### AMPHENOL AT SERIES PAIR KITS - SUIT DTP DEUTSCH PLUGS

IP67 waterproof plug set compatible with DTP Deutsch plugs as used in marine, automotive, industrial, lighting. Up to 13A. 20-14AWG. -55°C to 125°C



Pin	QTY	Plug	Code
2	2	Male & Female	AT2PS-CKIT Pair
4	2	Male & Female	AT4PS-CKIT Pair

### TOGGLE SWITCH WITH INDICATOR LAMP

Custom dash install. Suitable to use with LED light bar. 12V Indicator Lamp. DPST 16A

Colour	Code
Blue	SW001B
Red	SW001R



### CARLINGTON® ORIGINAL SWITCH

#### CHANGE THE SWITCH ON THE WK WIRING LOOM

Choice LED Light bar switches for dash mount. \*ON/OFF/ON is suitable for Dual colour WK003.

Type	Colour	LED	Code
ON/OFF	Red	Bar	SW-V1DAB1
ON/OFF/ON	Red	Bar x2	SW-V6DAD
ON/OFF	Red	Square	SW-V1DAB2
ON/OFF	Green	Square	SW-VAD1



### LED LIGHT BARS BRACKETS - FLAT

Steel bracket for mounting on a flat surface. Sold in singles with bonus screw pack. Quantity required depends on LED bar installed.

Pack of	Code
1	MT001



### LED LIGHT BARS BRACKETS - HORIZONTAL

Made with Aluminium alloy and Anodised coating. For light bar mounting application. Stainless Steel screws included

Diam.	Pack of	Code
32mm	2	SG32
44mm	2	SG44
51mm	2	SG51
76mm	2	SG76



### LED LIGHT BARS BRACKETS - VERTICAL

Black heavy-duty cast aluminium. Scratch resistant inside rubber sleeve. To suit assorted bar widths available. Includes screws as required. Supports light bars Sold in pairs.

Diam.	Pack of	Code
49-54mm	2	SG003
66-71mm	2	SG004
76-81mm	2	SG005



### LED LIGHT BARS BRACKETS - VERTICAL

Heavy-duty stainless steel mounting bracket. To suit assorted bar up to 54mm diameter. Includes tightening screws.

Diam.	Pack of	Code
54mm	2	SG002







## □ Aerpro Automotive Accessories

### LED REPLACEMENT HEADLIGHTS

Get brighter light that lasts longer and see further with these headlight LED replacement globes from Aerpro. Sold gift box packaged in pairs.

Type	Lumens	Power	LED	Colour Temp	Pack of	Code
H1	2x 2000 lm	22W	LUMILEDS	5700K	2	H1LED4K
H1	2x 2000 lm	22W	CREE XHP50	5700K	2	H1LED6K
H3	2x 2000 lm	22W	LUMILEDS	5700K	2	H3LED4K
H3	2x 3000 lm	36W	CREE XHP50	5700K	2	H3LED6K
H4	2x 2000 lm	22W	LUMILEDS	5700K	2	H4LED4K
H7	2x 3000 lm	36W	CREE XHP50	5700K	2	H7LED6K
H8	2x 2000 lm	22W	LUMILEDS	5700K	2	H8LED4K
H8	2x 3000 lm	36W	CREE XHP50	5700K	2	H8LED6K
H9	2x 2000 lm	22W	LUMILEDS	5700K	2	H9LED4K
H9	2x 3000 lm	36W	CREE XHP50	5700K	2	H9LED6K
HB3	2x 2000 lm	22W	LUMILEDS	5700K	2	HB3LED4K
HB4	2x 2000 lm	22W	LUMILEDS	5700K	2	HB4LED4K
HI2	2x 2000 lm	22W	LUMILEDS	5700K	2	HI2LED4K
HI2	2x 3000 lm	36W	CREE XHP50	5700K	2	HI2LED6K

Note: Some technical knowledge and physical modification may be required to retrofit some vehicles.



## □ Aerpro Install Kit Automotive

### LED LAMPS - INDICATOR, REVERSE, TAIL & STOP

#### INCANDESCENT LOAD RESISTORS ARE NO LONGER SUPPLIED

Aerpro Super SMD LED bulbs are more efficient and last longer than other brands, unlike traditional bulbs LED's are more vivid and give off an instantaneous light.

- Super intensity
- Long lasting brightness
- Less power demand
- Quick response
- 12/24V compatible
- Output: 420 Lumens
- LED: 48 power SMD
- 12/24V compatible
- Blister Packed
- Sold in pairs



Type	Base	Size	Pole	Colour	Pack of	Code
BA15S	Bayonet	15mm	Single	White	2	BA15S48W
BA15S	Bayonet	15mm	Single	Red	2	BA15S48R
BA15S	Bayonet*	Offset Pins	Single	Amber	2	BA15S48A
BA15D	Bayonet	15mm	Double	Red	2	BA15D48R
T10	Wedge	12mm	Single	Blue	2	T1046B
T20S	Wedge	20mm	Single	White	2	T20S48W
T20S	Wedge	20mm	Single	Red	2	T20S48R
T20S	Wedge	20mm	Single	Amber	2	T20S48Y
T25S	Wedge	25mm	Single	White	2	T25S48W
T25S	Wedge	25mm	Single	Red	2	T25S48R
T25S	Wedge	25mm	Single	Amber	2	T25S48Y
T25D	Wedge	25mm	Double	Red	2	T25D48R



### FESTOON INTERIOR LED LIGHTS

3 power SMD LEDs multi-fit interior light with built in CANBUS load resistor.

- Super intensity
- Long lasting brightness
- Less power demand
- Quick response
- 12V compatible
- Fitting: Festoon
- Output: 180 lumens
- Colour: 6500K white
- LED: 3 power SMD



Colour	Size	Pack of	Code
White	36mm	1	FESPL363
White	39mm	1	FESPL393
White	41mm	1	FESPL413

FESPL363



FESPL393



FESPL413



### UNIVERSAL INTERIOR LIGHT KIT

White PCB 6 x super SMD LED interior light with T10, BA9 and Festoon adaptor.

6 LEDs 760mW 12V

Code  
IL6SMW





# Automotive

□ Audio Installation Components □ Car Amp Wiring Kits □ Power Only

## 0 AWG MAXCOR 1500 WATT POWER CABLE KIT

### MAKING IT EASIER FOR INSTALLERS

Kit includes many components for automotive amplifier power connection including cable, connectors, distribution block and fuse holder with fuse. Easily achieve professional results.

- Suits monoblock, 2-channel or 4-channel amplifier
- 1500W max power American wire gauge standards (AWG)
- 0AWG TCA Soft touch super flex cable power cable 5.5M
- 0AWG TCA Soft touch super flex cable ground cable 0.8M
- Remote power-on trigger cable (Orange 12AWG) 5.0M
- Pre-attached ring terminals for a secure connection
- 2-way distribution block for two amplifiers if required
- 0AWG fire-wall grommet, cable ties, allen key, etc.
- 200A ANL fuse and fuse holder with clear window
- Distribution block (1 x 0AWG in - 2 x 2AWG out)

Code

MX00



## 2 AWG MAXCOR 1500 WATT POWER CABLE KIT

- Suits monoblock, 2-channel or 4-channel amplifier
- 1500W max power American wire gauge standards (AWG)
- 2AWG TCA Soft touch super flex cable power cable 5.5M
- 2AWG TCA Soft touch super flex cable ground cable 0.8M
- Remote power-on trigger cable (Orange 12AWG) 5.0M
- Pre-attached ring terminals for a secure connection
- 2AWG fire-wall grommet, cable ties, allen key, etc.
- 180A ANL fuse and fuse holder with clear window
- Distribution block (1 x 0AWG in - 2 x 2AWG out)

Code

MX02



## 4 AWG MAXCOR 800 WATT POWER CABLE KIT

The MX04 will power up to a massive 800W and includes everything you need to power up an amplifier. If you are looking for an installation kit that offers MAXIMUM performance, you can't go past MAXCOR.

The kit includes;

- 6M 4AWG power cable,
- 0.8M 4AWG earth cable,
- 5M 20AWG trigger cable,
- 120A ANL fuse and fuse holder,
- cable ties and fitting terminals.

Code

MX04



## 8 AWG MAXCOR 600 WATT POWER CABLE KIT

The MX08 will power up to a massive 600W and includes everything you need to power up an amplifier. The kit is ideal for those who want to either upgrade their current power cables or already have RCA's and/or speaker cable.

- The kit includes; 6M 8AWG power cable, 0.8M 8AWG earth cable,
- 5M 20AWG trigger cable,
- 60A ANL fuse and fuse holder,
- cable ties and fitting terminals.

Code

MX08



□ Car Audio Wiring Harness

## CAR AUDIO ISO FAST HARNESS 5M

### ISO (M) TO 4X SPEAKER + TRIGGER

ISO Sockets to bare wire  
5M speaker and power, etc.

Code

APFH6A



## CAR AUDIO ISO FAST HARNESS WITH 5M RCA

### ISO (M) TO 4X SPEAKER & RCA + TRIGGER

ISO Sockets to bare wire  
5M. 4 Speaker output.  
4 Speaker output plus 4  
RCA outputs.

Code

APFH6B







## □ Amp Wiring Kits Power & Audio

### 4 AWG MAXCOR 800 WATT 4-CH CABLE KIT

#### AERPRO - MAXCOR 4AWG 4CH AMP INSTALL KIT

The MX44 will power up to a massive 800W and includes everything you need to install a 4 channel amplifier into your vehicle.

The kit includes; 6M 4AWG power cable, 0.8M 4AWG earth cable, 5M 20AWG trigger cable, 120A ANL fuse and fuse holder, 2 x 2 channel 5M RCA's, cable ties and all required professional fitting terminals and also includes 16 metres of 14AWG speaker cable.

Code  
MX44



Aerpro **MAXCOR**  
First Choice

### 8 AWG MAXCOR 600 WATT 4-CH CABLE KIT

The MX48 will power up to a massive 600W and includes everything you need to install a 4 channel amplifier into your vehicle.

The kit includes; 6M 8AWG power cable, 0.8M 8AWG earth cable, 5M 20AWG trigger cable, 60A ANL fuse and fuse holder, 2 x 2 channel 5M RCA's, cable ties and all required terminals and also includes 13 metres of 16AWG speaker cable.

Code  
MX48



**MAXCOR**

### 4 AWG BASSIX 650 WATT 4-CH AMP WIRING KIT

- 650W Max Power Suits 4 Channel amplifiers
- 5.5M Red 4 Gauge power cable with O-Ring terminal
- 0.8M Black 4 Gauge earth cable
- 120A Mini ANL fuse with holder
- 2 x 5M 2 Channel RCA leads
- 1.8M Split loom tubing
- Twisted Pair RCA's With Gold plated connectors
- Includes cable ties, wiring grommet & fitting terminals

**Bassix**

Code  
BSX404



#### STEREO VERSION

Code  
BSX204

### 8 AWG BASSIX 450 WATT 4-CH AMP WIRING KIT

- 5.5M Red 8GA Power Cable with O-Ring Terminal
- 0.8M Black 8GA Earth Cable
- 80A Mini ANL Fuse With Holder
- 2 x 5M 2 Channel RCA Leads, suits 4 channel amplifiers
- 1.8M Split Loom Tubing
- 5M 20GA Blue Trigger Wire
- Hex Key For Fuse Holder
- 450W Max Power
- Includes Cable Ties, 8GA Wiring Grommet & Fitting Terminals

**Bassix**

Code  
BSX408



### 8 AWG 450W MAX AMP WIRING KIT 2CH

- 5.5M red 8 GA power cable with O-ring terminal
- 0.8M black 8 GA ground cable with O-ring terminal
- 80A Mini ANL Fuse With Holder
- 5M 2 Channel RCA Leads
- Suits 2 Channel Or Monoblock Amplifiers
- 1.8M Split Loom Tubing
- 5M 20GA Blue Trigger Wire
- Hex Key For Fuse Holder
- 450W max power.
- Includes Cable Ties, 8GA Wiring Grommet & Fitting Terminals

**Bassix**

Code  
BSX208



#### AWG/METRIC

AWG	Ømm	mm²
0	8.25	53.4
1	7.35	42.4
2	6.54	33.6
3	5.83	26.7
4	5.19	21.2
5	4.62	16.8
6	4.11	13.3
7	3.67	10.6
8	3.26	8.35
9	2.19	6.62
10	2.59	5.27
11	2.30	4.15
12	2.05	3.31
13	1.83	2.63
14	1.63	2.08
15	1.45	1.65
16	1.29	1.31
17	1.15	1.04
18	1.02	0.82
19	0.91	0.65
20	0.81	0.52
21	0.72	0.41
22	0.64	0.33
23	0.57	0.26
24	0.51	0.21
25	0.46	0.16
26	0.41	0.13
27	0.36	0.10
28	0.32	0.08
29	0.29	0.06
30	0.26	0.05
31	0.23	0.04
32	0.20	0.03
33	0.18	.025
34	0.16	.020
35	0.14	.016
36	0.13	.012
37	0.11	.010
38	0.10	.008
39	0.09	.006

\*Approximations Only



## Power Cable

### AERPRO - BASSIX 2 AWG 30M CABLE SMOKE GREY - BSX230B

Suitable for automotive high current  
For shorter lengths see our installation kits.  
Supplied on 30 Metre reels.

#### 2AWG 6.5mmØ + Jacket

Colour	Material	Length	Code
Black	Aluminium	30M	BSX230B



### AERPRO AUTOMOTIVE POWER CABLE 4AWG/8AWG

High Grade Flexible in Red or Black.

#### 4AWG 5.2mmØ JACKET 10mmØ

Colour	Material	Length	Code
Red Clear	Aluminium	30M	BSX430R
Black Clear	Aluminium	30M	BSX430B
Black Solid	Copper	50M	APC1041

#### 8AWG 3.3mmØ JACKET 7mmØ

Transparent Jacket. 50 Metres.

Colour	Material	Length	Code
Black	Copper	50M	APC1281
Red	Aluminium	50M	BSX850R



## LOW-POWER OFC INTERCONNECT

### SINGLE WIRES FOR ACCESSORIES CONNECTIONS

Single multi-strand small gauge cable with 1.8mm O/D colour coded jacket for low power car accessories, trigger wires, etc.  
Rated peak 5A for short lengths. Supplied 100M Reels.

#### 20 AWG ACCESSORIES CABLE 100M

Colour	Material	AWG	Code
Red	Clad AU	20 AWG	AP916R
Black	Clad AU	20 AWG	AP916BK
Yellow	Clad AU	20 AWG	AP916Y
Blue	Clad AU	20 AWG	AP916BL

for 100M



#### 16AWG "TRIGGER" CABLE 100M

Colour	Material	AWG	Code
Orange	Clad AU	16	MX16100

for 100M



## AUTOMOTIVE TWIN POWER CABLE

Red & Black pair for speakers or DC power Extra thick PVC jacket for protection in high wear and hostile environments Multi-stranded copper wire pair Figure 8 cable. Supplied on 100M reels

#### 13AWG 15A HEAVY DUTY JACKET

2x 4.5mmO/D with 2mmØ wire (61 x 0.18mm strands).

Material	Code
Copper	AW1861

#### 21AWG DC HEAVY DUTY JACKET

37x0.12mm Strands. 2x3.2mm Jacket.

Material	Code
Copper	AW1237

**Soundlink**  
POWER-LINK



EXTRA TOUGH JACKET 100M

More Available  
See Section  
02 Cables &  
Connectors

## POLYPROPYLENE SPLIT CONDUIT CABLE WRAP

Approx. 10 Metres. Available from 10mm to 21mm in black. Stable -30° to 110°C.

Colour	O/D	Length	Code
Black	10mm	10M	SCWL10PP
Black	13mm	10M	SCWL13PP
Black	16mm	10M	SCWL16PP
Black	18mm	10M	SCWL18PP
Black	21mm	10M	SCWL21PP



## NYLON SPLIT CONDUIT CABLE WRAP 10M

-40°C to 130°C. Approx. 10 metres long, available from 10mm to 21mm. Black.

Colour	O/D	Length	Code
Black	10mm	10M	SCWL10PA
Black	13mm	10M	SCWL13PA
Black	16mm	10M	SCWL16PA
Black	18mm	10M	SCWL18PA
Black	21mm	10M	SCWL21PA







## □ Crimp Terminals

### QUICK DISCONNECT MALE

TAB	AWG	Colour	Code	Per 100
2.8mm	22-18	Red	TM21111	
4.7mm	22-18	Red	TM21181	
4.7mm	16-14	Blue	TM21182	
6.4mm	22-18	Red	TM21251	
6.4mm	16-14	Blue	TM21252	
6.4mm	12-10	Yellow	TM21253	



### QUICK DISCONNECT FEMALE

TAB	AWG	Colour	Code	Per 100
6.4mm	22-18	Red	TM20251	
6.4mm	16-14	Blue	TM20252	
6.4mm	12-10	Yellow	TM20253	
4.7mm	22-18	Red	TM20181	
4.7mm	16-14	Blue	TM20182	
2.8mm	22-18	Red	TM20111	



### QUICK DISCONNECT INSULATED

TAB	AWG	Colour	Code	Per 100
6.4mm	22-18	Red	TM22251	
6.4mm	16-14	Blue	TM22252	
6.4mm	12-10	Yellow	TM22253	
4.7mm	22-18	Red	TM22181	
4.7mm	16-14	Blue	TM22182	
2.8mm	22-18	Red	TM22111	
2.8mm	16-14	Blue	TM22112	



### BULLET CONNECTORS MALE

TAB	AWG	Colour	Code	Per 100
4mm	22-18	Red	TM24151	
4mm	16-14	Blue	TM24152	
5mm	16-14	Blue	TM24192	
5mm	12-10	Yellow	TM24193	



### BULLET CONNECTORS FEMALE

TAB	AWG	Colour	Code	Per 100
4mm	22-18	Red	TM25151	
4mm	16-14	Blue	TM25152	
5mm	16-14	Blue	TM25192	
5mm	12-10	Yellow	TM25193	



### QUICK DISCONNECT KIT

#### 300 PIECES

21cm box full of popular terminators Sizes 22AWG to 14AWG Ring, Spade, Bullet & quick disconnects. Excellent crimp plug solution if only small quantities are required. Clear compartment box with lid. Box 210x110x30mm



Code  
TMK300

### BUTT SPLICES

Splices into an existing cable and an extra cable so as to "Tap" Inline without complication.

AWG	Colour	Code	Per 100
22-18	Red	TM40001	
16-14	Blue	TM40002	
12-10	Yellow	TM40003	



### TAP SPLICES

AWG	Colour	Code	Per 100
22-18	Red	TM42001	
16-14	Blue	TM42002	
12-10	Yellow	TM42003	



### PIN TERMINALS

TAB	Length	AWG	Colour	Code	Per 100
1.9mm	9mm	22-16	Red	TM32276	
1.9mm	10mm	16-14	Blue	TM32278	
2.8mm	13mm	12-10	Yellow	TM32280	



### LIPPED BLADE TERMINALS

Colour	TAB	AWG	Code	Per 100
Red	3mm	22-16	LBD13-100	



### SPADE TERMINALS

Stud.	AWG	Colour	Code	Per 100
6.4mm	22-18	Red	TM11121	
6.4mm	16-14	Blue	TM11122	
6.4mm	12-10	Yellow	TM11123	
5.3mm	22-18	Red	TM11101	
5.3mm	16-14	Blue	TM11102	
5.3mm	12-10	Yellow	TM11103	
4.3mm	22-18	Red	TM11081	
4.3mm	16-14	Blue	TM11082	
4.3mm	12-10	Yellow	TM11083	
3.7mm	22-18	Red	TM11061	
3.7mm	16-14	Blue	TM11062	



### RING TERMINALS

Stud.	AWG	Colour	Code	Per 100
8.0mm	16-14	Blue	TM10142	
8.0mm	12-10	Yellow	TM10143	
6.4mm	22-18	Red	TM10121	
6.4mm	16-14	Blue	TM10122	
6.4mm	12-10	Yellow	TM10123	
5.3mm	22-18	Red	TM10101	
5.3mm	16-14	Blue	TM10102	
5.3mm	12-10	Yellow	TM10103	
4.3mm	22-18	Red	TM10081	
4.3mm	16-14	Blue	TM10082	
4.3mm	12-10	Yellow	TM10083	
3.7mm	22-18	Red	TM10061	
3.7mm	16-14	Blue	TM10062	



## □ Ring Terminals - Gold Plated

### 8 GAUGE RING TERMINAL PACK 6 RED / 6 BLACK

- 8 gauge (6mm) Cable entry
- Gold-plated Terminals
- 6 Red, 6 Black
- Suits 8mm Posts

Code  
AP702



### 4 GAUGE RING TERMINAL PACK 2 RED / 2 BLACK

- 8 gauge (6mm) Cable entry
- Gold-plated Terminals
- 2 Red, 2 Black
- Suits 8mm Posts

Code  
AP4GRT



### 2 GAUGE RING TERMINAL PACK 2 RED / 2 BLACK

- 2 gauge (6mm) Cable entry
- Gold-plated Terminals
- 2 Red, 2 Black
- Suits 8mm Posts

Code  
AP2GRT



### 0 GAUGE RING TERMINAL PACK 1 RED / 1 BLACK

- 0 gauge (6mm) Cable entry
- Gold-plated Terminals
- 1 Red, 1 Black
- Suits 8mm Posts

Code  
AP0GRT






## Relays

### 12V 15A SPST RELAY PRE-WIRED

Relay ON activates:  
A: Pull to ground  
B: Lift from ground  
Wires are 20cm long



Code

REL01LOOM


### AUTOMOTIVE RELAY

#### 30A SPDT 1/4"

"Bosch" Type Popular standard  
Single Pole Double throw 12V  
Coil 150mA 6.35mm Spade lugs  
1 Inch<sup>3</sup> Plastic Mounting Tag  
Weather proof Switches 30A

Code

TW3415



### CAR RELAY WITH INBUILT FUSE

#### POPULAR 4 PIN AUTOMOTIVE RELAY

Universal Auto Relay 4 Pin DC 12V 30A  
With built-in fuse socket and mounting tag  
Includes 1x 30A blade type automotive fuse

Code

TW4330



### RELAY SOCKETS

#### SUIT TW3415

Popular standard Suit "Bosch" type  
High current 30A Push-fit holders

#### 80CM WIRE LOOM

Code

TW3416



#### SOLDER TERMINALS

Code

TW3417

Relay Not Included

### SPDT AUTOMOTIVE 60A RELAY


#### 12V DC 60A SPDT 5 Pin

weatherproof automotive relay.  
9.5mm and 6.5mm spade pins.

#### COPPER CONDUCTORS

Code


TW1134



#### STEEL CONDUCTORS

Code

TW3460



### AUTOMOTIVE RELAY BASE WITH FLYLEAD

Cradle designed for use with  
automotive relays fitted with female  
spade connectors. Suits TW3460 and  
TW1134 relays with 9.5mm and 6.5mm  
terminals. Fitted with 180mm flylead.

Code

TW4326



## LED & Lamps

### INDICATOR DIAL LAMPS 12V

#### LAMP BEZEL 10mm

Raised chrome bezel LED.  
5mm LED 12V. 8mmØ Hole.

Colour Code

Blue PL6BU

Green PL6GN

Red PL6R

Yellow PL6YL

8mmØ Hole. With lead.

Colour Code

Green PL5GN



#### FLASHING LED 12V

Colour Code

Red MGF5RDF

### INDICATOR DIAL LAMPS 12V

#### PLASTIC LAMP 8mm

Incandescent globe.  
12V. 7mmØ Hole.

Colour Code

Red PL8R

Green PL8GN



#### PLASTIC LAMP 22mm

Incandescent globe. Square  
bezel lamp. 12V. 15mmØ Hole.

Colour Code

Orange PL3



### INDICATOR & DIAL GLOBES 12V

#### SEE SECTION 10 ELECTRONIC COMPONENTS

As used in switches and dash  
indicators Fuse lamp 1/4x1/4" 3AG

Volts Code

12V 754-12

#### 3MM BI-PIN LAMP

Voltage Code

14V BIP3125

#### 5MM PUSH LAMP

Voltage Code

12V IL50-12




### BLADE FUSE TAP - AERPRO

Replace an existing fuse to tap accessory power.  
Two fuse holders. Pass-through and tap-off (5A).


#### PACK OF THREE PIECES

Size	Type	Code
18mm	Standard (ATC)	APFTAP1
14mm	Micro3	APFTAP5
11mm	Mini (ATS)	APFTAP2
10mm	Micro	APFTAP3
8mm	Micro2	APFTAP4



#### PACK OF TEN PIECES

Size	Type	Code
18mm	Standard (ATC)	APFTAP1B
11mm	Mini (ATS)	APFTAP2B
10mm	Micro	APFTAP3B
8mm	Micro2	APFTAP4B



Total 15A. Up to 10A original fuse (not supplied)  
and up to 5A tap (fuse included).





## □ Noise Filter

### NOISE SUPPRESSOR

Direct mount Condenser Capacitor for general ignition noise suppression. 0.47μF EHV weather proof.

Code  
CNS2




### NOISE SUPPRESSOR KIT

#### 12V "Hot Line" FILTER

Comprises of one choke, 6mH(5A) or 3mH(10A) & a Cap. For noisy ignition, etc.

Value	Code
6mH	NS5
3mH	NS10



### NOISE SUPPRESSOR FILTER

#### SQUARE FILTER


Choke and Cap Fire-wall mount Weather resistant

Current	Code
5 Amp	NS15S

#### ROUND VERSION

50mmØ w/ bracket

Current	Code
5 Amp	NS15R



## □ Automotive Switches


### PREMIUM AUTOMOTIVE SWITCH

#### 20A 12V ROCKER SWITCH

Carling Technologies Weather resistant High temperature Heavy duty long life 20A Low voltage (12V) Affirmative action Quality feel & touch Illumination option All ¼" Spade connectors

Requires mounting gasket

Code  
SW-GASKET



### NON-ILLUMINATED

#### TOGGLE

Pole	Type	Code
SPST	ON/OFF	SW-V1BA
DPST	ON/OFF	SW-VABA
SPDT	ON/ON	SW-V4BA
SPDT	ON/OFF/ON	SW-V6BA
DPDT	ON/OFF/ON	SW-VJBA

#### MOMENTARY

Pole	Type	Code
SPST	ON/OFF	SW-V2BA
SPDT	ON/OFF/ON	SW-V8BA
DPDT	ON/OFF/ON	SW-VLBA
	GASKET	SW-GASKET



### VAN SLIDING DOOR SWITCH

82(W) x 34(D) x 15(H) mm  
70(W) x 26(D) x 52(H) mm

Code  
VANSW



### ARMING SWITCH

#### SPST TOGGLE 12V 20A

A universal nitrous arming switch ON-OFF position, Led indicator flip cover. 12VDC 20A. 80x50x17mm.

Colour	Code
Red	SW403RD
Blue	SW403BU
Green	SW403GN



### CUT-OFF SWITCH 100A

#### 12V/24V 100A

so you can take it with you to prevent unauthorized use of your boat, race car, industrial equipment, etc.

Code  
SW401



110x60mm Removable key

### CUT-OFF SWITCH 400A

60V EXTRA HEAVY DUTY  
400A battery Cut Out Switch with removable key

Code  
SW400

123x118x66mm



### IGNITION BUTTON

#### N/C & N/O MOMENTARY

Push Start Ignition Switch with LED indicator. N/O, N/C and indicator light. 12VDC 20A. 85x33x30mm.

Colour	Code
Red	SW402RD
Blue	SW402BU





## Converters / Isolators

### FLOATING GROUND ADAPTOR

Converts car stereo outputs that are floating earth (BTL) into common ground for connection to Equalizer/Boosters etc. which have common ground in.

Code  
FGA10



### GROUND LOOP ISOLATOR

#### STEREO 2xRCA I/O

Stereo audio 4K Ohm RCA Gold RCA plugs to sockets. Kill buzzes and hum in Car stereo, PA, etc. Fr = 40Hz-40KHz  $\pm 3$ dB

Code  
ES11



**AERPRO AP305A**  
58x48x30mm

Code  
AP305A

### SPEAKER TO RCA CONVERTER

#### STEREO ISOLATOR

Connect speaker out wires to a high power amplifier with RCA connection inputs. Total earth isolation with high quality core transformers. Adjustable output levels 10-80dB Fr = 10Hz g 50KHz  $\pm 1$ dB Base 65x90(x28H)mm

Power Code  
30Wmax AX-HL



### 2 CH LINE OUTPUT CONVERTER

- 2-Channel
- Step Down Adjustable Channel Gain
- Remote Out Trigger
- Signal Noise Filter
- Super Compact Design
- LED Power Indicator

Code  
APHL2MI



### 2 CHANNEL LOC & RCA LINE DRIVER

Aerpro Line Output Converters (LOC) will convert your existing cars factory head-units high level (speaker output) into a low voltage line level (RCA) output allowing you to add on an aftermarket amplifier to an OEM headunit.

Code  
APHL2A



### 2 CH LINE OUTPUT CONVERTER

- 2-Channel
- Step Down Adjustable Channel Gain
- Remote Out Trigger
- Signal Noise Filter
- Super Compact Design
- LED Power Indicator

Code  
AP3042A



### 6 CHANNEL LINE LEVEL CONVERTER DELUXE

#### WITH 10 BAND EQUALISER

For use as a high end Hi to Low level converter or OEM integration solution. This item yields superior sonic performance to a standard converter offering higher RCA voltage, less distortion and less hiss. The output equaliser allows you to adjust the equalisation curve to compensate for signal losses associated with the factory head unit outputs to correct and enhance the aftermarket speaker curve.

Code  
APHL6EQ



## Adaptors / FM Transmitters

### FM TRANSMITTER AND USB PLAYER

FM transmitter, USB charger & USB/MicroSD music player plus 3.5mm input playback via your car stereo FM radio transmission. 5V 2A USB charging port. Includes a 21 key multifunctional remote control. 3.5mm audio cable included.

Code  
FMT225



### USB CHARGER WITH FM TRANSMITTER

Charge Your Device While Listening To Your Music Though FM. It Has a Back Lit LCD Display.

Code  
ADM200TC



DISCONTINUED

### FM MODULATOR IN-DASH INSTALL

RCA stereo input, FM direct inject antenna lead for car radio. Switch between 88.1 and 88.3MHz. 12Vdc in. Plugs inline to car antenna.

Code  
AV8FM2



### CASSETTE INPUT ADAPTOR

Allows an older cassette car stereo to accept an input from a portable unit Like iPOD®, MP3, etc. Transmits stereo through the Cassette deck. Simple! Single head works in one direction.

Type Code  
Single Head HN-1205

Twin head works in either auto-reverse directions.

Type Code  
Twin Head HN-1206



3.5mm AUDIO to Cassette





## □ Car Handsfree Bluetooth

### BLUETOOTH HANDSFREE CAR VISOR - CELLINK

#### RECHARGEABLE - DUAL PHONE - SUPER SLIM VISOR MOUNT

The simple to use Bluetooth handsfree car kit allows you to make calls or answer your mobile phone in your car without having to hold it. Bluetooth 2.1. Simple single press operation to answer or reject phone calls and a simple operation to dial or redial the last number. It has a loud built-in speaker and mic. Full duplex with echo cancelling and DSP Noise Reduction. It can pair with 2 phones simultaneously with multi-point connection to two phones at the same time. It has a built-in rechargeable Li-ion battery and can last up to 30 hours long talk time and 500 hours for standby. Charger included.

- Last Number redial button
- Call transfer back to phone
- Support voice dialing
- Text to speech modes
- Volume up and down
- Mic mute on/off
- Last number redial

Code  
DS4500



## □ Car Handsfree Bluetooth FM

### BLUETOOTH FM TRANSMITTER & QC3.0 CHARGE

#### QC3.0 CHARGER PLUS USB MEDIA PLAYER

Bluetooth FM transmitter for cordless hands-free and stereo media playback. 2x USB with PD3.0 quick charger and USB Media player.

Code  
APBT310



### BLUETOOTH FM USB CAR CHARGER QC3.0

#### USB/MicroSD PLAYER

All-in-one Bluetooth Hands-free Car Kit. Play music from smartphone, flash drive or Micro SD card through your car stereo's FM transmission. Also answer calls hands-free. Charger with QC3.0 Fast Charge capability.

Code  
APBT210



### BLUETOOTH FM TRANSMITTER WITH DUAL USB

#### 5V 2.1A CHARGER & MEDIA PLAYER

Bluetooth FM transmitter for cordless hands-free and stereo media playback. 2x USB with 2.1A charger and USB Media player.

Code  
APBT200



### BLUETOOTH FM TRANSMITTER WITH PD 3.0

#### WITH PHONE ANSWER & MEDIA PLAYER

Bluetooth FM transmitter for cordless hands-free and stereo media playback. 2x USB with PD3.0 Type-C quick charger and USB Media player.

Code  
APBT230



## □ Car Handsfree AUX

### BLUETOOTH AUDIO STREAMING & HANDS-FREE KIT

#### DIRECT 3.5MM OR EXTENSION BASE

Enables wireless Bluetooth streaming from a smartphone or tablet to any system with an AUX input, including car stereos and home entertainment systems. Features a rechargeable battery up to 6 hours of playback / talk time. Built-In mic to make calls. The kit also includes a micro USB cable for charging and a AUX extension cable with base for convenient mounting.

Code  
ABT511



**Aerpro**  
First Choice



## □ Power Automotive □ 12V Power Converters

### 24V TO 12V REDUCER

Designed for use in 24 Volt vehicles. Specifically for the installation 12 Volt headunits. It has both a constant and accessories wire, allowing you to retain AM/FM station memory, etc.

- Suitable to run a headunit and a CB Radio
- Easy & quick installation

V in	V out	Current	Code
24Vdc	12Vdc	6A max	AP8286

V in	V out	Current	Code
24Vdc	12Vdc	12A max	AP8287



### 24V TO 12V REDUCER

- Steps down power from 24V to 12V
- Includes both constant and accessory wires
- Suitable for installing 12V accessories into 24V vehicles
- Over/low voltage, short circuit, over current protection
- Inline fuse protection
- Advanced switch mode design
- Compact and light weight
- IP68 Dustproof / Waterproof
- Easy and quick installation

Current	Code
5A	APC5A

Current	Code
10A	APC10A

Current	Code
20A	APC20A



## □ 12V Power Inverters

### 12V TO 240VAC MODIFIED SINE WAVE INVERTER

Modified sine wave inverter with a single 240V AC socket and supports 600W/800W of continuous power, making it suitable for powering small to medium non-sensitive household appliances including most products that have an external or built-in switch mode power adaptor (i.e TV or laptop). It also features a single 2.1A USB socket which is perfect for charging smartphones, tablets and other USB devices. Simple to install, the inverter connects directly to a 12V DC battery via the supplied 80cm lead.

Pnom	Pmax	Code
600W	1200W	API600W
800W	1600W	API800W



### 12V TO 240V PURE SINE WAVE POWER INVERTER

#### INDUCTIVE LOAD COMPATIBLE

Pure Sine Wave Power Inverter providing 240V power from a 12V battery source suitable for powering small to medium sensitive and non-sensitive appliances such as SMP devices (TV, Laptop) and also inductive loads (Fridge, drill, etc.). It also features a single 2.1A USB socket. Circuit protection and has LED indicators to alert you of any potential issues. Simple to install, the inverter connects directly to a 12V DC battery via the supplied 80cm lead with alligator clips.

Pnom	Pmax	Code
600W	1200W	API600P
1000W	2000W	API1000P
2000W	4000W	API2000P



## □ Dual Battery Controllers

### DC-DC BATTERY CHARGER 12V 25A - INTERVOLT

#### NEW R2-0 VERSION - SOLAR INPUT & REMOTE DISPLAY

- Designed for Australia's harshest conditions
- The best in-class performance for a charger of this size
- Remote monitoring from the comfort of the driving seat
- Solar input ready. 250W Nom. 27 VOC max.
- IP67 rated, under bonnet charging device is dust and water proof
- The remote display is capable of monitoring two chargers
- Overload and short circuit protection with automatic shutdown
- Over temperature protection with automatic thermal shutdown
- Screw terminated connectors, no glying leads
- No modification to the vehicle's original wiring is required
- Compact design can be mounted in any position 75x112mm<sup>2</sup>
- Charges battery types: SLA, Absorbed Glass Mat, Gelified, Lead Calcium, etc. and LiFePO4 (with BMS built-in).

Code  
DCC1225ACK



#### INERTIAL SENSE MODULE

Detects movement to initiate the charging cycle. This enables operation in Ignition mode without having to tap into the vehicle wiring system.

Code  
ISM001A



### 12V 100A BATTERY ISOLATOR - INTERVOLT

#### NEW SOLID-STATE PROGRAMMABLE UNIT

- Clear LED status display and indicators for ease of operation
- 100A continuously rated with a genius 500A peak
- Dual sensing allows main battery to be charged from auxiliary
- Output indicator function for convenient in-vehicle monitoring
- Input for in-vehicle remote emergency combine switch (starting)
- Overload and short circuit protection with automatic shutdown
- Over temperature protected with automatic thermal shutdown
- Electronics are encapsulated in dust and water proof housing
- Compact design can be mounted in any position
- Heavy duty construction designed for under-bonnet installations

Code  
EBI12100A







## □ SLA Battery Chargers

### SLA BATTERY CHARGER - ICS1

#### SUITS SLA VRLA WET GEL AGM EFB

Enecharger ICS1 Battery Guardian - 6V / 12V 1.0A 7 Step Fully Automatic Lead Acid Battery Charger with "Constar" connector leads

- 7 step charging method for 6V/12V Lead Acid, VRLA, Wet, Gel, maintenance free and AGM batteries
- Automatic voltage detection and automatic shut off
- Charges batteries from 4Ah up to 20Ah
- Maintains batteries up to 100Ah
- Reverse polarity protection and spark proof
- LED status indication



ICS1 = BFL1 + BFL2

ICS1-F1 = BFL5

ICS1-F2 = BFL6

Description	Code
Charger Kit - Alligator or Ring Terminals	ICS1
Charger Kit - F1 4.8mm Spade Terminals	ICS1-F1
Charger Kit - F2 6.35mm Spade Terminals	ICS1-F2

### CONSTAR BATTERY LEADS - ICS1

"Battery-Guardian" ICS1 Chargers use "Constar" type two pin IP65 connectors. Here are Plug to Plug Extensions

Length	Code
30cm	QD2P
3M	BFL7



### CONSTAR LEADS AVAILABLE

Suits ICS1 range.

#### 4.8mm SPADE

Code
BFL5



#### 6.35mm SPADE

Code
BFL6



#### LEAD & ALLIGATOR CLIPS

Code
BFL1



#### ACCESSORIES PLUG

Code
BFL4



#### ACCESSORIES SOCKET

Code
BFL8



#### RING TERMINALS

Code
BFL2



### SLA / LiFePO4 CHARGER 12V 30A BLUE SMART

#### BLUETOOTH MONITOR & PROGRAMMER APP

Victron Blue Smart IP22 SLA/LiFePO4 Charger 12V 30A with 1 output. The Blue Smart IP22 professional battery charger features bluetooth. It allows you to monitor voltage and current, to change settings via your mobile phone using the VictronConnect App and bluetooth.

240Vac wall mount battery charger.

Suitable for 12V batteries.

Suitable for SLA, Li-Ion, LiFePO4.

High current charge up to 30A.

Long term standby compatible.

(always connected float mode)

Advanced 6 stage charge cycle.

Bluetooth wireless monitor control

VictronConnect PC/OSX/Android

Code
VECIP22-12/30-1



PHONE NOT INCLUDED



### SLA QUICK CHARGER 12V 1A

#### 2 STAGE INTELLIGENT CHARGER

Charges sealed lead acid (recommended up to 12Ah) Fast-Charge 14.4V to 90% then trickle. Alligator Clips.

Volts	Current	Code
12V	1000mA	LAC1201



## □ SLA Battery Testers

### 12V DIGITAL BATTERY TESTER

#### SUITABLE FOR TESTING 12V AUTOMOTIVE BATTERIES

- Checks voltage, cold cranking amps (CCA), resistance and overall battery condition
- Continuous testing will not damage battery
- Uses car battery for 12V power, no extra internal batteries needed
- Large backlit LCD screen
- Easy-to-carry and durable design

Code
AE310



### BATTERY MONITOR LCD 12V/24V SLA

#### 12V & 24V ADVANCED MONITORING

- Low power consumption (6mA) for long term connection if required
- Backlight Illumination, No internal battery required
- 4 numeric characters to indicate battery voltage
- Symbols to indicate battery & charger status

Code
BT124LCD



### BATTERY MONITOR & CHARGER TESTER 12V SLA

Compact size tester. LED battery tester for 12V battery, progressive light bar for showing battery capacity plus a charger check. Suitable for all range of 12V lead acid batteries.

Charger over-voltage indicates Bad.

Charger under voltage no indication

Charging indicates good.

Code
BT012RB



### SMARTSHUNT BATTERY MONITOR - VICTRON

#### BLUETOOTH MONITOR

The SmartShunt is an all in one battery monitor, only without a display. Your phone acts as the display. Connects inline between battery and load for power usage.



Phone Not Included



Voltage	Amps	Size	Code
6.5-70Vdc	500A	120x54x46mm	SMARTSHUNT500A
6.5-70Vdc	1000A	120x54x68mm	SMARTSHUNT1000A
6.5-70Vdc	2000A	120x76x68mm	SMARTSHUNT2000A



## □ SLA Battery Chargers - Solar

### SOLAR CHARGER MPPT 12V/24V 15A MPPT - BLUE SMART VICTRON

#### BLUETOOTH REMOTE MONITORING AND CONTROL

A solar charger gathers energy from your solar panels, and stores it in your batteries. Using the latest, fastest technology, BlueSolar maximises this energy-harvest, driving it intelligently to achieve full charge in the shortest possible time. BlueSolar maintains battery health, extending battery life. Solar input up to 75V max. open circuit. 15A charge. 12V/24V.

- Ultra Fast Maximum Power Point Tracking
- Remote Monitoring and Control via Bluetooth
- Intelligent load output function to prevent damage caused by running the battery flat

#### Code


MPPT75/15

#### MPPT75/15 END CAP ADD-ON

Additional cover to protect terminals for neat and tidy cabling.

#### Code

MPPTWIREBOX-S75-10/15



PHONE NOT INCLUDED



## □ 12V SLA Battery Charger

### BATTERY CHARGER SLA & LITHIUM - BLUE SMART VICTRON

#### INTELLIGENT IP65 CHARGER 12V/24V

Victron Blue Smart IP65 SLA/LiFePO4 Charger 12V OR 24V, 4A to 15A. Kit includes charger plus Alligator Clips & M8 Eyelets. Bluetooth App.

- Seven step smart charge algorithm with up to 95% efficiency
- Recovery of fully discharged Dead batteries & partially reverse sulfation
- Lilon (LiFePO4) battery mode featuring a specific charging algorithm
- Setup and configure, readout of voltage and current by Bluetooth Smart

Volts	Current	Code
6V/12V	1.1A	VECIP65-6-12/1.1
12V	4A	VECIP65-12/4
12V	5A	VECIP65-12/5
12V	7A	VECIP65-12/7
12V	10A	VECIP65-12/10
12V	15A	VECIP65-12/15
12V	25A	VECIP65-12/25
24V	5A	VECIP65-24/5
24V	8A	VECIP65-24/8
24V	13A	VECIP65-24/13



PHONE NOT INCLUDED

#### VEC IP65 ACCESSORIES

Description	Code
2 metre extension cable connection	VECIP65-EXT
Lead to eyelet connector with 30A auto blade fuse	VECIP65-M6
Battery Indicator Panel Lead to M8 eyelet connector with 30A auto blade fuse	VECIP65-BIP
Battery Indicator Eyelet M8 eyelet to lead connector with 30A auto blade fuse	VECIP65-BIE
Lead to Auto Accessory Plug with 16A auto fuse	VECIP65-12V
Lead to XLR 3-Pin Mobility connector with 30A auto blade fuse	VECIP65-XLR
Lead to alligator clips with 30A auto blade fuse	VECIP65-CLAMP
Rubber bumper for IP65 Charger 12/10, 12/15, 24/8	VECIP65-BUMPER
Carry Case for IP65 Charger & Accessories	VECIP65-CASE
Wall Mount for IP65 Charger 12/10, 12/15, 24/8	VECIP65-MOUNT



VECIP65-MOUNT



VECIP65-BUMPER



VECIP65-CASE



VECIP65-EXT



VECIP65-M6



VECIP65-BIP



VECIP65-BIE



VECIP65-XLR



VECIP65-12V



VECIP65-CLAMP

### SMART BATTERY MONITOR - VICTRON ENERGY

#### LOCAL DISPLAY & BLUETOOTH REMOTE MONITORING

High precision battery monitor for Voltage, Current, Power, Amp-Hours Consumed, State of Charge, estimated time remaining, all graphically displayed with the Victron Energy App on your phone or other device. Includes a local display module and separate shunt type connection to your battery setup. Advanced features include log, and alarm presets, etc. Extra terminals for monitoring a second battery, mid-point between two batteries in series. 500 Amp shunt. 5V to 70V range.

#### Colour Code

Grey	BMV-712SMART
Black	BMV-712BLACKSMART



PHONE NOT INCLUDED







## □ Power Supply Laptop

### BC10 INTELLIGENT UNIVERSAL POWER ADAPTOR 90W CAR 12V

#### MULTI-VOLTAGE LAPTOP SOLUTION 90W

Car accessories 12V replacement solution. No voltage switch to be concerned about or knock! Simply select the correct plug to suit the specific type of laptop and this adaptor automatically determines the correct voltage required and regulates constant supply for powering and charging. Intelligent power with LED display to confirm voltage output. Plugs are BC10 type. 10 most popular types supplied, more are available.

Code  
LS-CR90AA

10x BC10 TIPS INCLUDED  
MORE TIPS AVAILABLE

#### • KIT INCLUDES TEN PLUGS

- Car accessories powered adaptor to suit a majority of laptops. Outputs 12Vdc to 24Vdc up to 90W. Voltage auto selected by plug chosen. Includes 10 Plugs BC10-RA to RH, RJ & RK. Details of these plugs are listed with BC10. More plugs are also available.



TIPS  
X10

### 12/24VDC TO UNIVERSAL LAPTOP 120W

#### 120W STEP-UP POWER SUPPLY

Accessories input.  
15/16/18/19/20Vdc @ 8.0A  
22/24Vdc @ 6.0A Output.  
Suitable for Laptops, etc.  
Includes 5x DC Plugs.

Input Code  
12Vdc SDR150W

Input Code  
24Vdc SDR24120



### 12VDC TO UNIVERSAL 60W

#### 5A REGULATED 5-12V

12Vdc accessories input  
5/6/9/12VDC @ 5000mA  
4 popular plugs included  
"R" Plugs compatible

Code  
SDR60W



### 12VDC TO UNIVERSAL LAPTOP 120W

#### 120W STEP-UP V

12Vdc Accessories in.  
15/16/18/19/20Vdc @ 6.0A 22/24Vdc  
@ 5.0A Output. Suitable for Laptops,  
etc. Includes 5x DC Plugs.

Code  
SDR120W

Includes  
Plug for  
Dell Laptops



### 12VDC-DC CONVERTER 36W

#### SWITCH-MODE UNIVERSAL

12Vdc Accessories to  
1.5/3/4.5/5/6/9/12Vdc  
Up to 3A Regulated 36W  
Suit games, CDs, etc.  
Includes 6x DC Plugs.

Code  
SDR3000



### 12VDC TO UNIVERSAL LAPTOP 70W

#### 70W STEP-UP V

12Vdc Accessories in.  
15/16/18/19/20Vdc @ 3.5A  
22/24Vdc @ 2.9A Output.  
Suitable for Laptops, etc.  
Includes 5x DC Plugs.

Code  
SDR70W



### 12VDC-DC CONVERTER 1000mA

#### SWITCH-MODE UNIVERSAL

12Vdc Accessories to  
1.5/3/4.5/5/6/9/12Vdc 1A Fully  
Regulated Suit games, CDs,  
etc. Includes 6x DC Plugs.

Code  
SDR0121A



### 12VDC 2A DC LEAD

#### WITH DC PLUGS

Car Accessories Plug  
2M Long lead. Fused 2A.  
Includes 8 popular DC  
Type plugs.

Code  
MW-CP1



### 12VDC CAR ACCESSORIES LEAD

Car Accessories Plug Heavy Duty

Plug	Fuse	Length	Code
Bare Wire	5A	2M	DCL18
Bare Wire	8A	5M	DCL50
2.1mm	5A	2M	DCL21
2.5mm DC	5A	2M	DCL25





## 12V Power Accessories

### EXTENSION LEAD

#### ACCESSORIES LEAD

Curly cord 10A  
Extends the popular  
Car Accessories Plug  
Length 1 Metre.

Code  
CA600



### ACCESSORIES PLUG - SPLITTERS

#### DOUBLE ADAPTOR FLEX

Code  
DCL30

#### DOUBLE ADAPTOR

Code  
APDC200

#### DOUBLE ADAPTOR

Code  
CASS-2

#### DOUBLE ADAPTOR

Code  
DCP320

#### TRIPLE ADAPTOR

Code  
DCP330

#### TRIPLE ADAPTOR + USB 2.4A

Code  
APDC320

#### TRIPLE ADAPTOR + USB 1A

Code  
CAS-3USB

#### TRIPLE ADAPTOR

Code  
APDC300

#### TRIPLE ADAPTOR + USB 2.1A

Code  
APL32USB



### 4.5A THREE PORT USB IN-CAR CHARGER

4.5A shared over three port  
USB in-car charger (2.5A max.)  
with 1.0m cable to right-angled  
accessories plug.

Code  
APCC320

#### 9.6A 5 PORT VERSION

Code  
APCC500



### ACCESSORIES SOCKET REPLACEMENT USB 2.1A

#### 12V/24V ADAPTOR TO USB CHARGER 2.1A

This is a replacement  
Accessories socket 12V/24V  
that provides 5V USB charge  
at 2.1A. Illuminated bezel.

Code  
APUSBE



### ACCESSORIES SOCKET REPLACEMENT USB-USB

#### 12V ADAPTOR SOCKET UNIVERSAL WITH USB INPUT

This is a replacement  
Accessories socket  
that connects to USB  
head unit input socket  
- Not Illuminated

Code  
APUSBD2



### ACCESSORIES SOCKET REPLACEMENT USB+3.5mm

#### USB CHARGER 0.5A + 3.5mm SOCKET TO 2X RCA PLUGS

This is a replacement  
Accessories socket  
that provides 5v  
USB charge. 3.5mm  
stereo socket to RCA.  
Illuminated bezel.

Code  
APUSB35E



### DASH CAM HARD WIRE KIT - UNIVERSAL

Hard wires Gator dash cams to the vehicle accessory power 12/24Vdc  
to 5V USB with 4-metre cable length. Includes 5 Blade types of Fuse  
Taps and Fuses for easy fuse box insertion.

#### MICRO-USB / MIN-USB

Code  
GUNIHWC



### GATOR DASHCAM HARD WIRING KIT - USB SOCKET

#### FUSE CAPTURE TO USB 5V SOCKET

Gator dash cam hardwire cable with power box and  
3 different size fuse taps. 12/24Vdc to 5V USB.

Code  
GHWUSB2



### DUAL USB CHARGE & SYNC TO SUIT TOYOTA

#### 21X32MM

Assorted Toyota models  
~2007 to ~2017.  
Two sockets, one is pass  
through to USB plug, the  
other is 12Vdc to 5Vdc 2.1A

Code  
APUSBT04







## □ USB Chargers - Micro-USB

### CAR CHARGER MICRO-USB 1A - BULK

Supplied No Packaging.  
12V/24V input. Fully regulated, short circuit and overload protection.  
1A max output current.

Code  
BCC1001



### CAR CHARGER DUAL MICRO-USB + USB

#### MICRO-USB PLUG + USB SOCKET

Car charger with curly cord and micro USB plug. Also features a USB port for charging with an optional USB charging cable. Charge two devices simultaneously. 12V-24Vdc.

Colour	Amps	Code
Black	3.1A	ELI1008
White	3.1A	ELI1009
Black	2.1A	ELI1020
White	2.1A	ELI1021
Black	1A	ELI1025



### CAR CHARGER DUAL WITH MICRO USB 2.1A+1A WITH MICRO USB DATA CABLE

Bonus 75cm USB to micro USB lead included.  
2.1A + 1.0A outputs.

Colour	Code
White	ELI1010WH
Black	ELI1010BK



### 2.1A USB CAR MICRO-USB LEAD + USB SOCKET

#### BULK PACKAGING

- Curly cord. 12V-24Vdc. 2.1A max.

Code BCC1021



### CAR CHARGER MICRO-USB REVERSIBLE + USB

#### REVERSIBLE MICRO-USB PLUG + 1x USB CHARGING PORT

High power car charger.  
Curly lead to Micro USB.  
USB Socket for dual out.  
12-24Vdc in, 5V 2.1A Total. The reversible plug enables you to plug your devices to the charger without worrying about the plug's orientation or risk damaging your phone's charging port.

Colour	Amps	Code
Black	2.1A	ELI1022
White	2.1A	ELI1023



### CAR CHARGER MINI-USB

#### WITH 1x ADDITIONAL USB CHARGING PORT

Type	Amps	Code
Single USB + mini USB Cord	1A	ELI1026
Single USB + mini USB Cord	2.1A	ELI1018



## □ USB Chargers - Apple

### CAR CHARGER APPLE APPROVED 2.1A

#### APPLE® MFI LIGHTNING® DATA CABLE

5V 2.1A USB car charger with single USB Port. Includes 1 Metre Apple® MFi certified Lightning® cable for charging & sync.

Code  
ADM75



### CAR CHARGER DUAL USB 2.1A + LIGHTNING LEAD

#### APPLE iPhone® AND iPad® COMPATIBLE

This USB car charger features 2x USB charging ports (5V 2.1A total) and a Lightning USB charging cable. Apple iPhone® and iPad®. Compatible

Brand. Code  
Cellink ELI9052



### CAR CHARGER USB PORT & LIGHTNING 2.1A

#### APPLE iPhone® AND iPad® COMPATIBLE

Apple™ lightning plug. Rear of plug has a USB socket plus a 75cm curly lead to Lightning plug, not MFI. Amps is Total.

Amps	Colour	Code
2.1A	White	ELI9076
2.1A	Black	ELI9077



### CAR CHARGER LIGHTNING 1A

Car charger with curly cable and Apple Lightning® plug. 5V 1A power output. Suitable for charging iPhone®/iPad®/iPod®/iPod® touch devices with an Apple Lightning® port.

Plug	Amps	Cord	Colour	Code
1x USB socket + 1x Lightning® Plug	1A	Curly	White	ELI9073WH
1x USB socket + 1x Lightning® Plug	1A	Curly	Black	ELI9073BK



#### NO USB SOCKET

Plug	Amps	Cord	Colour	Code
Lightning® Plug	1A	Curly	White	ELI9070WH
Lightning® Plug	1A	Curly	Black	ELI9070BK

### CAR CHARGER IPOD 30 PIN DOCK CONNECTOR

Amps	Colour	Code
1A	White	ELI9002
1A	Black	ELI9003





## □ USB Chargers - Type A Socket

### USB CAR CHARGERS

#### FLUSH 2.1A

Code  
APCC100



#### FLUSH 2.4A

Code  
ELI1015



#### DUAL FLUSH 1A

Code  
ELI1003



#### FLUSH PLUG 3.1A

Dual socket.  
3.1A Total.

Code  
ELI1006



#### FLUSH PLUG 3.1A

iPad or Android Tablet.  
3.1A Total

Code  
USBM22



#### DUAL 2.1A & 1A

Colour	Code
Black	ELI1012BK
White	ELI1012WH



#### DUAL 2.1A & 1A

Code  
APCC200



#### DUAL 2.1A & 1A

Metal Casing

Code  
ELI1037



#### SMART 2.1A

Code  
CAS-7USBI



#### SMART 4.2A

Code  
CAS-9USBI

Separate 2.1A outputs,  
regulated and protected.  
IC for auto detection  
compatible with all devices.



### 2.4A DUAL USB CAR CHARGER WITH SMART IC

- Smart IC dual USB port charger suits all kinds of smart phones & tablets
- Automatic optimised charging via Smart IC Chipset
- Maximum shared output 5V 2.4A
- Blue LED power indicator

Voltage	Current	Code
5V	2.4A total	APL24S



## □ USB Chargers - Qualcomm QC

### 18W QC3.0 USB CAR CHARGER

Charge QC 3.0™ compatible devices at a higher voltage for faster charging speed. (5V: 3A max, 9V: 2A max, 12V: 1.5A max). Blue LED power indicator. Aerpro.

Code  
APL24QC



### 18W 3.4A USB CAR QUICK CHARGE™ 3.0

USB car charger with 2x USB charging outputs. USB ports support 2.4A and 1A output. Features intelligent chip to control the current to optimise charging. Features LED display to show car battery voltage and charging status.

Code  
ELI2USB



### 30W 2.4A USB CAR QUICK CHARGE™ 3.0

Certificated with Qualcomm® Quick Charge™ 3.0 technology applied. Charge compatible devices up to 75% faster than a standard charger. QC3 power output: 5V @3A, 9V @2A or 12V @2A. SMART USB power output: 5V/2.4A

Code  
ELI1033



### 33.5W USB CAR QUICK CHARGE™ QC3.0

- 1x QC3.0 USB port and 1x Hi power USB charging ports.
- QC3: 3.6V-6V @ 3.1A, 6.5V-9V @ 2A and 9V-12V @ 1.5A.
- Hi power USB Output Power: 5V 3.1A.

Code  
ELI1045



### 45W USB CAR QUICK CHARGE™ QC3.0

- 2x QC3.0 USB ports
- QC3 Output Power: 2x 4.5V @5A, 5V @4.5A, 9V @3A, 12V @3A and 20V @2.25A.
- Requires charging cable.

Code  
ELI1043



### 36W QUAD USB CAR QUICK CHARGE™ QC3.0

- 4 port USB car charger
- 3x Hi power USB; 3x 5V 2A (Up to 18W)
- 1x QC3.0 USB port 18W
- QC3 Output Power: 5V @3A, 9V @2A and 12V @1.5A.

Code  
ELI1042







## □ USB Chargers - With USB-C

### 18W CAR CHARGER QC3.0 USB-C PLUG + USB

2 way USB-A and USB-C car for charging smartphones and tablets. The USB socket features smart IC. It also features a 1M USB type-C QC3.0 charging cable with output at up to 18W. It includes a built-in blue LED power indicator.

Code

ADMQC3U **DISCONTINUED**



### 33W 3.0A USB CAR QUICK CHARGE™ 3.0

USB car charger with 3X USB. Type-C output port supports output up to 5V 3A and 1x QC3.0 USB output supports high power output up to 12V 1.5A. Built-in protection against short circuit, over-voltage, over charging and over heating.



Code

ELI1032



### 32W 3.4A USB + 3.0A USB-C CAR CHARGER

USB car charger with 2x USB output and 1x high power USB Type-C output 1x USB-C port supports output up to 5V 3A. 2x USB ports support 5V 3.4A total output Features intelligent charging chip with overcharged, overvoltage, over-current, and short circuit protection etc.

Code

ELI1047



### 36W QC3.0 USB-A / USB-C PD 2.0 CAR CHARGER

USB-A for QC3.0 approved charging USB-C for PD2.0 approved charging 36W total power output for faster results Compact design. LED indicator. Aerpro.

Code

ADMQC2U



### 45W USB AND TYPE-C CAR CHARGER QC3.0

#### USB-C 3.0A QUICK CHARGE + USB 3.0A FAST CHARGE

- 45W USB-C & USB car charger
- 1x USB 5V 2.4A charging port
- 1x USB-C port 5-20V and 3A(max)
- 1M USB-C charging cable is included

Code

LS-CR45-PD



### 63W QC3.0 + USB-C PD2.0 FAST CAR CHARGER

- Qualcomm Quick charge 3.0
- USB Power 5V 2.4A
- USB-C port fast charge USB PD
- Supports fast charging 2 devices at the same time

Code

CAS-63WC



## □ USB Chargers - Noteworthy

### 18W USB CAR QUICK CHARGE™ 3.0

#### WITH 2x QC 3.0 USB PORTS

18Wmax. 2x 3A Qualcomm Quick Charge 3.0 charging ports.

Code

ELI1036



#### EXPANSION HUB

1.8M USB lead to back seat passengers outlet for USB-B & USB-C. Clip mount.

Code

CL1125



### USB CAR CHARGER & EMERGENCY POWER BANK

#### TWO IN ONE COMPACT UNIT – POWER IT UP

Car charger with single USB output. Charger supports output up to 5V 2.1A max. Features a built-in 3000mAh portable power storage for charging your device inside or outside your car.

Capacity

3000mAh

Code

PBC3012-2



4 Level LED Battery Indicator.

### BLUETOOTH FM USB CAR CHARGER QC3.0

All-in-one Bluetooth Hands-free Car Kit. Play music from smartphone, flash drive or Micro SD card through your car stereo's FM transmission. Also answer calls hands-free. Charger with QC3.0 Fast Charge capability.

Code

APBT210



### BLUETOOTH FM TRANSMITTER WITH USB PD 3.0

#### WITH PHONE ANSWER & MEDIA PLAYER

Bluetooth FM transmitter for cordless hands-free and stereo media playback. 2x USB with PD3.0 Type-C quick charger and USB Media player.

Code

APBT230



### BLUETOOTH FM TRANSMITTER WITH USB QC3.0

#### QC3.0 CHARGER PLUS USB MEDIA PLAYER

Bluetooth FM transmitter for cordless hands-free and stereo media playback. 2x USB with PD3.0 quick charger and USB Media player.

Code

APBT310





## 12V Car Jump Starter

### CAR JUMP STARTER & USB & Qi CHARGER - 850A

**850A SUITABLE FOR MOST PETROL & DIESEL VEHICLES UP TO 5L**

Lithium Cobalt Oxide 12Ah 12V  
240Vac/12Vdc charger inc.  
Outputs 12V 8A DC 2.1mm  
Car starter 850A (Leads inc.)

Qi wireless 10W charger  
5V USB 2.1A (x2)  
Capacity display LCD

Code  
MB3764



## Phone Chargers Qi

### 3 IN 1 Qi WIRELESS CHARGING STAND

- Qi wireless charging station 15W total
- Wireless charging spots for your smartphone, Apple Watch and AirPods.
- QC3.0 USB power charger required
- 9V 2A input (for charging multi devices).
- 2W watch and 5W Airpods

Code  
WCT1051



Accessories shown  
for example only  
Not Included

### 4 IN 1 Qi WIRELESS CHARGING STATION

- Multi Qi wireless charging station 15W
- Wireless charging spots for your smartphone, Apple Watch and AirPods.
- QC3.0 USB power charger required
- 9V 3A input (for charging multi devices).
- 2W watch and 5W Airpods

Includes	Code
Station only	WCT1050
Station plus Qi 3.0 Charger	WCT1050-POWER



Accessories shown  
for example only  
Not Included

## Powerbank Qi

### POWERBANK WITH Qi WIRELESS CHARGING 5W

**SUPPORTS USB AND WIRELESS CHARGING OF MOBILE DEVICES**

USB Battery Bank capable  
of charging via wireless and  
USB port at the same time  
5V 2A max USB power  
output and 5W wireless  
charging output. Status  
indicators.

Capacity 10Ah  
155x75x10mm

Capacity Code  
10000mAh PSW100-HCB



Qi wireless charging  
5W max

Micro USB  
(5V 2A max) POWER INPUT

USB Type-C  
(5V 2A max)

USB  
(5V 2.1A max) POWER OUTPUT

### 4 IN 1 Qi WIRELESS CHARGING STATION

- Multi Qi wireless charging station 15W
- Wireless charging spots for your smartphone, Apple Watch and AirPods.
- QC3.0 USB power charger required
- 9V 3A input (for charging multi devices).
- 2W watch and 5W Airpods

Code  
WCT1049



Accessories shown  
for example only  
Not Included

### POWERBANK WITH Qi WIRELESS CHARGING 5W

**SUPPORTS USB AND WIRELESS CHARGING OF MOBILE DEVICES**

This USB power bank is capable  
of storing electricity and charge  
your Qi compatible mobile device  
wirelessly or using a USB cable. It  
comes with non-slip suction cups  
to secure your smartphone while  
charging wirelessly. Ideal for use  
at home, in the car and on the go.

Capacity Code  
5000mAh AP5000WC

Capacity Code  
5000mAh APPB100



126x66x12mm



95x63x15mm



### UV SANITISER & Qi WIRELESS CHARGER

**MOBILE PHONE TOUCH SCREEN SANITISING**

Sanitizes the phone while it is on  
wireless charge. Using a 253.7nm  
wavelength cold cathode UV  
LED lamp to kill the germs on the  
surface of your phone.  
Qi 10W wireless charger base.  
Requires a minimum 5V 2A and up  
to QuickCharge 3.0 power pack.  
Not included.

Code  
UVSC27







### 15W Qi™ WIRELESS CHARGER - MAGNETIC VENT

5V/2.4A, 9V/2.0A to 15W  
Requires Qi 2.0/3.0 Charger  
55mmØ Magsafe® compatible  
Vent clips. Lead included.

Code

WCT1047



### 15W Qi™ WIRELESS CHARGER - MAGNETIC VENT

5V/2.4A, 9V/2.0A to 15W  
Requires Qi 2.0/3.0 Charger  
55mmØ Magsafe® compatible  
Vent clips. Lead included.

Code

WCT1048



### 10W Qi™ WIRELESS CHARGING PAD ANTI SLIDE

Non-slip charging base that holds the phone steady. Supports 5V to 9V high power input. Includes 1M USB Type-C charging cable, requires a USB car charger for power. Phone size 175x90mm

Code

AP10QI



### 15W Qi WIRELESS CHARGING PAD

#### WITH ANTI-SLIP SILICONE SURFACE

Input: 5V/2A, 9V/1.34A, 9V/2A, 12V/1.67A.  
Supports 5W / 10W Qi charging modes.  
3 Charging coils.  
Foreign object detection, over-voltage and temperature protection.  
Non-slip and Anti-scratch design.

Code

APWC150




### 10W Qi™ WIRELESS CHARGER PHONE POCKET

Charges Qi compatible phones  
Phone sits securely in pocket  
Mount in glovebox or on console  
10W 3 coil charging solution  
2 x 5V USB charging ports  
Max 3.0A (1.5A x2)  
12V accessory plug for power  
Charge status indicator

Code

APQUV3



### 10W Qi™ WIRELESS CHARGER - MAGNETIC VENT

#### MAGNETIC BASE TO VENT FINGERS

Qi™ Wireless 10W charger. Magnetic mount phone holder. Made of quality carbon fibre material. Supports high power (up to 9V) charging. The built-in swivel ball allows smooth 360° rotation. Securely held by the strong magnets.

Code

WCT1031



### Qi™ WIRELESS CHARGER - WINDSCREEN MOUNT

Clamp type phone holder  
Adjustable fingers  
Ball-Socket angler  
Windscreen suction cup  
Inbuilt Qi wireless charger  
Qi Certified product  
1.5M lead USB type A Plug  
Power supply not included

Code

WCT1022



### Qi™ WIRELESS CHARGER - VENT MOUNT + IR

#### IR SENSOR DETECTS AND CLOSERS THE CRADLE ARMS

Qi™ Wireless 10W charger.  
Vent mount phone cradle. Deluxe quality.  
IR sensor detects to close and grip 65-81mm.  
Includes USB Type-C charging cable.  
Requires power from a USB charger.

Code

WCT1034



### Qi™ WIRELESS CHARGER - VENT MOUNT CRADLE

#### WEIGHT OF THE PHONE CLOSERS THE CRADLE ARM

Qi™ Wireless 10W charger. Vent mount phone cradle supports Qualcomm Quick Charge™ QC3.0 high power. Uses the weight of the phone to pull the side arms inward. Includes micro USB charging cable. Requires power from a USB charger. Arms extend from 69 to 92mm.

Code

WCT1026



### Qi™ WIRELESS CHARGER - VENT MOUNT CRADLE

#### WEIGHT OF THE PHONE CLOSERS THE CRADLE ARM

Gravity phone holder width 67-83mm with Qi™ Wireless 10W charger.  
Includes micro USB cable.  
Vent mount fingers.  
Angle adjustable.

Code

WCT1032



### 10W Qi™ CERTIFIED WIRELESS CHARGER CRADLE

#### WITH SMART AUTOMATIC LOCKING AND TOUCH SENSOR

Kit includes assorted mounts  
Windscreen, Vent, Dash  
Motorised cradle clamp  
10W Certified Qi®

Code

AP20AQI

#### INCLUDES CHARGER

Code

AP20AQIC





## Automotive Sockets Power

### PANEL MOUNT USB 2.4A SOCKET

#### SINGLE USB-A OUTLET

12Vdc 6.35mm input to 5Vdc USB output.  
30mmØ hole. 60x43mm panel.

Code  
ELI524

[NOT AERPRO]



### PANEL MOUNT CAR ACCESSORY SOCKET

- Input: 12Vdc
- Output: 20A max @ 12V
- Size: 60x43x49mm

Code  
J808

[NOT AERPRO]



### PANEL MOUNT USB SOCKET & LED VOLTMETER

- Input: 12/24Vdc
- USB socket: 2.1A total 5V
- Size: 105x45x51mm

Code  
APDCP68



### PANEL ACCESSORY SOCKET & VOLTMETER

- Input: 12/24Vdc
- Accessories socket 20A
- LED voltage display
- Size: 105x45x51mm

Code  
APDCP28



### PANEL MOUNT LED VOLTMETER

#### DISPLAY INPUT VOLTAGE

- LED voltage display
- Size: 84x55x49mm

Code  
APDCP8



### PANEL MOUNT MERIT SOCKET

- Input: 12/24Vdc
- Output: 20A
- Size: 84x55x49mm

Code  
APDCP4



### SURFACE MOUNT DUAL USB SOCKET

- Input: 12/24Vdc
- Output: 2.1A max @ 5V
- Size: 84x55x49mm

Code  
APDCH6



### PANEL MOUNT DUAL USB & ACCESSORY SOCKET

- Input: 12/24Vdc
- Accessories Output: 20A
- USB socket: 2.1A total 5V
- Size: 105x45x51mm

Code  
APDCP26



### SURFACE MOUNT USB SOCKET & VOLTMETER

- Input: 12/24Vdc
- Dual USB: 2.1A total 5V
- LED voltage display
- Size: 84x55x49mm

Code  
APDCH68

USB Socket  
is Blue LED  
Illuminated



### SURFACE ACCESSORY SOCKET & VOLTMETER

- Input: 12/24Vdc
- Accessories socket 20A
- LED voltage display
- Size: 84x55x49mm

Code  
APDCH28



### SURFACE MOUNT LED VOLTMETER

#### DISPLAY INPUT VOLTAGE

- LED voltage display
- Size: 84x55x49mm

Code  
APDCH8



### SURFACE MOUNT MERIT SOCKET

- Input: 12/24Vdc
- Output: 20A
- Size: 84x55x49mm

Code  
APDCH4



## Automotive Sockets USB

### DUAL USB DASH SOCKETS 2.1A - TOYOTA

USB Pass-Through +  
USB 5V 2.1A power

**22X40MM**

Code  
APUSBT02



**21X32MM**

Code  
APUSBT04

### DUAL USB DASH SOCKETS 2.1A - SUZUKI

Suzuki Grand Vitar 2005-2013,  
SX4 2007-2013, Swift 2005-2010,  
Splash 2008-2014 (New Zealand)  
and more.

Code  
APUSBSZ2



### DUAL USB DASH SOCKETS 2.1A - NISSAN

Suits Nissan Navara 2007-2015 D40,  
Pathfinder 2005-2013 R51, Patrol  
1997-2009 GU, Patrol 2010- GU7,  
Y61, Patrol 2013- Y62 and more.

Code  
APUSBNS2



### DUAL USB MODULE FOR MITSUBISHI VEHICLES

36.5mm H x 20.0mm W  
USB pass through for Audio  
USB Power 5V 2.1A

Code  
APUSBMT2



### DUAL USB CHARGE / DATA SOCKET MOUNT

Dual USB Through.  
Plug to socket x2  
Leads are 1.8m each

Code  
APUSBD5



### HDMI / USB PANEL MOUNT EXTENSION CABLE

Connect to Head Unit Rear  
Input for Easy Access to  
USB and HDMI Ports

Code  
APUSBD4







## 12V Plugs & Sockets

### ACCESSORIES PLUG

#### STANDARD

Code  
P801

#### FUSED

Code  
P810



### CAR ACCESSORIES LEAD

Car Accessories Plug  
3.5mm X2 cable Bare end  
Fused

Amps	Length	Code
5A	2M	DCL18
8A	5M	DCL50



### ACCESSORIES JACK

Metal barrel High temp for  
Cigarette Lighter or Accessories

Code  
J800



#### INLINE SOCKET

NOT A LIGHTER TYPE

Code  
J802



### CAR ACCESSORIES SOCKET & DUST CAP

Under-dash mount  
Water resistant all-round  
rubber cover. 12V 20A

Code  
J806



Panel mount  
with dust cap

Code  
J804



### ACCESSORIES UNDER-DASH DUAL

Two sockets and bracket.  
20A fuse 3AG inline wires.  
\*Not suitable for lighters.

Code  
DPV-63



### MERIT AUTOMOTIVE

12Vdc European Accessories Plug System.

Type	Code
Plug	MER101
Dual	MER102
Dual	MER103

Type	Code
Inline	MER110

Type	Code
Socket	MER112
Socket	MER114
Socket	MER116

Type	Code
Adaptor	MER201



## Cable Management and Ties

### CABLE TIES IN A KIT

Nylon. Assorted colours.  
Supplied in a plastic jar.  
50x 2.5 x 100mm  
25x 2.5 x 200mm  
25x Stick-N-Hold

Code  
NCT500

100 PIECES  
ASSORTED



### CABLE TIES - STANDARD

ORDER ONE BAG TO RECEIVE 100 PIECES

Colour	QTY	Size	Code
White	100 per bag	100mm x 2.5mm	CT2510WH
Black	100 per bag	100mm x 2.5mm	CT2510BK
White	100 per bag	150mm x 2.5mm	CT2515WH
Black	100 per bag	150mm x 2.5mm	CT2515BK
White	100 per bag	200mm x 2.5mm	CT2520WH
Black	100 per bag	200mm x 2.5mm	CT2520BK
White	100 per bag	142mm x 3.6mm	CT3614WH
Black	100 per bag	142mm x 3.6mm	CT3614BK
White	100 per bag	203mm x 3.6mm	CT3620WH
Black	100 per bag	203mm x 3.6mm	CT3620BK
White	100 per bag	250mm x 3.6mm	CT3625WH
Black	100 per bag	250mm x 3.6mm	CT3625BK
White	100 per bag	300mm x 3.6mm	CT3630WH
Black	100 per bag	300mm x 3.6mm	CT3630BK
White	100 per bag	120mm x 4.8mm	CT4812WH
Black	100 per bag	120mm x 4.8mm	CT4812BK
White	100 per bag	190mm x 4.8mm	CT4819WH
Black	100 per bag	190mm x 4.8mm	CT4819BK
White	100 per bag	250mm x 4.8mm	CT4825WH
Black	100 per bag	250mm x 4.8mm	CT4825BK
White	100 per bag	292mm x 4.8mm	CT4830WH
Black	100 per bag	292mm x 4.8mm	CT4830BK
White	100 per bag	200mm x 7.2mm	CT7220WH
Black	100 per bag	200mm x 7.2mm	CT7220BK
White	100 per bag	350mm x 7.2mm	CT7235WH
Black	100 per bag	350mm x 7.2mm	CT7235BK
Black	100 per bag	380mm x 7.6mm	NCT3807-100
Black	100 per bag	550mm x 8mm	NCT5508BK



### CABLE TIES - ANCHORED

Terminates to a ring for securing with a screw, etc.  
Order ONE to receive a bag of 100 pieces.

Colour	QTY	Size	Code
Black	100 per bag	100mm x 2.5mm	ACT2510BK
White	100 per bag	100mm x 2.5mm	ACT2510WH
Black	100 per bag	156mm x 3.6mm	ACT3615BK
White	100 per bag	156mm x 3.6mm	ACT3615WH
Black	100 per bag	200mm x 4.8mm	ACT4820BK
White	100 per bag	200mm x 4.8mm	ACT4820WH



### CABLE TIES - RELEASABLE

These releasable cable ties are manufactured from Nylon 66 for its high mechanical strength, UV resistance and durable properties.

Colour	QTY	Size	Code
White	100 per bag	150mm x 7.2mm	RCT2515WH
Black	100 per bag	150mm x 7.2mm	RCT2515BK
White	100 per bag	250mm x 7.2mm	RCT2525WH
Black	100 per bag	250mm x 7.2mm	RCT2525BK



### CABLE TIES - STAINLESS STEEL

Made from high quality type 304 stainless steel for indoor or outdoor.  
Durable, sturdy and provide excellent resistance against the elements.  
Sold in a bag of 20 pieces.

QTY	Size	Code
20 per bag	127mm x 4.6mm	SST46127
20 per bag	152mm x 4.6mm	SST46152
20 per bag	200mm x 4.6mm	SST46200
20 per bag	250mm x 4.6mm	SST46250
20 per bag	300mm x 4.6mm	SST46300
20 per bag	400mm x 4.6mm	SST46400






## □ Cable Management and Ties

### SPIRAL WIRE WRAP LIGHT

Winds around to secure messy wiring from behind computers, stereos, etc. Approx. 10 Metres at 5mmØ. Stretches to about 25mm

Colour	Code
Black	SPWR10BK
White	SPWR10WH



### SPIRAL CABLE WRAP WITH TOOL - 3M

3M long cable wrap with installation tool for fast and easy installation. Available from 10mm to 20mm diameter. Stable -30°C to 80°C.

Colour	O/D	Length	Code
Black	10mm	3M	ECW10
Black	16mm	3M	ECW16
Black	20mm	3M	ECW20



### NYLON SPLIT CONDUIT CABLE WRAP 10M

-40°C to 130°C. Approx. 10 metres long, available from 10mm to 21mm. Black.

Colour	O/D	Length	Code
Black	10mm	10M	SCWL10PA
Black	13mm	10M	SCWL13PA
Black	16mm	10M	SCWL16PA
Black	18mm	10M	SCWL18PA
Black	21mm	10M	SCWL21PA



### POLYPROPYLENE SPLIT CONDUIT CABLE WRAP

Approx. 10 Metres. Available from 10mm to 21mm in black. Stable -30° to 110°C.

Colour	O/D	Length	Code
Black	10mm	10M	SCWL10PP
Black	13mm	10M	SCWL13PP
Black	16mm	10M	SCWL16PP
Black	18mm	10M	SCWL18PP
Black	21mm	10M	SCWL21PP



### THE HERBIE CLIP™

#### SUPERIOR SOLUTION TO METAL CLAMPS

Patented double jaw design for 200psi strength Heat & UV stabilised. Impervious to contaminants. Quicker & easier to fit or adjust than metal clips. Improved safety as no sharp edges to cut operator. Minimal leak path as clamps to a near perfect circle. Fitting & Removal tools available for production use. Carbon based polymer will never rust or corrode. Non conductive so more suitable for cable fixing. No electrolytic reactions with other metals, etc. Over 20 years of field use in many fields & applications. Simplistic, cost effective.



A min	B max	C width	D	E	F	G	Code
5.60	6.50	4.2	1.4	8.3	17.5	0.53	HC0642
6.50	7.90	4.5	1.6	9.9	20.9	0.82	HC0745
7.90	9.20	4.4	1.6	9.3	20.7	0.90	HC0844
9.20	10.3	4.5	1.7	10.9	22.2	1.11	HC1045
10.2	11.8	5.8	1.7	12.2	27.9	1.73	HC1158
11.1	12.9	6.1	1.7	12.3	28.7	1.94	HC1261
12.0	13.8	6.1	1.7	12.9	28.9	1.95	HC1361
13.5	15.1	7.1	2.0	13.6	32.7	3.26	HC1471
15.0	17.1	7.1	2.0	12.9	34.8	3.18	HC1671
16.9	19.1	6.9	2.1	12.5	32.4	2.00	HC1869
18.1	20.6	7.1	2.1	12.7	35.7	3.23	HC1971
20.3	23.0	6.4	2.1	14.2	39.0	1.08	HC2264
22.2	24.9	7.0	2.0	13.0	37.0	3.61	HC2470
24.5	27.6	7.1	2.1	12.5	37.3	3.43	HC2671
26.5	29.5	7.4	2.2	13.4	40.0	4.80	HC2874
28.8	32.2	9.0	2.0	13.4	42.0	5.60	HC3090
32.0	34.8	9.1	1.9	13.8	40.0	6.15	HC3391
34.3	37.9	8.9	2.1	13.5	42.0	7.05	HC3689
37.0	40.4	8.9	2.1	13.3	42.2	6.48	HC3989
40.1	44.2	9.0	2.2	13.4	42.2	6.60	HC4290
43.2	46.2	8.9	2.1	12.8	42.5	6.81	HC4589
45.8	50.4	9.0	2.0	13.9	45.0	7.31	HC4790
48.5	53.8	9.0	2.1	14.4	48.0	8.17	HC5190
53.0	57.0	9.0	2.1	14.7	49.0	7.61	HC5590
54.9	60.1	9.3	2.3	16.0	53.4	9.95	HC5793
59.0	64.7	17.0	9.3	10.7	9.3	7.93	HC6393



#### HERBIE CLIP™ REMOVAL TOOL

You can use any Multi-Grip type hand tool to fasten. And this handy Twist-To-Remove hand tool from Herbie Clip.

Code
HCT4000







## □ Fuses & Holders

### ATN FUSES 5 PACK

#### MINI 11mm BLADE FUSE X5

Order 1 to receive a box of FIVE.

Current	Code
5A	ATN5
7.5A	ATN7.5
10A	ATN10
15A	ATN15
20A	ATN20
25A	ATN25
30A	ATN30



### ATS FUSES 5 PACK

#### MINI 11mm BLADE FUSE X5

Current	Code
2A	ATS2
3A	ATS3
4A	ATS4
5A	ATS5
7.5A	ATS7.5
10A	ATS10
15A	ATS15
20A	ATS20
25A	ATS25
30A	ATS30
35A	ATS35



Order 1 to receive a card of FIVE.  
11mm as used in head units

### ATS FUSES 50 PACK

#### MINI 11mm BLADE FUSE X50

Order 1 to receive a box of FIFTY  
Small version as used in head units

Current	Code
3A	ATS3-50
4A	ATS4-50
5A	ATS5-50
7.5A	ATS7.5-50
10A	ATS10-50
15A	ATS15-50
20A	ATS20-50
25A	ATS25-50
30A	ATS30-50
35A	ATS35-50



### ATC FUSES 5 PACK

#### POPULAR 18mm BLADE FUSE X5

Order 1 to receive a card of FIVE.

Current	Code
2A	ATC2
3A	ATC3
4A	ATC4
5A	ATC5
7.5A	ATC7.5
10A	ATC10
15A	ATC15
20A	ATC20
25A	ATC25
30A	ATC30
35A	ATC35



### ATC FUSES 50 PACK

#### POPULAR 18mm BLADE FUSE X5

Order 1 to receive a box of FIFTY  
As used in a majority of automotive.

Current	Code
3A	ATC3-50
4A	ATC4-50
5A	ATC5-50
7.5A	ATC7.5-50
10A	ATC10-50
15A	ATC15-50
20A	ATC20-50
25A	ATC25-50
30A	ATC30-50
35A	ATC35-50



### ATC INLINE FUSE HOLDER

General purpose Suit ATC plug-in fuses with wiring. Fuse not included. Fully insulated Fuse end viewable 30A Red Cable

Code  
JEF703



### ATC INLINE FUSE HOLDER KIT

#### CRIMP CONNECTORS

General purpose. Suitable to use with ATC plug-in fuses. Includes insulated housing and crimp connectors. Requires wiring.

Code  
JEF703-KIT



### ATC WATER RESISTANT HOLDER

#### ATC INLINE

Heavy duty design for use in unprotected places on boats, under car bonnets, etc. Fuse not included.

Code  
FH18



### ATC FUSE BLOCK

Designed for multiple hook-up of accessories, each with individual screw terminal outputs. Accepts up to six fuses. (Not included) See ATC

Code  
AFB400



### ATM FUSE BLOCK

Gold-Plated Fuse Block  
Clear plastic covered  
8mm(x2) in, 6mm(x4) out.  
Suits "ATM" 28mm fuses.

Code  
FDB531



### ATM FUSES

#### MAXI 28mm BLADE FUSE

Mega version for high current. Larger 1" style. Supplied 1 unit per hanger card

Current	Code
20A	ATM20
30A	ATM30
40A	ATM40
50A	ATM50
60A	ATM60
70A	ATM70
80A	ATM80



### GBC FUSES

#### TORPEDO FUSES

Order 1 to receive ONE.  
Approx. 25mm x 6mm

Amps	Code
5A	GBC5
8A	GBC8
16A	GBC16
20A	GBC20
25A	GBC25
35A	GBC35

\*Colours may differ. Check value stamped on the fuse body.  
Supplied in singles.





## AGU DISTRIBUTION BLOCK - AGU FUSED X4

### 4AWG IN - 8AWG X4 OUT

Platinum plated series fused power distribution block.

Code  
PS4



## AGU FUSE BLOCKS

### REQUIRES AGU FUSES

8AWG to 8AWG terminals Fused.

Type	Code
2-Way	AP442
3-Way	AP444
4-Way	AP450



## AGU FUSED DISTRIBUTION BLOCK - 2 WAY

### 4AWG TO TWO 8AWG

Gold plated AGU with clear plastic heavy duty cover. Uses 10 - 60A AGU type fuses. Single in, multiple out.

Code  
FDB526



## AGU 60A FUSE HOLDER

### 4AWG/8AWG CABLE ENTRY

In-Line AGU Fuse Holder 4/8GA With 60A AGU Replaceable Fuse

Code  
AP453



## AGU FUSE HOLDERS

### 4-8 AWG CABLE

Requires a fuse Rubber grommets Engine bay sealed Mounting flange Clear plastic Gold plated

Code  
FH512




## AGU FUSES

### 38x10mm 5AG

Order 1 to receive a card of five. Round glass fuses Gold plated.

Current	Code
10A	MFL10
20A	MFL20
30A	MFL30
40A	MFL40
50A	MFL50
60A	MFL60



## LOOKING FOR LAMPS?

### MORE AVAILABLE

We stock a comprehensive range of most glass & plastic fuse types and...

INDICATOR LAMPS  
Dial lamps and other indicators, etc.

Please Enquire. See Section ELECTRONIC COMPONENTS.

Lamps & Fuses  
See Section  
10 Electronic  
Components



## MINI-ANL FUSES

### BUY 1 TO RECEIVE 2

Mini version of the ANL fuse straps. Sold packaged in packets of TWO.


Amps	Code
50	AMA50
60	AMA60
80	AMA80
100	AMA100
120	AMA120



## MINI-ANL FUSE HOLDER 60A

### WITH 60A MINI-ANL FUSE

Code  
BSXFH48



## ANL FUSES

### 2" BLADE FUSE

Very high power fuse Low voltage (32Vdc) VERY HIGH current! Very low resistance Popular SPL choice Gold plated tinned Suits AP462A holder

Current	Code
80A	AP466
100A	AP467
150A	AP468
200A	AP469



## ANL FUSE HOLDER - EMPTY

### 0AWG, 2AWG, 4AWG CABLE

- Suits 0, 2 and 4 AWG Cable
- Solid Brass Connectors
- Satin Chrome Finish
- High-Temp PC Base and Cover
- 4-Point Base Mounting

Code  
AP462A



## FUSE PULLER TOOLS

For our complete range of Fuses of all sizes! See our Electronic Component Section 10...

FUSE PULLER  
Suits ATC & 3AG, etc.

Code  
FRT3



## HEAVY DUTY ATC


Code  
YF-6254



## 3 PACK BLADE FUSE TAPS - AERPRO

Replace an existing fuse to tap accessory power. Two fuse holders. Pass-through and tap-off (5A).

Size	Type	Code
18mm	Standard (ATC)	APFTAP1
14mm	Micro3	APFTAP5
11mm	Mini (ATS)	APFTAP2
10mm	Micro	APFTAP3
8mm	Micro2	APFTAP4



Accessories  
Power  
Super-Easy  
Access





## □ Distribution Blocks

### 0 AWG CABLE SPLITTER WITH METER

#### 1x0AWG TO 2x4AWG POWER

Split your power to two amps monitor your application Voltage & Current Display Gold plated hex terminals Smoked perspex cover Screw mount base black Blue LED digital meter of Voltage and Current 200A Smart & attractive

Code  
APD4025



### DISTRIBUTION BLOCK 1X0GA - 4X4GA

1X0GA - 4X4GA Distribution block. Made with Solid Brass and Gold plated. Clear perspex covers. Hex set screws.

Code  
AP410



### 4 AWG POWER DISTRIBUTION BLOCKS

#### 1x4AWG TO 4x8AWG


Gold plated block encapsulated in a clear mounting bracket Allen key cable locks

#### SINGLE BLOCK

Code  
PDB520

#### DUAL BLOCK

Code  
PDB522



### DISTRIBUTION BLOCK 8AWG PAIR

#### PANEL MOUNT

Solid Brass Gold plated. Two isolated bars. Clear Perspex Covers. Hex-Set Screws. Packed in hang sell, full-colour blister pack.

Code  
AP404



### RESETTABLE CIRCUIT BREAKERS LOW VOLTAGE

#### BAKELITE FLAT MOUNT

High temperature thermal fuse. 4mm heavy duty screw terminals. Release button opens circuit.

Current	Code
70A	CRB70
100A	CRB100
140A	CRB140

#### CLEAR BOOT Protective insulator

Code  
BSC100



### ANDERSON PLUGS

#### AUTOMOTIVE BATTERY POWER

Genuine Anderson Power Plugs. Extensive range available. See online or page 02-133 Cables & Connectors Section 02



## □ Battery Terminal and Accessories

### GOLD PLATED BATTERY CLAMPS

#### POSITIVE TERMINAL

With 2x8AWG clamps

Code  
GBT110

#### NEGATIVE TERMINAL

With 2x8AWG clamps

Code  
GBT112

#### CLEAR BOOT

Protective insulator

Code  
BSC110




### GOLD PLATED MULTI BATTERY TERMINALS

#### 2x 4AWG & 2x 8AWG

Allen Key screws.

Type	Code
POS	GBT120
NEG	GBT122



#### CLEAR BOOT

Protective insulator

Code  
BSC120

### GOLD PLATED MULTI BATTERY TERMINALS

#### 1x 4AWG & 2x8AWG

Allen Key screws. 1x screw terminal. Stamped indicator Shows polarity:

Type	Code
POS	GBT130
NEG	GBT132



### 8mm POWER RING TERMINALS

Gold plated High current Suits 8mm Post terminals

AWG	Code
0 AWG	PRT500
2 AWG	PRT502
4 AWG	PRT504
8 AWG	PRT508



#### CLEAR BOOT Protective insulator

Code  
BSC130

### BATTERY LUG SCREW TERMINAL

- Bolt type with nut battery terminal
- Side mounting
- Gold plated
- Packed in hang sell blister

Code  
AP506



### CABLE JOINERS

Gold plated Heavy Duty With clear insulator. Grub screw lock

#### 8AWG 5mm I/D

Code  
PCJ508

#### 4AWG 7mm I/D

Code  
PCJ504





## □ Alligator Clips

### ALLIGATOR CLIP TO DC 2.5MM

Stainless steel 80mm Alligator Clip Pair to DC 2.5mm Plug. 1.2M Lead. 2A Max.

Code  
LGC020RB-DC



### STAINLESS STEEL ALLIGATOR CLIP

#### 80mm Heavy Duty

Colour Code  
Red LGC020R  
Black LGC020B  
Green LGC020G



### ALLIGATOR CLIPS MINI

Vanadium chrome steel Coloured rubber boot 3 piece Mini Jaw sprung

#### 10A 8mm Jaw 8mm Wide

Colour Code  
Red LGC006R  
Black LGC006B

#### 20A 10mm Jaw 10mm Wide

Colour Code  
Red LGC007R  
Black LGC007B



### ALLIGATOR CLIPS STANDARD

Vanadium chrome steel Coloured rubber boot Jaw sprung. Standard.

#### 15A 20mm Jaw 10mm Wide

Colour Code  
Red LGC015R  
Black LGC015B

#### 30A 20mm Jaw 12mm Wide

Colour Code  
Red LGC016R  
Black LGC016B

#### 50A 28mm Jaw, 16mm Wide.

Colour Code  
Red LGC017R  
Black LGC017B



### ALLIGATOR CLIP HEAVY-DUTY

#### 200A

25mm Jaw 25mm Wide Heavy Duty type Full hand grip

Colour Code  
Red LGC022R  
Black LGC022B

#### 600A

35mm Jaw 20mm Wide Super Heavy Duty Full hand grip

Colour Code  
Red LGC023R  
Black LGC023B



## □ Crimp Terminals - Gold Plated

### GOLD PLATED SPADE CONNECTORS

BULK Sold individually Red or Black

#### 14 TO 12AWG (3.5mm) TO 4mm SPADE

Colour Code  
Red TS300  
Black TS301



#### 14 TO 12AWG (3.5mm) TO 6.3mm SPADE

Colour Code  
Red TS310  
Black TS311



### GOLD PLATED RING TERMINALS

#### HEAVY DUTY CRIMP TYPE

##### 6 AWG TO RING 4.0mm I/D

Colour Code  
Red TR85  
Black TR86



##### 8 AWG TO RING 8.0mm I/D

Colour Code  
Red TR80  
Black TR81



##### 4 AWG TO RING 8.0mm I/D

Colour Code  
Red TR40  
Black TR41

## □ Crimp Terminals - Packs

### 8 GAUGE RING TERMINAL PACK 6 RED / 6 BLACK

- 8 gauge (6mm) Cable entry
- Gold-plated Terminals
- 6 Red, 6 Black
- Suits 8mm Posts

Code  
AP702



### 4 GAUGE RING TERMINAL PACK 2 RED / 2 BLACK

- 8 gauge (6mm) Cable entry
- Gold-plated Terminals
- 2 Red, 2 Black
- Suits 8mm Posts

Code  
AP4GRT



### 2 GAUGE RING TERMINAL PACK 2 RED / 2 BLACK

- 2 gauge (6mm) Cable entry
- Gold-plated Terminals
- 2 Red, 2 Black
- Suits 8mm Posts

Code  
AP2GRT



### 0 GAUGE RING TERMINAL PACK 1 RED / 1 BLACK

- 0 gauge (6mm) Cable entry
- Gold-plated Terminals
- 1 Red, 1 Black
- Suits 8mm Posts

Code  
AP0GRT







## Tools

### AUTOMOTIVE REFITTING TOOL KIT

This auto refitting toolset consists of 12 pieces well design tool for refitting of car panels for GPS, stereo, radio and DVD installation.

Code  
REM000



### AUTOMOTIVE REFITTING TOOLS

The APRTK2 is a handy 2 piece removal tool kit.

Code  
APRTK2



### ELECTRONIC TOOL KIT

#### 25 PIECE HANDY TOOL CASE

An assortment of popular tools as used by the electronic tradesmen conveniently packaged in a zip-up wallet case for the mobile installer. All tools are premium grade long-life includes a 240Vac Soldering Iron, Solder, sucker, braid, paste, Cutters, pliers, nippers, drivers, Files, scribe & cleaning tools. Case is 300x200x50mm

Code  
GTK030B



### SOCKET & WRENCH SET

#### 29 PIECE CHROME-VANADIUM

Compact cased tool kit with 150mm Ratchet Mini Socket Set Made from quality components High grade Chrome-Vanadium Hand driver and uni-joint T-Bar torque driver 12x Hex Sockets 4 to 13mm 12x Screw driver bits

Code  
GTK231



### RADIO SERVICE TOOL KIT

#### REMOVAL TOOLS

Unique hand tools required to remove todays car audio items Includes the 5 TORX bits GM Code retriever Chrysler radio remover Ford radio remover clips Antenna multi-wrench packaged in a tool box.

Code  
HTJ5800



### FORD RADIO REMOVAL TOOLS

#### TWIN BULLET CLASPS

As required for removing the radio from the dash.

Code  
HTJ7575



### MERCEDES & BMW TOOL SET

#### IGNITION & RADIO

Kit contains: Radio removal tools  
Instrument cluster hooks Ignition lock removal

Code  
HTJ1135



### ANTENNA WRENCH

#### STAMPED STEEL MULTI

Fits many of todays car antennas for removal. 20mm to 30mm.

Code  
HTJ5700



### MORE TOOLS

#### PLEASE ENQUIRE

TOOLS & TEST EQUIPMENT holds an extensive range of hand tools for the tradesman to the hobbyist with professional grade and also well priced options.



### SECTION TOOLS & TEST EQUIPMENT



## 12V FLOURO TUBE WORK LIGHT

### 13W - ACCESSORIES PLUG

Bright fluorescent double folded lamp with hook for under bonnet, camp sites, etc. 12Vdc. 1A. Includes 3.0M cable to accessories 12V plug. 370mm Long.

Code  
TT1104




## 3W LED WORK LAMP - CAMELION

### MAGNETIC & HOOK

The 3W Camelion LED energy saving work lamps can provide powerful lighting at 200lm. It has a strong magnet Button and 360 foldable Swivel Hook which allows for hands free work in many places, its rugged ABS casing design is not only durable but also comfortable to use. 3x AA batteries are included.

Code  
CAT5240N



## RECHARGEABLE WORK LIGHT

### MAGNETIC BASE WITH BALL ANGLE

5W rechargeable COB LED work light, 300 lumens. Rechargeable 18650 type 1800mAh Li-ion battery, requires USB charger (Not included). Bright white, red and flashing red. Brightness is adjustable. Includes a hanger hook and a magnetic base. 375x38mmØ

Code  
RS60N



## SAFETY TORCH & POWER BANK 10AH

### SEAT-BELT CUTTER AND WINDOW BREAKING HAMMER

10,400 mAh Power Cell: Charge Phones, Tablets, etc.  
Life Hammer: To Crack the Vehicles Window  
Seatbelt Cutter: Protected blade  
LED Flashlight: 220 Lumens up to 100M

Capacity Size Code  
10400mAh 210x40mmØ PBSF-10K



## 12V WARNING STROBE LED

### FLASH OR CYCLIC

Magnetic base. Car accessories plug. Or permanent mount option.

Code  
TT1101



## COMPACT 12V ELECTRIC AUTO TYRE AIR PUMP

### SET TYRE PRESSURE AND PRESS START!

The 12V car tyre pump allows you to preset the required tyre pressure, press start and then automatically switch off when it reach the desired pressure. Maximum pressure setting is 150 psi. Suitable for cars, motorcycles, bicycles, sports balls, etc. Includes car accessory power supply, 3 nozzles and a leather carry bag.

Code  
PAC36W



## 3 IN 1 RECHARGEABLE LED FLASHLIGHT KIT

3-in-1 LED Light Kit with 3 Quick-connect inter-changeable light heads allow you to use this LED light as flashlight (170x30mmØ), work light (+210mm) or flexible neck light (+350mm). Lithium-ion rechargeable through micro-USB port. Magnetic base to suit handsfree applications.

Code  
RT81




## 12V AIR COMPRESSOR DELUXE

### 300 PSI TYRE PUMP WITH ROAD-SIDE WARNING LAMP

300 PSI high pressure air compressor. Comes with nozzle adaptors & sports needle. High power Deluxe model is able to inflate average sized, flat tyres in 5-7 minutes. Built-in handy pressure gauge (kpa & bar) Built-In safety / warning flashing light, or switch to work light for night use. 2.2M power cord with accessories plug. Storage compartment to keep leads, hose and adaptors tidy and out of the way. Excellent multi-purpose electronic compressor for the garage or boot. Size 100x260x160mm inclusive.

Code  
Y601







## □ Harnesses and wiring

### □ Harness - ISO and General Purpose

#### 2 PIN RUBBER & BULLET PAIR

Low voltage high current up to 25A  
30cm Lead. 7.5x15mm IP65

Code  
QD2P



#### 4 PIN RUBBER & BULLET PAIR

Low voltage high current up to 25A  
30cm Lead. 7.5x30mm IP65

Code  
QD4P



#### 6 PIN RUBBER & BULLET PAIR

Low voltage high current up to 25A  
30cm Lead. 18x25mm IP65


Code  
QD6P



#### 4 PIN CAR HARNESS ROUND

4 Pins and 30cm leads.  
Includes Fuse Holder.  
Moveable pin locations  
for assorted solutions.  
Suits old car stereos  
and early equipment.  
Barrel is 16mmØ and  
pins 2.3mmØ

Code  
WH10  
WH12  
WH14



#### UNIVERSAL

Adjust pin location

Code  
UWH1



#### CB RADIO DC POWER CONNECT

Suit CB radio, etc.  
Plug to Bare wire.  
Fused. Red/Black.

Pins	Code
2 Pin	DCL2
3 Pin	DCL3



#### UNIDEN RADIO DC LEAD

##### 2 PIN POWER

Inline fuse 2A 2M x 18AWG lead


Description	Code
Square/Round	DCL510
Arch/Round	DCL505



#### "ISO" STEREO HARNESS FEMALE

Female "ISO" Connector  
to Bare Wire ends with EIA  
Colour. X2 (Power & Speaker)

Code  
APP7200



#### "ISO" STEREO HARNESS MALE

Male "ISO" Connector to Bare  
Wire ends with EIA Colour. X2  
(Power & Speaker)

Code  
APP7201



#### "ISO" STEREO HARNESS MALE

Male "ISO" Connector to Bare  
Wire ends with EIA Colour. X2  
(Power & Speaker)

Code  
APP7201M



#### "ISO" MALE TO FEMALE HEAVY-DUTY

##### 3.8M EXTENSION

ISO male to female pins with bare plugs  
for easy pull through installation  
Length - 3.8M  
View on TIMS

Code  
APISOHD



#### 2 PIN CAR STEREO HARNESS

Code  
WH18



#### 3 PIN CAR STEREO HARNESS

Code  
WH20



#### 4 PIN CAR STEREO HARNESS

Code  
WH22



#### 6 PIN CAR STEREO HARNESS

Code  
WH24



#### 4 WAY AUTOMOTIVE PLUG SOCKET

6.3mm spade connector car harness.  
plug and socket housing and 4 sets  
of male and female spade plugs.  
Size: 20mmx 12mm

Code  
CA2066





## □ Harness - Aftermarket Audio



## What fits your car?

### SEARCH for products to suit your vehicle and/or head unit

#### What fits your car?

Find all Aerpro products for your vehicle

Makes

Models

[www.aerpro.com.au](http://www.aerpro.com.au)

#### Find your headunit

Find all Aerpro products for your Head-Unit

Enter model


MORE  
TYPES  
AVAILABLE  
SEE WEB

[www.aerpro.com.au](http://www.aerpro.com.au)

## □ Harness - T Harness

### T HARNESS

T-harnesses let you integrate an additional device such as an aftermarket Bluetooth® kit into your car's factory radio and its wiring. This allows your aftermarket Bluetooth® kit to work with your car's speakers directly when on a phone call and revert back to the stereo when the call has ended.



### T HARNESS HOLDEN

CRUZE 2009-2013

Code  
CT10CV04

MORE AVAILABLE  
SEE OUR WEBSITE




## □ Harness - OEM Audio Bare Wire

### AUDIO HARNESS - AP SERIES

#### CAR DASH PLUG TO WIRE

The AP series of harnesses are designed to plug directly into the dash plug of your car to enable the use of aftermarket car audio without cutting the original cars wiring looms. Maintain factory condition.



### AUDIO HARNESS - TOYOTA LATE

#### 1X5+1X10 2 PLUG

Wire this directly to your after-market car audio unit and then plugs directly into your vehicles harness.

Code  
AP1761

MORE  
TYPES  
AVAILABLE  
SEE WEB




## □ Harness - OEM Audio Bare Wire

### OEM AUDIO DASH PLUG TO BARE WIRE

#### ORIGINAL DASH PLUGS

If the original dash plug was cut & removed and you now want to replace it, use this. The 71 Series is for restoring to original. Put the factory back in.



### DASH PLUG - SUBARU 2012-16

#### DASH PLUGS 10+5

Great for reinstalling the original factory head unit or restoring your system back to the way it was.

Code  
AP711761

MORE  
TYPES  
AVAILABLE  
SEE WEB



### DASH PLUG - FORD FALCON EF-EL

#### DASH PLUGS 4+8

Replaces the original factory dash plug loom if missing or removed from an after-market car radio installation.

Code  
717901F



### DASH PLUG - TOYOTA 1987-96

#### DASH PLUGS 10+5

Great for reinstalling the original factory head unit or restoring your system back to the way it was.

Code  
AP711761

MORE AVAILABLE  
SEE OUR WEBSITE







## □ Harness - Misc

### VIDEO RETENTION SUIT TOYOTA

OEM Reverse camera Retention harness to suit Toyota 4Pin

Code  
APVTY04



### AFTERMARKET CAMERA ADAPTOR TOYOTA

To Suit Toyota 4 Pin  
Vehicles known to work with this product:  
Toyota 86 2012-2015  
Toyota 86 2016-  
Toyota Landcruiser 2007-2011 200 Series  
Toyota Landcruiser 2012-2015 200 Series

Code  
APVTY14



### VIDEO RETENTION TO SUIT TOYOTA

Connects factory camera to aftermarket video adaptor.

To suit Toyota Corolla 2013-2016 Sedan, Kluger 2014-, RAV4 2013-, Corolla 2015- Hatch, Hilux 2015-, Hilux 2014, Corolla 2017- Sedan and more.

Code  
APVTY02



### AFTERMARKET CAMERA ADAPTOR TOYOTA

OEM Video in adaptor to suit Toyota (2012 to current models)  
This harness allows you to add an aftermarket rear-view camera to an OEM head unit. 24pin plug. Suits NTSC camera only.


Code  
APVTY12



### VIDEO RETENTION HARNESS TO SUIT TOYOTA

Toyota Prado 2009-2013 150 Series

Code  
APVTY03



### VIDEO RETENTION SUIT TOYOTA

OEM Reverse camera Retention harness to suit Toyota Various models 2012-2014

Code  
APVTY01



### USB ADAPTOR RETAIN OEM USB TOYOTA

OE USB retention adaptor. Toyota (2012- ) and Lexus (2013- )

Code  
APTOUSB1



### NISSAN BLUETOOTH BYPASS PLUG

Used in vehicles with a separate Bluetooth module and allows steering wheel control buttons to work. Used in Nissan Navara D40 (\*), Pulsar, Xtrail with a separate Bluetooth module.

Type	Code
D40 Thai*	APNIBTTH
D40 Spain	APNIBT



### VIDEO RETENTION TO SUIT ISUZU

OEM Reverse camera Retention harness to suit Isuzu D-Max and MU-X. Wiring (Pink - VSS out, Green - Park Brake out, Violet - Reverse 12v out).

Code  
APVIZ01



### FORD BA/BF TERRITORY AUX ADAPTOR

Allows MP3/iPod®/Media player to connect direct to factory radio using the in-built Ford Auxiliary socket. Ford 5 Pin to 2 RCA Sockets. Connect to orange Auxiliary socket located near fuse box under dash and Press AM button on the factory radio to switch to select Auxiliary.

Code  
AFD2AUX



### AUX INPUT ADAPTOR FOR MAZDA 2006+

#### CONNECTS AUDIO DEVICE OUTPUT TO THE CAR STEREO

Run Auxiliary audio into factory headunit  
Suits Mazda 2006 models on  
For cars with Media or Aux button (will not suit older cars with Tape/MD button)

Code  
APMZAUX



### FORD BA/BF TERRITORY AUX & SPEAKER ISO

This kit allows you to patch into the factory phone sockets for power, aux and speaker.

Code  
AT10BA01





## □ Harness - ISO Head Unit Adaptors

### OEM AUDIO TO ISO DASH PLUG ADAPTOR

#### AFTERMARKET AUDIO TO ISO

The APP8 series of harnesses are designed to plug directly into the back of a majority of aftermarket car audio like Alpine, Clarion, Sony, etc. giving you a male pair of ISO plugs on the other end to use.

[www.aerpro.com.au](http://www.aerpro.com.au)



### ALPINE TO ISO

#### SQUARE PINS 16

Adapts later model Alpine Car Audio to ISO compatibility. 16 Pin plug. Square holes.

Code  
APP8ALPH



### JVC TO ISO

16 pin plug with 15 wires and SWC input wire

Code  
APP8JVC5



### KENWOOD TO ISO

22 Pin Kenwood. To suit Headunits using an add on CMOS3XX series Camera and camera controller.

Code  
APP8KE6



### KENWOOD TO ISO

#### 16 pin plug with 15 wires

- Converts Headunit Plug to ISO
- Includes Mute Signal Wire and SWC Input Wire

Code  
APP8KE5



### KENWOOD TO ISO

ISO Kit includes Secondary Harness and Steering Wheel Control (SWC) Patch Lead (pre-wired into the loom).

Code  
APP9KE7



### KENWOOD TO ISO

Universal double ISO connector system. Includes a Vehicle Speed Sense Wire (VSS) input.

Code  
APP8KE7



### PIONEER TO ISO

16 pin ISO harness to convert headunit plug to ISO. Suits Pioneer AVH275BT, AVH-X3700DAB and AVH-X5700DAB.

Code  
APP9PIO8



### PIONEER TO ISO

#### DEH, MVH, 16 PIN

Suits most of the latest PIONEER head units including: -16 pin plug

Code  
APP8PIO5



### PIONEER TO ISO

Pioneer to ISO harness 16 pin

- AVH275BT
- AVH-X3700DAB
- AVH-X5700DAB

Code  
APP8PIO8



### PIONEER TO ISO

#### 16 PIN PLUG

16 pin plug. Suit P102, P103, P104, P105, P106, P107. etc.

Code  
APP8PIO



### SONY TO ISO

Sony to ISO 16 Pin Harness, suits Sony model head units 2013 on.

Including: WXGT80UI/ WXGT90BT/ CDXGT320MP/ CDXG1050U/ CDXG2050UP/ CXSG1016U/ MEXN4050BT/ MEXN5050BT.

Code  
APP8SP3



### SONY TO ISO

Sony to ISO 16 pin Harness Suits Sony AV model Head units 2013 on

Code  
APP8SP4



MORE  
TYPES  
AVAILABLE  
SEE WEB

### SONY TO ISO

#### 16 PIN MODELS

Adapts latest model Sony car Audio to ISO compatibility. 16 Pin plug

Code  
APP8SP







## □ Harness - ISO Dash Adaptors

### ISO ADAPTORS - APP SERIES

#### CAR DASH PLUG TO ISO

The APP series of harnesses are designed to plug directly into the dash plug of your car to enable the use of after-market car audio with ISO conversion. All adaptors are ISO sockets. See APP8 Series for adaptors.



#### ISO TO HOLDEN COMMODORE

##### COMMODORE 1988-1993

Code  
APP060

##### COMMODORE 1993-1997

Code  
APP061

##### COMMODORE 1997-2001

Code  
APP062



#### ISO TO HOLDEN ASTRA / VECTRA

##### Astra, Vectra 1988 on, VY Commodore

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP064



#### ISO TO HOLDEN RODEO

Designed to plug directly into the dash plug of your car to enable the use of after-market car audio. The ISO connector suits Rodeo 2003 - 2006 models.

Code  
APP063



#### ISO TO HONDA 99+ & SUZUKI

Suits Honda Accord, Civic, CR-V, Legend, HR-V, Prelude - 1999 on, Honda Jazz 2001 on, Suzuki Ignis, Jimny, Liana, 04/2002 on, Swift, Vitara, Wagon R+ 2006 on...

Code  
APP071



#### ISO TO FALCON EF-EL

##### SUITS 1995-1998

Adapts dash plug to ISO so as to fit an after-market stereo w/ ISO compatibility. See the APP8 Series.

Code  
APP051

MORE AVAILABLE  
SEE OUR WEBSITE



#### ISO TO FALCON AU

##### SUITS 1998-2000

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP053



#### ISO TO SUIT MAZDA

##### Mazda BT-50 2015-2017 GT, XTR

Code  
APP078




#### ISO TO MAZDA

##### Mazda 3 2003 on, Tribute 2000 on

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP072



#### ISO TO MITSUBISHI

##### LATE 1 PLUG TYPE

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP011



#### ISO TO NISSAN

##### 1995+

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP0120



#### ISO TO SUBARU

##### MOST MODELS

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP090



#### ISO TO SUBARU

##### Subaru 2007 on

Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility. See APP8 Series.

Code  
APP091



#### ISO TO TOYOTA SMALL

##### LATE MODEL 2 PLUG

"Smaller" 2-Plug type Adapts dash plug to ISO so as to fit an after-market stereo ISO compatibility.

Code  
APP0141

MORE AVAILABLE  
SEE OUR WEBSITE



Popular types are listed here. Many more types are available; see [www.aerpro.com.au](http://www.aerpro.com.au) and search for your vehicle.



## □ Harness - Steering Wheel Control

### SWC CONTROL HARNESS "C" BMW QUADLOCK

Suits BMW 5 Series E39, X5 E53, 3 Series E46, X3 E83, Z4 E85, E86, Mini Cooper R50-R53 and Landrover Range Rover 2002 -2005, etc.

Code  
CHBM5C



### SWC CONTROL HARNESS "C" FORD

Ford Mondeo (2007-14), Kuga 2012 TE, Fiesta (2006-8) WQ, Focus (2008-11) LV, LVII, (2005-8) LS, LT, Transit (2007-2013) VM.

Code  
CHFO2C



### SWC CONTROL HARNESS "C" - FORD MONDEO

Ford Models with Quadlock: Mondeo (BA7) 2004 - 2014, Kuga (DM2) 2008 - 2012 Visteon 5000C, 6000CD, 6006CD. Retains Parking Sensor Audio Outputs

Code  
CHFO11C



### CONTROL HARNESS "C" HOLDEN & ISUZU

#### ISUZU/HOLDEN STEERING WHEEL HARNESS "C"

Suitable for Isuzu D-Max (2012 - ) and Colorado (2012 - ) range vehicles.

Code  
CHIZ2C



### CONTROL HARNESS "C" HOLDEN

Holden Astra 2004-2009 AH  
Holden Barina 2001-2005 XC  
Holden Captiva 5 2009-2011  
Holden Captiva 2007-2008 MAXX  
Holden Tigra 2005-2006 XC  
Holden Vectra 2005-2006 XC  
Holden Combo 2005-2013 XC

Code  
CHGM5C



### SWC CONTROL HARNESS "C" HYUNDAI

#### SEE WEB FOR MODELS

Code  
CHHY8C



MORE  
TYPES  
AVAILABLE  
SEE WEB

### UNIVERSAL STEERING WHEEL CONTROL INTERFACE

#### CHEV CHRYSLER DAEWOO DODGE FORD HOLDEN HONDA

Allows you to upgrade to an aftermarket head unit whilst maintaining use of your factory steering wheel controls. Suits many "Detroit" made vehicles and derivatives. Compatible with most head-unit brands. Advanced programming design. Auto detects vehicle type. Ability to dual assign buttons. Can be manually programmed. [www.axxessinterfaces.com](http://www.axxessinterfaces.com)

Code  
AXSWC



### CONTROL HARNESS FOR IVECO

#### Iveco Daily 2014-2017

Code  
CHIV2C

MORE AVAILABLE  
SEE OUR WEBSITE



### CONTROL HARNESS "C" MAZDA

Suitable for Mazda MX5 2005-2013, RX8 2008-2010, Mazda2 2003-2014 Mazda3 2004-2009, etc.

Code  
CHMZ1C



### CONTROL HARNESS "C" FOR MAZDA BT-50

Suits Mazda BT-50 2015-2017 GT, XTR

Code  
CHMZ14C



### CONTROL HARNESS "C" MAZDA

#### CX9 BOSE AMPLIFIED

Code  
CHMZ1C



### CONTROL HARNESS "C" MITSUBISHI

#### SEE WEB FOR MODELS

Code  
CHMB2C

MORE AVAILABLE  
SEE OUR WEBSITE



### CONTROL HARNESS "C" NISSAN

#### SEE WEB FOR MODELS

Code  
CHNIUNI

MORE AVAILABLE  
SEE OUR WEBSITE







### CONTROL HARNESS "C" SUBARU [NAVIGATION]

Suits Subaru Forester 2008-2012 SH, Impreza 2007-2011 GE, GH, GR, GV, WRX 2007-2014. Does not retain factory reverse camera.

Code  
CHSU4C



### CONTROL HARNESS FOR SUBARU

Suits Subaru Forester SH, SJ, Impreza GE, GH, GR, GV, GP, GJ, WRX 2007-2014, WRX 2014-2015 (MY15), XV 2012-2015.

Code  
CHSU3C



### CONTROL HARNESS "C" SUZUKI

Suitable for Kizashi (2010 - ), Swift (2005 - ), SX4 (2007-2013) and Grand Vitara (2002 - )

Code  
CHSZ1C



### SWC CONTROL HARNESS "C" TOYOTA

Control harness A for Toyota Corolla, RAV 4, Camry with Standard Head unit 08/06-10, Aurion with Standard Head unit 07-10, Hilux 08-11, FJ Cruiser 2011-, Prius 2004-2008, Yaris 2005-2011.

Code  
CHTO2C



### SWC CONTROL HARNESS "C" TOYOTA

MANY MODELS 2012-2016

Code  
CHTO3C



### SWC CONTROL HARNESS "C" TOYOTA

AURION CAMRY COROLLA HILUX  
KLUGER HIACE HIACE PRADO  
FORTUNER C-HR YARIS FJ

Code  
CHTO15C



### CONTROL HARNESS "C" VOLKSWAGEN

2003-2016

Code  
CHVW3C



MORE AVAILABLE  
SEE OUR WEBSITE

MORE  
TYPES  
AVAILABLE  
SEE WEB

### UNIVERSAL PATCH LEAD "C" SELF LEARN

#### FOR SELF LEARN HEAD UNITS

To Suit Type C Steering Wheel Control Modules

Code  
APUNIL2



### UNIVERSAL PATCH LEAD "C" SELF LEARN

Patch lead to suit self learning head unit (3 wire system)  
Plugs directly into APUCB Can-Bus and Control harness C series

Code  
APLRNPL



### ALPINE PATCH LEAD "C"

Alpine patch lead suits type C control harnesses  
Also suits APUCB

Code  
APALPPL



### CLARION PATCH LEAD "C"

Clarion patch lead suits type C control harnesses  
Also suits APUCB

Code  
APCLAPL



### JVC PATCH LEAD "C"

JVC patch lead to suits type C control harnesses  
Also suits APUCB

Code  
APJVCPL



### KENWOOD PATCH LEAD "C"

Patch lead for Kenwood Head unit. Plugs directly into APUCB Can-Bus and Control Harness C series

Code  
APKWPL



### PIONEER PATCH LEAD "C"

Patch lead to suit Pioneer Head unit. Plugs directly into APUCB Can-Bus and Control harness C series.

Code  
APPIOPL



### SONY PATCH LEAD "C"

Patch lead to suit Sony Head unit. Plugs directly into APUCB Can-Bus and Control harness C series

Code  
APSONYPL



Popular types are listed here. Many more types are available; see [www.aerpro.com.au](http://www.aerpro.com.au) and search for your vehicle.



## Antennas Automotive

### AM/FM & DAB+ Antenna

#### TV ANTENNA WINDOW FILM TYPE

##### TV ANTENNA TO "F" CONNECTOR

Adhesive strip antenna 40x9cm.  
Clear film window mount. Passive.

Lead Code  
550cm AP172



#### GLASS MOUNT DAB ANTENNA

Glass mount Antenna  
Amplified DAB

Plug Code  
SMB Male CT27UV62



#### STEALTH DEMISTER ANTENNA AM/FM

##### CONNECTS IN-LINE TO WINDOW DEMISTERS FOR ANTENNA

Try breaking this antenna! Plugs onto rear window demister for boosted AM/FM impossible to vandalise. Mounts under dash. requires 12V connection.

Lead Code  
260cm AP170



#### 12V WINDSCREEN ANTENNA AM-FM

##### AM-FM

Booster amp 12V 24cm adhesive strip antenna Window mount

Lead Code  
260cm AP259



#### FIBREGLASS WHIP TYPE AM-FM

Dual band tuned whip 526KHz - 1.6MHz 88MHz - 108MHz  
Flexible weatherproof All Australian Made.  
Available as whip only or with an included base and 1.6M fly lead to standard car antenna plug.



##### FROM 30cm TO 1.5M

Length	285mm	285mm	950mm	950mm	1200mm	1200mm	1550mm	1550mm
Lead	Whip Only	RG62AU x1.6M	Whip Only	RG62AU x1.6M	Whip Only	RG62AU x1.6M	Whip Only	RG62AU x1.6M
Code	ANT883	ANT884	ANT810	ANT811	ANT885	ANT886	ANT881	ANT882

#### TAIL STRAPS

##### 174 x 19mm

Code  
TS17019

##### 174 x 25mm


Code  
TS17025

##### 340 x 19mm

Code  
TS34019

##### 348 x 25mm

Code  
TS34025



#### DAB ANTENNA ON-GLASS

Go digital DAB Radio is here and unfortunately your current antenna probably will not pick up DAB stations even after you fit a DAB capable radio in it. Here is where you find all your DAB antenna solutions.

- Power And Antenna Lead
- 3 Metre
- SMB Female Connector

Code  
APDAB2



#### SHARK FIN AMPLIFIED AM/FM ANTENNA - AERPRO

Amplified Roof mount Antenna  
Amplify GAIN: AM 5db  $\pm$  3db FM 6db  $\pm$  3db  
Coaxial Cable 75 Ohms  
Power lead length: 300mm  
Bolt Size: 13mm  
Size: 60x85x40mm

Code  
AP218SF



#### LIGHT UP AMPLIFIED ANTENNA

##### LED TIP

Top or side mount  
Inline active signal amplifier.  
One section rubber whip mast  
Extends to 29.5cm  
Light-up tip with four interchangeable lenses (Clear, Red, Blue & Green)  
12VDC Power  
Signal cable: 191cm  
Light cable: 205cm

Length 295mm  
Colour Black  
Code AP101







## SEMI-AUTO ANTENNA WITH CONTROL SWITCH

### UNIVERSAL MOUNT

Manual toggle switch control. Universal mount  
Non-replaceable Stainless steel Mast. Top Cowl.  
99cm Extended. Antenna lead 140cm.

Code  
AP24



## FULLY AUTO ANTENNA

### UNIVERSAL MOUNT

Hilux, Rodeo Land Cruiser and much more! FULLY AUTO  
Stainless steel mast. Non-replaceable mast. High angle.  
99cm Extended. Antenna lead 140cm.

Code  
AP22




## REPLACEMENT MAST STAINLESS STEEL

Replacement mast that suits many AERPRO fully auto antennas including but not limited to:  
Suits AP2, AP3, AP4, AP5, AP6, AP7, AP11, AP176, AP180 & AP190.  
Also suits Ford Falcon XA-XF, EA-EL & AU.

5 section stainless steel mast, Extends to 104cm, Mast diameter: 9.5mm.

Code  
AP12



## PILLAR MOUNT

Suit Universal  
Up 120cm  
Sect. 3  
Lead 122cm

Code  
AP120



## PILLAR MOUNT

Suit Universal  
Up 120cm  
Sect. 3  
Lead 120cm

Code  
AP122



## CENTRE ROOF

SPRING BASE  
Up 80cm  
Sect. 4  
Lead 200cm

Code  
AP100



## GUTTER MOUNT

SPRING BASE  
Stainless Steel  
Sect 3  
Up 78cm  
Lead 198cm

Code  
AP92



## ANTENNA ADAPTOR

### 90° PLUG - A TIGHT SQUEEZE

Tight installation? This  
adaptor allows for space  
limited behind the radio  
Plug to Socket

Code  
AP332



## ANTENNA SOCKET

### STANDARD TYPE

Code  
CAS10



## ANTENNA PLUG

### STANDARD TYPE

Code  
CAP10



## ANTENNA PLUG

### SCREW TYPE

Code  
CAP20



## INLINE SOCKET

### SCREW TYPE

Code  
CAS50



## CAR ANTENNA EXTENSION LEADS

### MALE TO FEMALE

Common automotive antenna  
connections, male to female  
for extension.

Length	Code
0.6M	AP340
1.0M	AP334
3.0M	AP336



## FM ANTENNA BOOSTER

Adapts inline to an FM car antenna & boosts  
the FM signal by 10dB. Quality steel box.  
Front switch for AM bypass.

Code  
AP342





## SCREW IN ROOF MOUNT UNIVERSAL

Coated stainless steel  
electronic mast  
Sect.: 1  
Length: 40cm  
Thread: 5mm

**Code**  
AP267



Lock-Down Chrome  
Plated Two Heads  
for both standard  
or smaller type  
European cars, etc.  
Up 95cm  
Sect. 5  
Lead 1.5M

**Code**  
AP63



## HIGH ANGLE

Universal  
Sweep-back  
Suit VW,  
Hilux 83-88, etc.  
Sect. 4  
Up 100cm  
Lead 120cm

**Code**  
AP60



## SPRING-BALL

Sect. 3  
Up 120cm  
Lead 137cm

**STEEL**  
**Code**  
AP40

**BLACK**  
**Code**  
AP42B



## SCREW IN ROOF MOUNT SPRING BASE

Coated stainless steel  
electronic mast  
Sect.: 1  
Length: 10cm  
Thread: 5mm

**Code**  
AP274



Fully Retractable  
Sect. 4  
Up 122cm  
Lead 122cm

**Code**  
AP76



## SPRING-BALL

**BOOSTER  
COIL IN  
MAST**

Sect. 3  
Up 134cm  
Lead 127cm

**Code**  
AP46



## RUBBER DUCK

Suit Universal  
Up 37cm  
Lead 125cm

**Code**  
AP102



## LOCK DOWN

Sect. 4  
Up 75cm  
Lead 130cm  
**Chrome Plated**  
Bulk. No packaging.

**Code**  
AP64



## UNIVERSAL

Top Cowl  
Up 96cm  
Lead 122cm

**Code**  
AP30



## DELUXE RUBBER

Black rubber mast with  
Heavy-duty metal base

Sect. 1  
Up 36cm  
Lead 137cm

**Code**  
AP103



## GUARD MOUNT

Removable rubber mast  
with 12VDC Active amplifier  
Sect. 1  
Up: 87.5mm  
Lead: 442.5mm

**Code**  
AP167



**Black Anodised**  
**Code**  
AP66B

**Stainless Steel**  
**Code**  
AP62





□ OEM Replacement

### HOLDEN ASTRA

#### LONG 40cm

Coated stainless steel  
Sect.: 1  
Length: 40.5cm  
Thread: 5mm

Code  
AP267

#### SHORT 10cm

Code  
AP274



### HOLDEN COLORADO

Pillar Mount  
Antenna to suit  
2008 Colorado LX  
4X2 DX 4X4 Single  
Cab and LX 4X4  
Crew Cab.

Section: 2  
Up: 92.5cm  
Lead 125 cm  
Mounting hole  
spacing 74mm

Code  
AP136



### HOLDEN RODEO

#### 1988-1997

Up 90cm  
Sect. 4  
Lead 124cm

Code  
AP77



### COMMODORE VN

Suit VN-VS  
Sect. 5  
Up 100cm  
Lead 122cm

Code  
AP70



### COMMODORE VY VZ

VY-II TO VZ  
Mast AP265  
Up 126cm  
Lead 127cm

Code  
AP971



### HOLDEN ASTRA

#### HATCH 96-98

Cable Detach  
Head 62°  
Lead 60cm

Code  
AP162



### HOLDEN BARINA

#### ROOF MOUNT MAST ONLY

Stainless steel  
Black anodised  
Base 5mm  
Up 41cm

Code  
AP153



### HOLDEN VECTRA

Suit: Sedan.  
Cable Detach  
Head 52°  
Lead 60cm

Code  
AP163



### COMMODORE VN

#### VN-VS

Fully Auto  
Sect. 5  
Up 99cm  
Lead 50cm

Code  
AP6



### COMMODORE VY VZ

VY-II TO VZ  
Mast only  
Up 126cm  
Lead 127cm

Code  
AP265



### HOLDEN ASTRA

#### SEDAN 96-98

Cable Detach  
Head 26°  
Lead 60cm

Code  
AP165



### HOLDEN JACKAROO

#### 1992-2001

Guard Mount  
Mast AP12  
Sect 5  
Up 97cm  
Lead 140cm

Code  
AP180



### HOLDEN NOVA

#### LE-LF 89-94

Pillar Mount  
Sect 2 Up 90cm  
Lead 131cm

Code  
AP192



### COMMODORE VN

#### VN VP VR VS VT Original Auto Mast

MAST ONLY  
OEM Replace  
Sect. 5  
Up 106cm  
Suit VN-VT

Code  
AP250



### COMMODORE VE

#### LONG 40cm

Code  
AP267

#### SHORT 10cm

Code  
AP274





## COMMODORE VT VY FALCON EA

Suit VT-VY  
Sect. 5  
Up 98cm  
Lead 43cm

Code  
AP71



EA/EB/ED  
Up 123cm  
Lead 122cm

Code  
AP68



## FALCON EF

EF EL 95+  
Up 100cm  
Lead 50cm

Code  
AP69



## FORD FESTIVA

1994-2002  
Pillar mount 1  
section  
Up 84cm  
Lead 250cm

Code  
AP185



## HONDA ACCORD

R/H Side Pillar  
Accord 81 up  
Up 95cm  
Sect. 2  
Lead 178cm

Code  
AP128



## COMMODORE VT VZ FALCON EA

VT Series I  
Mast AP12  
Sect. 5  
Up 99cm  
Lead 50cm

Code  
AP7



Replacing  
factory fitted  
auto antenna

EA-ED  
Semi-Auto  
Sect. 5  
Up 99cm  
Lead 140cm

Code  
AP2



## FORD LASER

Pillar Mount  
SEE ALSO MAZDA  
Up 89cm  
Lead 208cm

Code  
AP158

KF-KH  
Pillar Mount  
Sect. 1  
Up 92cm  
Lead 215cm

Code  
AP175



## FORD COURIER

1999+  
Pillar Mount  
Sect. 1  
Up 80cm  
Lead 243cm

Code  
AP191



## HONDA ACCORD

PRELUDE  
Original Auto Mast  
Suit 95/96

Code  
AP251



## FALCON AU

AU  
Up 100cm  
Lead 50cm

Code  
AP67



## FALCON EA

For replacing  
factory fitted  
lockdown  
antenna.

EA-ED  
Fully-Auto  
Sect. 5  
Up 99cm  
Lead 48cm

Code  
AP4



## FORD TRANSIT

ROOF 96+  
Up 55cm  
Lead 200cm

Code  
AP186



## HONDA ACCORD

94+  
Fully-Auto  
Sect. 5  
Up 99cm  
Lead 200cm

Code  
AP8



## HONDA CR-V

99+  
Rubber whip  
Active amp.  
Up 18cm  
Lead 19cm

Code  
AP198







## HONDA CIVIC

Pillar Mount  
Up 94cm  
Lead 188cm

Code  
AP132



## HYUNDAI ACCENT

2000+  
Fully auto Mast AP12  
Sect. 4  
Up 88cm  
Lead 18cm

Code  
AP190



## HYUNDAI LANTRA

1991-2000  
Guard mount  
Sect. 5  
Up 85cm

Code  
AP184



## MAZDA 323 85+

Pillar Mount  
Up 89cm  
Lead 208cm

Code  
AP158



## MITSUBISHI MAGNA

91 TO 94  
Up 90cm  
Lead 269cm

Code  
AP156



## HONDA CIVIC

Prelude 80-82  
Accord up to 81

Up 95cm  
Sect. 2  
Lead 195cm

Code  
AP124



## HYUNDAI ACCENT

2000+  
Guard mount  
Sect. 4  
Up 88cm  
Lead 18cm

Code  
AP181



## ELANTRA

MAST 2001+ CAR  
ANTENNA

Replacement mast  
Suit OEM auto  
5 Sections expand  
to 85cm

Code  
APXD3M



## MAZDA 626

Mast Only  
Suit 95+  
Up 97cm

Code  
AP254



## MITSUBISHI MAGNA

CAR ANTENNA

Sect. 4  
Up 84cm  
Lead 270cm

Code  
AP88



## HYUNDAI

ACCENT 00-05  
EXCEL 94-00

Code  
SAU371N



## HYUNDAI ACCENT

OEM MAST  
MAST 2000+  
Replaces original  
Mast for OEM Auto  
Sect. 4  
Up 88cm

Code  
AP264



## MAZDA 121

Suit 95+  
Pillar Mount  
Sect 1  
Up 89cm  
Lead 208cm

Code  
AP159



## MAZDA MX5

Roof Mount  
Whip 41cm

Code  
AP153




## MITSUBISHI MAGNA

Original  
Auto Mast

Sect. 5  
Up 93cm  
Suit 95 To 97

Code  
AP253





## MITSUBISHI VERADA

Suit 00 To 02  
Replace OEM  
Mast auto  
Sect 5  
Up 94cm

Code

AP263



## MITSUBISHI PAJERO

Suit 00 To 02  
Pillar Mount  
Sect 5  
Up 94cm  
Lead 141cm

Code

AP182



## NISSAN X-TRAIL

2001+  
Roof rubber  
Whip 18cm  
Lead 276cm

Code

AP199



## NISSAN PATROL

Automatic replacement  
antenna and stainless  
steel mast for  
replacing the original  
mast. Compatible with  
the Nissan Patrol and  
Pathfinder 1998-2004.

Sect.: 5  
Length: 978mm  
Retract: 275mm  
Mast: 9mm

Code

AP272



## KIA SPORTAGE

98-03

• 22cm to 887mm

Code

AP273



## MITSUBISHI PAJERO

1983 TO 1987  
Guard Mount  
Mast AP12  
Sect 5  
Up 97cm  
Lead 140cm

Code

AP180



## MITSUBISHI PAJERO

00-06

Code

ARM131



## NISSAN NAVARA

PATHFINDER  
Navara 93 To 97  
Path' 92-95  
RH Mount  
Sect. 4  
Up 94cm  
Lead 70cm

Code

AP81



## NISSAN PULSAR

1992 TO 1995  
Up 94cm  
Sect. 2  
Lead 215cm

Code

AP147



## TOYOTA CAMRY

Suit 97/02

Code

AP197



## PAJERO MAST

2000 TO 2004  
Replaces OEM  
Mast Auto  
Sect 7  
Up 9cm

Code

AP262



## DATSUN 200B

Pillar Mount  
Up 128cm  
Sect. 3  
Lead 142cm

Code

AP142



## NISSAN NAVARA

Suit 2000+  
Guard Mount  
Sect. 4  
Up 5cm  
Lead 8cm

Code

AP183



## NISSAN PULSAR

N16 2000+  
Pillar mount  
Up 97cm  
Sect. 2  
Lead 245cm

Code

AP149



## TOYOTA COROLLA

STARLET  
82-88

Pillar Mount  
Whip 90cm  
Lead 131cm

Code

AP192





**TOYOTA COROLLA****Pillar Mount**

Up 93cm  
Sect. 2  
Lead 107cm

Code  
AP138

**LAND CRUISER****100****1998+**

Mast Only Suit  
OEM Auto antenna

Code  
AP266

**LAND CRUISER****GXL****1990-1998**

Guard Mount  
Lead 126c

Code  
AP73

**SUZUKI JIMNY****00 TO 05**

Up 90cm  
Sect. 2  
Lead 131cm

Code  
AP192

**SUBARU****IMPREZA 98-01**

• AP257 990mm

Code  
AP257

• ARM110 830mm

Code  
ARM110

**COROLLA ECHO**

Corolla 02 To 05  
Echo 03+  
Roof Mount  
Whip 41cm

Code  
AP153

**TOYOTA HILUX****1988-1997**

Up 90cm  
Sect. 4  
Lead 124cm

Code  
AP77

**TOYOTA HILUX**

Automatic replacement antenna and stainless steel mast for replacing the original mast. Compatible with the Toyota Hilux 1998 - 2003 model.

Code  
AP271

**SUBARU LIBERTY**

LIBERTY SEDAN  
OEM replace

**90 TO 94**

MAST ONLY  
Replacement for original  
Sect. 7  
Up 103cm

Code  
AP256

**VW GOLF**

1992 TO 1996  
Guard mount 68°  
Cable detach  
Lead 60cm

Code  
AP161

**COROLLA YARIS****LONG 40cm**

Coated stainless steel  
Sect.: 1  
Length: 40.5cm  
Thread: 5mm

Code  
AP267

**TOYOTA HILUX****1997+**

Guard Mount  
Up 84cm  
Sect. 4

Code  
AP188

**TOYOTA PRADO****1996 - 2002**

Automatic antenna mast  
5 sections stainless  
mast & drive cable

Code  
AP269

**SUBARU LIBERTY**

LIBERTY WAGON  
OEM replace

**90 TO 94**

MAST ONLY  
Replacement for original  
Sect. 5  
Up 99cm

Code  
AP257

**VW PASSAT****1995 TO 1997**

Mast Only  
Base 5mm  
Length 41cm

Code  
AP153

**SHORT 10cm**

Code  
AP274





## □ Antenna Adaptors

### EUROPEAN ADAPTOR

Change European radio to standard Australian socket. eg. Install a Becker-Mexico into a Ford-Falcon. Gold plated plug socket

Code  
AD653



### EUROPEAN ADAPTOR

Car radio adaptors Change a standard radio to suit a European antenna.

Code  
AD655



### EUROPEAN ADAPTOR

Change a Standard radio to suit European antenna.

Code  
CAL655



### EUROPEAN ADAPTOR WITH BOOST AERPRO

#### BUILT-IN FM BOOSTER

Adapts Euro -> Aust. Change a standard radio to suit European antenna when installing a new radio into a European car. Ideal for demister antenna. 5-10dB FM Boosted.

Code  
AP3421



### ANTENNA ADAPTOR FOR EURO CARS

This adaptor allows an aftermarket antenna to fit a European radio. 20cm long.

Code  
AP344



### DUAL DIVERSITY ADAPTOR

Antenna adaptor DIN with DIN/Mini DIN plugs and diversity. For converting a factory head unit antenna connection to a standard DIN socket for aftermarket antennas Suits Lexus IS250 (2006-2009) and Toyota Prado 120 series (2003-2009).

Code  
APA82



### ANTENNA ADAPTOR MULTIFIT

Converts a factory head unit antenna connection to a standard DIN plug for aftermarket head units.

Suitable for Audi, Mercedes, Benz, Seat, Skoda and Volkswagen models

Code  
APA66



### CHRYSLER JEEP ADAPTOR

#### CHRYSLER JEEP 2002+

Code  
APA37



### AUDI ANTENNA ADAPTOR

Antenna adaptor DIN with Fakra (Passive)

Code  
APA58



### HYUNDAI 08 ANTENNA ADAPTOR TO DIN

Car antenna adaptor to DIN plug for Hyundai i10 / i30 models (2007-2010) / i40 (2011 - ) and more.

Code  
APA47



### SUBARU ANTENNA PLUG ADAPTOR

Subaru factory antenna plug to aftermarket radio.

Code  
APA52



### SUBARU ANTENNA ADAPTOR TO DIN SOCKET

Subaru factory Radio plug to aftermarket antenna socket.

Code  
APA53



### HONDA ANTENNA ADAPTOR TO DIN PLUG

Antenna Adaptor to DIN plug to suit Honda Civic / CRV 2006 onwards

Code  
APA55



### HONDA ANTENNA ADAPTOR TO DIN SOCKET

Antenna Adaptor to DIN plug to suit Honda Civic / CRV 2006 onwards

Code  
APA56







### AUDI 02-UP FAKRA ANTENNA CONNECTOR

For cars fitted with Fakra antenna connector, antenna may be passive or active with separate mast head amplifier trigger.

Code  
APA58



### TOYOTA ANTENNA ADAPTOR CABLE

Toyota Antenna adaptor (09 Up)  
To DIN plug, also suitable for  
Subaru Liberty 2012-

Code  
APA75



### AUDI 02-UP ANTENNA ADAPTOR

Car stereo radio antenna adaptor  
DIN with Fakra and  
Phantom power supply  
for Audi and other  
model vehicles .

Code  
APA59



### HONDA ANTENNA PLUG ADAPTOR

Honda car antenna adaptor to DIN plug,  
suits Honda Jazz 2009- and Insight.

Code  
APA79



### DUAL FAKRA CAR STEREO ANTENNA ADAPTOR

Antenna adaptor DIN with 2 Fakra plugs and diversity,  
to use with both antennas.

Code  
APA60



### ANTENNA ADAPTOR NISSAN

Antenna adaptor lead to suit OEM Nissan.  
For aftermarket antenna to factory radio.

Code  
APA89



### HYUNDAI / KIA DIN ANTENNA ADAPTOR

Hyundai / Kia car stereo  
antenna adaptor to DIN  
Female socket

Code  
APA64



### VW & BMW ANTENNA ADAPTOR

**VW & BMW 2002+**

Converts car antenna To after-market radio.

Code  
APA34



### ANTENNA ADAPTOR FAKRA

**BMW-5 JEEP  
LANDROVER MERCEDES**

Code  
APA68



### TOYOTA & SUBARU ANTENNA ADAPTOR

Designed for Adding an Aftermarket  
Antenna to a Factory-Fitted Head unit  
Converts Female DIN Antenna Socket  
to Male Toyota Antenna Plug

Code  
APA81



### ANTENNA ADAPTOR FOR AUDI, VW & BMW

Antenna adaptor to DIN socket for Audi, BMW,  
Volkswagen & Audi All Models 2002 Up.

Code  
APA67



### NISSAN DIVERSITY ADAPTOR

Connect an aftermarket radio  
into the existing diversity  
antenna system (2x antennae)

Code  
AP348A

Code  
AP348B



### NISSAN ANTENNA ADAPTOR CABLE

Nissan antenna adaptor  
cable enables universal  
head unit to be used in  
Nissan vehicle.

Code  
APA69



### ANTENNA SPLITTER

Installs an aftermarket radio  
into a car with dual diversity  
(two) antennae and combines  
them into one input.

Code  
AP339





## Automotive Hardware

## Glovebox Items

### USB CAR CHARGER & EMERGENCY POWER BANK

#### TWO IN ONE COMPACT UNIT – POWER IT UP

2 in 1 car charger with a built-in 3000mAh Lithium-ion Battery for power storage. You can use it to charge your smartphone & tablet outside your car. 4 Level LED Battery Indicator. Comfortable Ergonomic Design with Rubberised Finish. Overcharge & Over Current Protection, with Replaceable Fuse. Extended Standby Time: Up To 24 Months.

- 3000mAh Lithium-ion Battery Cell
- Use with your Smartphones & Tablets
- 4 Level LED Battery Indicator
- Comfortable Ergonomic Design with Rubberised Finish
- Overcharge & Over Current Protection, with Replaceable Fuse
- Extended Standby Time: Up To 24 Months
- Life Cycle: 1000+ Times
- Charge via car 12V-24V DC/500MA
- USB output: 5V/2.1A

Capacity	Code
3000mAh	PBC3012-2



**Poweritup**



3000mAh  
BATTERY

### SAFETY TORCH & POWER BANK 10AH

#### SEAT-BELT CUTTER AND WINDOW BREAKING HAMMER

10,400 mAh Power Cell: Charge Phones, Tablets, etc.

Life Hammer: To Crack the Vehicles Window

Seatbelt Cutter: Protected blade

LED Flashlight: 220 Lumens up to 100M

Capacity	Size	Code
10400mAh	210x40mmØ	PBSF-10K

SAFETY  
TORCH &  
PHONE  
CHARGER



WATERPROOF LED TORCH  
3 BRIGHTNESS LEVELS  
FLASH & SOS



RUGGED BUILD QUALITY  
INBUILT GLASS HAMMER



SEATBELT  
CUTTER



RECHARGEABLE BATTERY  
USB OUT TO CHARGE A PHONE

LED  
STATUS

## Ratchet Strap

### 25MM x 2.0M RATCHET TIE DOWN STRAPS

#### AUTOMATICALLY REWINDS BACK INTO BUILT-IN STORAGE

This ratchet tie down kit includes two x 25mm wide and 2M long high-visible reflective polyester straps. Lashing capacity 340kg. Automatically rewinds back into built-in storage case. Sold in a package of 2.

QTY	Code
2	RTD25RT2



### 25MM x 4.6M RATCHET TIE DOWN STRAPS

This ratchet tie down kit includes the 25mm wide and 4.5M long high-visible orange polyester straps. Lashing capacity 340kg. Ergonomic rubberised handles. PE coated hooks. Sold in a package of 4.

- Contains 4 x 25mm x 4.5m tie downs
- Lashing capacity: 340kg
- Gripwell tiedowns use a patented design that protects the webbing against fraying & cuts
- Suitable for small to medium sized loads
- Conforms to AS/NZS 4380

QTY	Code
4	RTD52391



### 50MM x 5.0M RATCHET TIE DOWN STRAP

#### UP TO TWO TONNE LOAD

This heavy duty ratchet tie down includes a 50mm wide and 5M long high-visible yellow polyester strap. Lashing capacity 2000kg. Steel double J-hooks for ease of attachment.

QTY	Code
1	RTD50MM1

