



HVE-9118T Version: 1

## HDMI over Cat.5 Transmitter, 300m, 8 Channel Outputs

The LevelOne HVE-91 HDMI Extender series offers a ground-breaking solution for long range HDMI deployments, extending the range of Ultra/Full HD (4K/1080P) signal broadcasts up to 300 metres from the source. HDMI signals are distributed over Ethernet cables between the transmitters and receivers, providing a crystal-clear, high-definition signal without the expense of using optical fiber.

The HVE-91 series features an in-built 4K Ultra HD video scaler, revolutionary technology which enables the user to find the optimal signal, regardless of the input specifications.

The LevelOne HVE-9118T is a HDMI Transmitter with 1 HDMI local output port and 8 link ports for connecting to 8 receivers.

### Key Features

- Screw-in power socket for added safety
- HDMI outputs with EDID management
- Transmission distance of up to 300m for 4k2k resolution

### Works With



**HVE-9111R**  
HDMI over Cat.5 Receiver, 300m, 4K2K



**HVE-9111RF**  
HDMI over Cat.5 Receiver, 300m, Full HD 1080P

### Specifications

#### System Specifications

Port:  
HDMI Female X2 / RJ45 X8



**Button/Knob:**  
DIP/ SET Button

**Resolution:**  
Up to 1920 x1200@ 60Hz

**Power Input:**  
DC5V 2A

**Power Consumption:**  
900mA

**Bandwidth:**  
25MHz - 340MHz

## Performance

**Operating Distance:**  
300meters

## Environment

**Temperature (°C):**  
0° C ~48° C


**Humidity (Non-condensing):**  
10~80% RH

## Physical Specifications

**Dimensions (W x D x H mm):**  
220 x 83 x 44 mm

**Weight (g):**  
650g

## Diagram



## Order Information

HVE-9118T

---

## Package Contents

HVE-9118T

Power Adapter

Quick Installation Guide

No liability or responsibility for any errors or omissions in the content.  
Specifications are subject to change without notice.  
All mentioned brand names are registered trademarks and property of their owners.  
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.